


STYLE RTUB SUPER-DUTY ROD U-SEALS

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

Featuring high pressure and high shock load capability, this seal utilizes the same twin lip design found in RTU style. With the main body of the seal molded from high performance polyurethane, this seal incorporates a dynamically designed nitrile energizer and a tough polyacetal anti-extrusion ring. It is capable of pressures up to 10,000 PSI.



PART NUMBERS
RTUB 18 - 1.50 - 25
 Type of Seal | Cross Section | Inside Diameter | Height

SEAL INFORMATION					
MATERIAL	94 A URETHANE SEAL RUBBER ENERGIZER POLYACETAL ANTI-EXTRUSION RING				
MAXIMUM OPERATING PRESSURES					
MAXIMUM SPEED FT./SECOND	TEMPERATURE RANGE -50° to +175° F		TEMPERATURE RANGE -50° to +230° F		
3 1.5	5,500 PSI 10,000 PSI		5,000 PSI 7,500 PSI		
MAXIMUM EXTRUSION GAP					
PRESSURE	2,400 PSI	3,750 PSI	6,000 PSI	7,500 PSI	10,000 PSI
MAX. RADIAL GAP	.040"	.032"	.024"	.016"	.010"


Part Number	I.D.	O.D.	H.	List Price
3/16" C/S				
RTUB18-1.50-25	1-1/2	1-7/8	1/4	\$ 9.47
RTUB18-1.50-31	1-1/2	1-7/8	5/16	9.47
RTUB18-1.75-25	1-3/4	2-1/8	1/4	10.12
RTUB18-1.75-37	1-3/4	2-1/8	3/8	10.17
RTUB18-2.00-37	2	2-3/8	3/8	11.45
1/4" C/S				
RTUB25-1.50-37	1-1/2	2	3/8	10.37
RTUB25-1.75-37	1-3/4	2-1/4	3/8	11.45
RTUB25-2.00-37	2	2-1/2	3/8	12.48
RTUB25-2.25-37	2-1/4	2-3/4	3/8	14.05
RTUB25-2.37-37	2-3/8	2-7/8	3/8	14.62
RTUB25-2.50-37	2-1/2	3	3/8	15.38
RTUB25-2.75-37	2-3/4	3-1/4	3/8	16.85
RTUB25-3.00-37	3	3-1/2	3/8	18.25
RTUB25-3.25-37	3-1/4	3-3/4	3/8	19.50
RTUB25-3.50-37	3-1/2	4	3/8	21.00
RTUB25-4.00-37	4	4-1/2	3/8	23.53
RTUB25-4.00-56	4	4-1/2	9/16	25.53

Part Number	I.D.	O.D.	H.	List Price
1/4" C/S				
RTUB25-4.50-37	4-1/2	5	3/8	\$ 28.05
RTUB25-4.50-56	4-1/2	5	9/16	28.05
RTUB25-5.00-56	5	5-1/2	9/16	31.94
RTUB25-5.50-56	5-1/2	6	9/16	37.40
RTUB25-6.00-56	6	6-1/2	9/16	41.18
5/16" C/S				
RTUB31-3.00-50	3	3-5/8	1/2	20.94
RTUB31-3.50-50	3-1/2	4-1/8	1/2	24.35
RTUB31-4.00-56	4	4-5/8	9/16	27.72
RTUB31-4.50-62	4-1/2	5-1/8	5/8	30.88
RTUB31-5.00-62	5	5-5/8	5/8	35.82
3/8" C/S				
RTUB37-3.00-62	3	3-3/4	5/8	29.65
RTUB37-4.00-62	4	4-3/4	5/8	37.98
RTUB37-4.50-62	4-1/2	5-1/4	5/8	41.50
RTUB37-5.00-62	5	5-3/4	5/8	45.44
RTUB37-6.00-62	6	6-3/4	5/8	53.20

STYLE DRU HEAVY DUTY ROD U-SEALS

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

These seals are specifically designed to seal on their inside diameter and engineered to attain maximum life and reliability in dynamic rod sealing.



SEAL INFORMATION	
MATERIAL	92 A URETHANE
TEMPERATURE RANGE	-40° TO +230° F
PRESSURE RANGE	0 TO 6,000 PSI

PART NUMBERS

DRU 12 - 0.62 - 18
 / | | \
 Type of Cross Inside Height
 Seal Section Diameter

Part Number	I.D.	O.D.	H.	List Price
1/8" C/S				
DRU12-0.62-18	5/8	7/8	3/16	\$ 5.22
DRU12-0.75-12	3/4	1	1/8	4.45
DRU12-0.75-25	3/4	1	1/4	5.28
DRU12-0.87-12	7/8	1-1/8	1/8	5.01
DRU12-1.00-12	1	1-1/4	1/8	5.42
DRU12-1.00-18	1	1-1/4	3/16	4.82
3/16" C/S				
DRU18-0.87-18	7/8	1-1/4	3/16	4.70
DRU18-0.87-25	7/8	1-1/4	1/4	5.38
DRU18-1.12-37	1-1/8	1-1/2	3/8	5.05
DRU18-1.75-25	1-3/4	2-1/8	1/4	7.46
DRU18-1.87-31	1-7/8	2-1/4	5/16	15.77
DRU18-2.00-25	2	2-3/8	1/4	8.86
DRU18-2.25-31	2-1/4	2-5/8	5/16	9.42
DRU18-2.50-31	2-1/2	2-7/8	5/16	13.11
1/4" C/S				
DRU25-0.93-37	15/16	17/16	3/8	4.90
DRU25-1.00-25	1	1-1/2	1/4	4.90
DRU25-1.12-25	1-1/8	1-5/8	1/4	6.23
DRU25-1.25-25	1-1/4	1-3/4	1/4	6.05
DRU25-1.25-31	1-1/4	1-3/4	5/16	6.05
DRU25-1.50-31	1-1/2	2	5/16	7.21
DRU25-1.62-31	1-5/8	2-1/8	5/16	7.90
DRU25-1.87-37	1-7/8	2-3/8	3/8	19.29
DRU25-2.00-25	2	2-1/2	1/4	9.31
DRU25-2.00-31	2	2-1/2	5/16	9.31

Part Number	I.D.	O.D.	H.	List Price
1/4" C/S				
DRU25-2.12-37	2-1/8	2-5/8	3/8	\$ 13.61
DRU25-2.50-25	2-1/2	3	1/4	9.65
DRU25-2.50-31	2-1/2	3	5/16	9.65
DRU25-2.62-37	2-5/8	3-1/8	3/8	9.85
DRU25-3.31-37	3-5/16	3-13/16	3/8	10.72
DRU25-3.37-37	3-3/8	3-7/8	3/8	10.72
DRU25-3.75-59	3-3/4	4-1/4	19/32	27.02
DRU25-4.00-25	4	4-1/2	1/4	16.36
DRU25-4.00-56	4	4-1/2	9/16	14.39
DRU25-4.50-56	4-1/2	5	9/16	17.01
DRU25-5.00-56	5	5-1/2	9/16	21.52
DRU25-5.25-59	5-1/4	5-3/4	19/32	39.12
DRU25-6.75-59	6-3/4	7-1/4	19/32	50.69
DRU25-8.12-59	8-1/8	8-5/8	19/32	55.98
DRU25-9.75-59	9-3/4	10-1/4	19/32	87.44
5/16" C/S				
DRU31-1.37-37	1-3/8	2	3/8	7.21
DRU31-2.00-37	2	2-5/8	3/8	9.02
DRU31-2.25-37	2-1/4	2-7/8	3/8	10.72
DRU31-2.25-50	2-1/4	2-7/8	1/2	10.72
DRU31-2.37-37	2-3/8	3	3/8	9.65
DRU31-2.37-50	2-3/8	3	1/2	10.19
DRU31-2.75-37	2-3/4	3-3/8	3/8	11.41
DRU31-3.00-37	3	3-5/8	3/8	11.86
DRU31-3.37-50	3-3/8	4	1/2	13.83
DRU31-3.75-50	3-3/4	4-3/8	1/2	17.23

STYLE DRU HEAVY DUTY ROD U-SEALS

HEAVY DUTY

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!


Part Number	I.D.	O.D.	H.	List Price
5/16" C/S				
DRU31-4.00-50	4	4-5/8	1/2	\$ 17.23
DRU31-4.50-37	4-1/2	5-1/8	3/8	19.84
3/8" C/S				
DRU37-2.00-37	2	2-3/4	3/8	9.65
DRU37-2.00-50	2	2-3/4	1/2	9.65
DRU37-3.00-37	3	3-3/4	3/8	11.44
DRU37-3.00-62	3	3-3/4	5/8	12.99
DRU37-3.50-37	3-1/2	4-1/4	3/8	15.04
DRU37-3.50-50	3-1/2	4-1/4	1/2	15.04
DRU37-3.62-37	3-5/8	4-3/8	3/8	15.04
DRU37-4.00-37	4	4-3/4	3/8	17.23
DRU37-4.00-50	4	4-3/4	1/2	17.23
DRU37-4.25-62	4-1/4	5	5/8	17.44
DRU37-4.37-50	4-3/8	5-1/8	1/2	23.98
DRU37-4.50-50	4-1/2	5-1/4	1/2	18.06
DRU37-4.75-37	4-3/4	5-1/2	3/8	22.98
DRU37-4.87-50	4-8/7	5-5/8	1/2	30.62
DRU37-5.25-62	5-1/4	6	5/8	27.32
DRU37-5.75-62	5-3/4	6-1/2	5/8	37.21
DRU37-6.00-62	6	6-3/4	5/8	39.04
DRU37-6.50-50	6-1/2	7-1/4	1/2	42.68
DRU37-6.50-62	6-1/2	7-1/4	5/8	51.19

Part Number	I.D.	O.D.	H.	List Price
7/16" C/S				
DRU43-4.50-48	4-1/2	5-3/8	7/16	\$ 26.18
1/2" C/S				
DRU50-5.00-75	5	6	3/4	44.22
DRU50-7.00-69	7	8	11/16	54.06
DRU50-7.00-75	7	8	3/4	54.59
DRU50-9.00-62	9	10	5/8	61.18
DRU50-9.00-75	9	10	3/4	70.19
DRU50-9.50-75	9-1/2	10-1/2	3/4	73.56
DRU50-10.00-62	10	11	5/8	73.56
DRU50-10.00-75	10	11	3/4	76.68
DRU50-12.00-62	12	13	5/8	118.19
DRU50-12.00-75	12	13	3/4	102.32
5/8" C/S				
DRU62-13.50-100	13-1/2	14-3/4	1	216.47
3/4" C/S				
DRU75-8.00-62	8	9-1/2	5/8	95.29

STYLE DRTU HEAVY DUTY ROD U-SEALS


Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

These seals are specifically designed with a second lip on their inside diameter and engineered to attain maximum life and reliability in dynamic rod sealing. This feature results in reduced leakage, less friction, increased stability and prevents air and contaminants from entering from outside the cylinder.



SEAL INFORMATION	
MATERIAL	92 A URETHANE
TEMPERATURE RANGE	-40° TO +230° F
PRESSURE RANGE	0 TO 6,000 PSI

PART NUMBERS



Part Number	I.D.	O.D.	H.	List Price
1/8" C/S				
DRTU12-1.00-25	1	1-1/4	1/4	\$ 4.82
3/16" C/S				
DRTU18-0.75-25	3/4	1-1/8	1/4	5.38
DRTU18-0.75-31	3/4	1-1/8	5/16	4.89
DRTU18-1.00-31	1	1-3/8	5/16	4.84
DRTU18-1.12-25	1-1/8	1-1/2	1/4	6.17
DRTU18-1.12-31	1-1/8	1-1/2	5/16	5.05
DRTU18-1.25-31	1-1/4	1-5/8	5/16	6.99
DRTU18-1.25-37	1-1/4	1-5/8	3/8	5.69
DRTU18-1.37-31	1-3/8	1-3/4	5/16	6.55
DRTU18-1.50-25	1-1/2	1-7/8	1/4	6.55
DRTU18-1.50-31	1-1/2	1-7/8	5/16	6.55
DRTU18-1.50-37	1-1/2	1-7/8	3/8	6.55
DRTU18-1.62-37	1-5/8	2	3/8	7.34
DRTU18-1.75-31	1-3/4	2-1/8	5/16	7.46
DRTU18-1.75-37	1-3/4	2-1/8	3/8	7.46
DRTU18-1.87-37	1-7/8	2-1/4	3/8	8.65
DRTU18-2.00-31	2	2-3/8	5/16	8.86
DRTU18-2.00-37	2	2-3/8	3/8	8.86
DRTU18-2.25-37	2-1/4	2-5/8	3/8	9.42
DRTU18-2.50-37	2-1/2	2-7/8	3/8	11.32
1/4" C/S				
DRTU25-1.00-37	1	1-1/2	3/8	4.90
DRTU25-1.25-37	1-1/4	1-3/4	3/8	6.05
DRTU25-1.37-37	1-3/8	1-7/8	3/8	6.56
DRTU25-1.50-37	1-1/2	2	3/8	7.21

Part Number	I.D.	O.D.	H.	List Price
1/4" C/S				
DRTU25-1.75-31	1-3/4	2-1/4	5/16	\$ 8.11
DRTU25-1.75-37	1-3/4	2-1/4	3/8	8.11
DRTU25-2.00-37	2	2-1/2	3/8	9.32
DRTU25-2.25-37	2-1/4	2-3/4	3/8	9.90
DRTU25-2.37-37	2-3/8	2-7/8	3/8	9.42
DRTU25-2.50-37	2-1/2	3	3/8	9.65
DRTU25-2.75-37	2-3/4	3-1/4	3/8	9.85
DRTU25-3.00-37	3	3-1/2	3/8	10.17
DRTU25-3.25-37	3-1/4	3-3/4	3/8	10.72
DRTU25-3.50-37	3-1/2	4	3/8	11.20
DRTU25-3.75-37	3-3/4	4-1/4	3/8	13.15
DRTU25-4.00-37	4	4-1/2	3/8	14.39
DRTU25-4.75-56	4-3/4	5-1/4	9/16	21.33
DRTU25-5.50-56	5-1/2	6	9/16	27.05
5/16" C/S				
DRTU31-1.75-37	1-3/4	2-3/8	3/8	8.12
DRTU31-1.75-50	1-3/4	2-3/8	1/2	8.12
DRTU31-2.00-50	2	2-5/8	1/2	9.02
DRTU31-2.50-50	2-1/2	3-1/8	1/2	10.79
DRTU31-2.75-50	2-3/4	3-3/8	1/2	11.41
DRTU31-3.00-50	3	3-5/8	1/2	12.36
DRTU31-4.00-37	4	4-5/8	3/8	17.23

STYLE DRTU HEAVY DUTY ROD U-SEALS

HEAVY DUTY

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

<u>Part Number</u>	<u>I.D.</u>	<u>O.D.</u>	<u>H.</u>	<u>List Price</u>
3/8" C/S				
DRTU37-2.75-62	2-3/4	3-1/2	5/8	\$ 12.54
DRTU37-3.00-50	3	3-3/4	1/2	12.07
DRTU37-3.50-62	3-1/2	4-1/4	5/8	15.04
DRTU37-4.00-62	4	4-3/4	5/8	17.23
DRTU37-4.25-50	4-1/4	5	1/2	17.44

<u>Part Number</u>	<u>I.D.</u>	<u>O.D.</u>	<u>H.</u>	<u>List Price</u>
3/8" C/S				
DRTU37-4.50-62	4-1/2	5-1/4	5/8	\$ 21.52
DRTU37-4.75-62	4-3/4	5-1/2	5/8	22.98
DRTU37-5.00-62	5	5-3/4	5/8	35.16


***If you don't see the size you need,
give us a call...***

We are adding new sizes everyday!

STYLE DPU HEAVY DUTY PISTON U-SEALS

Buy 10 or more pieces of a specific size and receive an extra discount. Ask your salesperson today!

Specifically designed as piston seals, these u-seals are engineered to seal on their outside diameter. They offer extended service life and maximum reliability in piston sealing.



PART NUMBERS

DPU 12 - 0.75 - 12

Type of Seal | Cross Section | Inside Diameter | Height

SEAL INFORMATION

MATERIAL	92 A URETHANE
TEMPERATURE RANGE	-40° TO +230° F
PRESSURE RANGE	0 TO 6,000 PSI

Part Number I.D. O.D. H. List Price

1/8" C/S

DPU12-0.75-123/411/8\$ 4.60
 DPU12-1.00-2511-1/41/45.44

3/16" C/S

DPU18-1.25-311-1/41-5/85/168.79
 DPU18-1.37-311-3/81-3/45/167.28
 DPU18-1.75-311-3/42-1/85/168.59
 DPU18-1.75-371-3/42-1/83/86.20
 DPU18-2.00-3722-3/83/87.64

DPU18-2.12-182-1/82-1/23/1611.23
 DPU18-2.12-312-1/82-1/25/1611.23
 DPU18-2.12-372-1/82-1/23/811.23
 DPU18-3.12-373-1/83-1/23/812.99

7/32" C/S

DPU21-0.25-371/411/163/84.27

1/4" C/S

DPU25-0.75-373/41-1/43/85.57
 DPU25-1.00-3511-1/23575.68
 DPU25-1.00-3711-1/23/85.85
 DPU25-1.12-311-1/81-5/85/166.11
 DPU25-1.25-371-1/41-3/43/86.77

DPU25-1.50-311-1/225/167.21
 DPU25-1.50-371-1/223/87.21
 DPU25-1.75-371-3/42-1/43/89.09
 DPU25-2.00-3722-1/23/89.32
 DPU25-2.06-252-1/162-9/161/412.15

DPU25-2.06-342-1/162-9/1611/3212.15
 DPU25-2.25-312-1/42-3/45/1612.66
 DPU25-2.25-372-1/42-3/43/810.07
 DPU25-2.50-372-1/233/89.65
 DPU25-2.75-372-3/43-1/43/810.59

DPU25-3.00-3733-1/23/810.82
 DPU25-3.13-373-1/83-5/83/813.36
 DPU25-3.25-373-1/43-3/43/811.45
 DPU25-3.50-373-1/243/812.83
 DPU25-3.62-373-5/84-1/83/813.04

DPU25-3.75-373-3/44-1/43/813.22
 DPU25-4.00-3744-1/23/816.36
 DPU25-4.00-5644-1/29/1616.70

Part Number I.D. O.D. H. List Price

1/4" C/S

DPU25-4.50-374-1/253/8\$ 17.01
 DPU25-4.50-434-1/257/1622.96
 DPU25-4.50-564-1/259/1617.91
 DPU25-5.00-3755-1/23/818.06
 DPU25-5.00-5655-1/29/1622.73

DPU25-5.50-255-1/261/422.73
 DPU25-5.50-375-1/263/822.73
 DPU25-5.50-505-1/261/222.73
 DPU25-5.50-565-1/269/1622.73

5/16" C/S

DPU31-1.12-501-1/81-3/41/27.10
 DPU31-1.25-471-1/41-7/815/327.38
 DPU31-1.37-431-3/827/168.34
 DPU31-1.37-441-3/8244011.77
 DPU31-1.37-501-3/821/28.34

DPU31-1.62-501-5/82-1/41/28.59
 DPU31-1.87-371-7/82-1/23/88.86
 DPU31-2.37-372-3/833/810.97
 DPU31-2.37-502-3/831/213.42
 DPU31-3.37-373-3/843/813.83

DPU31-3.37-503-3/841/213.83
 DPU31-3.62-373-5/84-1/43/814.50
 DPU31-3.62-503-5/84-1/41/214.50
 DPU31-3.87-503-7/84-1/21/216.36
 DPU31-5.37-505-3/861/226.57

.32" C/S

DPU32-1.62-391.622.26399.48

3/8" C/S

DPU37-1.75-621-3/42-1/25/810.75
 DPU37-2.25-622-1/435/811.79
 DPU37-2.50-622-1/23-1/45/822.45
 DPU37-2.75-372-3/43-1/23/812.54
 DPU37-2.75-622-3/43-1/25/815.20

DPU37-3.00-3733-3/43/815.00
 DPU37-3.00-4733-3/415/3215.00
 DPU37-3.00-5033-3/41/212.88
 DPU37-3.25-373-1/443/813.23
 DPU37-3.25-503-1/441/213.70

STYLE DPU HEAVY DUTY PISTON U-SEALS

HEAVY DUTY

Part Number	I.D.	O.D.	H.	List Price
3/8" C/S				
DPU37-3.25-62	3-1/4	4	5/8	\$ 13.70
DPU37-3.50-37	3-1/2	4-1/4	3/8	13.92
DPU37-3.75-37	3-3/4	4-1/2	3/8	16.65
DPU37-3.75-50	3-3/4	4-1/2	1/2	16.65
DPU37-3.75-62	3-3/4	4-1/2	5/8	16.65
DPU37-4.25-37	4-1/4	5	3/8	16.72
DPU37-4.25-50	4-1/4	5	1/2	16.72
DPU37-4.25-62	4-1/4	5	5/8	17.29
DPU37-4.37-50	4-3/8	5-1/8	1/2	17.45
DPU37-4.50-37	4-1/2	5-1/4	3/8	18.06
DPU37-4.50-50	4-1/2	5-1/4	1/2	18.89
DPU37-4.50-62	4-1/2	5-1/4	5/8	20.32
DPU37-4.75-50	4-3/4	5-1/2	1/2	21.24
DPU37-4.75-62	4-3/4	5-1/2	5/8	21.24
DPU37-5.00-50	5	5-3/4	1/2	22.04
DPU37-5.25-37	5-1/4	6	3/8	26.57
DPU37-5.25-50	5-1/4	6	1/2	26.57
DPU37-5.25-62	5-1/4	6	5/8	26.57
DPU37-5.50-37	5-1/2	6-1/4	3/8	26.79
DPU37-5.75-37	5-3/4	6-1/2	3/8	26.99
DPU37-5.75-62	5-3/4	6-1/2	5/8	26.99
DPU37-6.00-50	6	6-3/4	1/2	32.73
DPU37-6.25-37	6-1/4	7	3/8	33.37
DPU37-6.25-50	6-1/4	7	1/2	38.47
DPU37-6.25-62	6-1/4	7	5/8	39.73
DPU37-6.50-62	6-1/2	7-1/4	5/8	40.52
DPU37-6.75-50	6-3/4	7-1/2	1/2	42.27
DPU37-7.25-37	7-1/4	8	3/8	45.62
DPU37-7.25-50	7-1/4	8	1/2	45.62
DPU37-7.25-62	7-1/4	8	5/8	45.62

Part Number	I.D.	O.D.	H.	List Price
.380" C/S				
DPU38-2.00-48	2	2.765	486	\$ 13.17
DPU38-2.50-48	2-1/2	3.260	486	14.95
1/2" C/S				
DPU50-4.12-59	4-1/8	5-1/8	590	20.86
DPU50-5.00-50	5	6	1/2	31.57
DPU50-5.25-62	5-1/4	6-1/4	5/8	28.62
DPU50-5.50-62	5-1/2	6-1/2	5/8	29.15
DPU50-6.00-75	6	7	3/4	34.12
DPU50-6.50-62	6-1/2	7-1/2	5/8	42.61
DPU50-6.50-75	6-1/2	7-1/2	3/4	42.61
DPU50-7.00-50	7	8	1/2	53.47
DPU50-7.00-75	7	8	3/4	45.62
DPU50-7.50-62	7-1/2	8-1/2	5/8	47.69
DPU50-7.50-75	7-1/2	8-1/2	3/4	49.84
DPU50-8.00-75	8	9	3/4	51.91
DPU50-9.00-62	9	10	5/8	66.14
DPU50-9.00-75	9	10	3/4	68.43
DPU50-10.00-62	10	11	5/8	118.06
DPU50-10.00-75	10	11	3/4	75.90
DPU50-11.00-62	11	12	5/8	83.95
DPU50-11.00-75	11	12	3/4	113.65
5/8" C/S				
DPU62-3.50-56	3-1/2	4-3/4	9/16	34.10
DPU62-9.25-75	9-1/4	10-1/2	3/4	72.31