

STYLE 573 HYTREL BACK-UP RINGS

Molded of 55D Durometer Hytrel, these back-up rings provide excellent extrusion resistance and tolerance to fluids such as phosphate esters, hydraulic oil and water. Stretched for installation, they return quickly to their original size for easy installation.

NOTE: Sizes (Dash No.) corresponds to standard o-ring numbers.



SEAL INFORMATION

MATERIAL	55D HYTREL
TEMPERATURE RANGE	-65° TO +275° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price
573-014	10	\$ 0.70	573-045	2	\$ 1.56	573-138	8	\$ 0.92	573-211	9	\$ 0.76
573-015	10	0.70	573-047	2	1.67	573-139	8	0.92	573-212	9	0.76
573-016	10	0.82	573-048	2	1.90	573-140	7	0.94	573-213	9	0.76
573-017	10	0.82	573-049	2	1.90	573-141	7	0.94	573-214	9	0.76
573-018	10	0.82	573-050	2	1.90	573-142	7	0.94	573-215	9	0.80
573-019	10	0.82	573-111	9	0.76	573-143	7	0.97	573-216	9	0.80
573-020	10	0.82	573-112	9	0.76	573-144	6	1.04	573-217	9	0.80
573-021	10	0.82	573-113	9	0.76	573-145	6	1.04	573-218	9	0.80
573-022	10	0.82	573-114	9	0.70	573-146	6	1.04	573-219	9	0.80
573-023	10	0.82	573-115	9	0.70	573-147	6	1.04	573-220	10	0.82
573-024	10	0.82	573-116	9	0.70	573-148	6	1.04	573-221	10	0.82
573-025	10	0.82	573-117	9	0.76	573-149	6	1.04	573-222	10	0.82
573-026	10	0.92	573-118	9	0.76	573-150	6	1.08	573-223	8	0.87
573-027	10	0.92	573-119	9	0.76	573-151	6	1.08	573-224	8	0.87
573-028	10	0.92	573-120	8	0.80	573-152	5	1.45	573-225	10	0.92
573-029	10	0.92	573-122	8	0.80	573-153	5	1.47	573-226	10	0.92
573-030	10	0.92	573-123	8	0.80	573-154	3	2.26	573-227	10	0.92
573-031	10	0.92	573-124	8	0.82	573-155	3	2.28	573-228	10	0.92
573-032	10	0.92	573-125	8	0.82	573-158	3	2.43	573-229	10	0.92
573-033	10	0.97	573-126	8	0.92	573-159	3	2.48	573-230	7	1.06
573-034	10	0.97	573-127	8	0.92	573-160	3	2.54	573-231	7	1.06
573-035	10	0.97	573-128	8	0.92	573-161	3	2.60	573-232	7	1.06
573-036	10	0.97	573-129	8	0.92	573-162	3	2.66	573-233	7	1.06
573-038	10	0.97	573-131	8	0.92	573-163	3	3.31	573-234	6	1.14
573-039	10	1.04	573-132	8	0.92	573-205	10	0.70	573-235	6	1.14
573-040	10	1.08	573-133	8	0.92	573-206	10	0.70	573-236	6	1.14
573-041	10	1.12	573-134	8	0.92	573-207	10	0.70	573-237	5	1.32
573-042	10	1.12	573-135	8	0.92	573-208	10	0.70	573-238	5	1.32
573-043	10	1.12	573-136	8	0.92	573-209	10	0.70	573-239	5	1.63
573-044	2	1.56	573-137	8	0.92	573-210	9	0.76	573-240	5	1.66

STYLE 573 HYTREL BACK-UP RINGS

BACK-UP RINGS

Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price
573-241	5	\$ 1.66	573-272	1	\$ 6.62	573-338	7	\$ 1.12	573-371	2	\$ 4.31
573-242	5	1.66	573-273	1	6.72	573-339	6	1.18	573-372	2	4.57
573-243	5	1.66	573-309	10	0.70	573-340	6	1.27	573-375	2	4.55
573-244	4	2.02	573-310	10	0.70	573-341	6	1.27	573-425	3	2.48
573-245	4	2.02	573-311	10	0.70	573-342	5	1.35	573-426	3	2.51
573-246	3	2.31	573-312	9	0.76	573-343	5	1.52	573-427	3	3.16
573-247	3	2.31	573-313	9	0.78	573-344	4	1.71	573-428	3	3.22
573-248	3	2.67	573-314	8	0.80	573-345	4	1.88	573-429	3	3.22
573-249	3	2.58	573-315	8	0.80	573-346	4	2.00	573-430	3	3.24
573-250	3	2.66	573-316	8	0.80	573-347	4	2.09	573-431	3	3.31
573-251	3	2.89	573-317	8	0.80	573-348	4	2.23	573-432	2	3.43
573-252	3	3.02	573-318	8	0.80	573-350	3	2.39	573-433	2	3.59
573-253	3	3.34	573-319	8	0.80	573-351	3	2.66	573-434	2	3.76
573-254	3	3.36	573-320	8	0.80	573-352	3	2.73	573-435	2	3.88
573-255	2	3.47	573-321	8	0.83	573-353	3	2.75	573-436	2	3.90
573-256	2	3.61	573-322	8	0.80	573-354	3	2.85	573-437	2	4.03
573-257	2	3.85	573-323	8	0.87	573-355	3	3.02	573-438	2	4.09
573-258	2	3.93	573-324	8	0.87	573-356	3	3.15	573-439	2	4.22
573-259	2	3.93	573-325	8	0.87	573-357	2	3.43	573-440	2	4.53
573-260	2	4.11	573-326	8	0.92	573-358	2	3.43	573-441	2	4.74
573-261	2	4.30	573-327	8	0.92	573-359	2	3.61	573-442	2	4.97
573-262	2	4.36	573-328	8	1.06	573-360	2	3.81	573-443	2	5.89
573-263	2	4.57	573-329	8	0.92	573-361	2	4.06	573-444	1	7.83
573-264	2	4.88	573-330	8	0.92	573-362	2	4.06	573-445	1	7.57
573-265	2	5.14	573-331	8	0.92	573-363	2	4.06	573-446	1	10.11
573-266	2	5.98	573-332	8	0.94	573-364	2	4.06	573-447	1	10.51
573-267	2	6.06	573-333	8	0.94	573-366	2	4.06	573-448	1	10.67
573-268	2	6.22	573-334	7	0.97	573-367	2	4.06	573-450	1	11.57
573-269	2	6.22	573-335	7	1.06	573-368	2	4.06	573-455	1	11.57
573-270	1	6.39	573-336	7	1.06	573-369	2	4.31			
573-271	1	6.82	573-337	7	1.12	573-370	2	4.31			

STYLE 574 BUNA-N BACK-UP RINGS

Molded of 90A Durometer Buna-N Rubber, these "Parback®" Style Dished Cross Section back-up rings provide excellent extrusion resistance. Stretched for installation, they return quickly to their original size for easy installation.

NOTE: Sizes (Dash No.) corresponds to standard o-ring numbers.



SEAL INFORMATION

MATERIAL	90A BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price
574-004	25	\$ 0.30	574-040	10	\$ 0.91	574-127	10	\$ 0.42	574-163	1	\$ 3.31
574-005	25	0.30	574-041	10	1.12	574-128	10	0.43	574-164	1	3.31
574-006	25	0.24	574-042	10	1.12	574-129	10	0.45	574-165	1	3.31
574-007	25	0.23	574-043	10	1.12	574-130	10	0.46	574-166	1	3.31
574-008	25	0.24	574-044	5	1.56	574-131	10	0.48	574-167	1	3.31
574-009	25	0.24	574-045	5	1.56	574-132	10	0.48	574-168	1	3.31
574-010	25	0.24	574-046	5	1.67	574-133	10	0.49	574-169	1	4.03
574-011	25	0.24	574-047	5	1.67	574-134	10	0.50	574-170	1	4.24
574-012	25	0.26	574-048	5	1.90	574-135	10	0.50	574-171	1	4.64
574-013	25	0.27	574-049	5	1.90	574-136	10	0.55	574-172	1	3.49
574-014	25	0.27	574-050	5	1.90	574-137	10	0.55	574-173	1	3.63
574-015	25	0.29	574-102	25	0.24	574-138	10	0.62	574-174	1	3.49
574-016	25	0.29	574-103	25	0.24	574-139	10	0.63	574-175	1	3.63
574-017	25	0.29	574-104	25	0.24	574-140	10	0.64	574-176	1	5.47
574-018	25	0.30	574-105	25	0.24	574-141	10	0.64	574-177	1	5.66
574-019	25	0.30	574-106	25	0.24	574-142	10	0.68	574-178	1	5.83
574-020	25	0.31	574-107	25	0.24	574-143	10	0.70	574-202	25	0.25
574-021	25	0.33	574-108	25	0.24	574-144	10	0.71	574-205	25	0.27
574-022	25	0.33	574-109	25	0.26	574-145	10	0.71	574-206	25	0.27
574-023	25	0.35	574-110	25	0.26	574-146	10	0.74	574-207	25	0.27
574-024	25	0.36	574-111	25	0.26	574-147	10	0.76	574-208	25	0.29
574-025	25	0.36	574-112	25	0.26	574-148	10	0.76	574-209	25	0.29
574-026	25	0.38	574-113	25	0.27	574-149	10	0.77	574-210	25	0.29
574-027	25	0.40	574-114	25	0.27	574-150	10	0.86	574-211	25	0.30
574-028	10	0.40	574-115	25	0.27	574-151	10	0.94	574-212	25	0.31
574-029	10	0.43	574-116	25	0.29	574-152	5	1.26	574-213	25	0.31
574-030	10	0.46	574-117	25	0.30	574-153	5	1.44	574-214	25	0.33
574-031	10	0.48	574-118	25	0.31	574-154	5	1.75	574-215	25	0.33
574-032	10	0.49	574-119	25	0.31	574-155	5	1.93	574-216	25	0.35
574-033	10	0.55	574-120	25	0.33	574-156	5	2.27	574-217	25	0.36
574-034	10	0.64	574-121	25	0.35	574-157	5	2.29	574-218	10	0.36
574-035	10	0.64	574-122	25	0.36	574-158	5	2.43	574-219	10	0.39
574-036	10	0.68	574-123	25	0.36	574-159	1	2.48	574-220	10	0.42
574-037	10	0.70	574-124	25	0.38	574-160	1	2.54	574-221	10	0.41
574-038	10	0.73	574-125	25	0.39	574-161	1	2.60	574-222	10	0.43
574-039	10	0.78	574-126	10	0.43	574-162	1	2.66	574-223	10	0.46

STYLE 574 BUNA-N BACK-UP RINGS

BACK-UP RINGS

Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price
574-224	10	\$ 0.50	574-272	1	\$ 5.89	574-344	5	\$ 1.67	574-433	1	\$ 3.34
574-225	10	0.55	574-273	1	6.11	574-345	5	1.73	574-434	1	3.34
574-226	10	0.60	574-274	1	6.33	574-346	5	1.73	574-435	1	3.37
574-227	10	0.64	574-275	1	6.66	574-347	5	1.74	574-436	1	3.43
574-228	10	0.68	574-276	1	6.72	574-348	5	1.90	574-437	1	3.70
574-229	10	0.72	574-277	1	6.80	574-349	5	1.88	574-438	1	4.36
574-230	10	0.74	574-278	1	6.86	574-350	5	2.04	574-439	1	4.43
574-231	10	0.78	574-279	1	6.90	574-351	5	2.08	574-440	1	4.47
574-232	10	0.89	574-280	1	6.97	574-352	5	2.10	574-441	1	4.74
574-233	10	0.90	574-281	1	7.07	574-353	5	2.25	574-442	1	4.97
574-234	10	0.97	574-282	1	7.11	574-354	5	2.42	574-443	1	5.24
574-235	10	1.07	574-283	1	7.15	574-355	1	2.59	574-444	1	5.27
574-236	10	1.08	574-284	1	7.25	574-356	1	2.65	574-445	1	5.31
574-237	10	1.09	574-309	25	0.29	574-357	1	2.86	574-446	1	5.37
574-238	10	1.12	574-310	25	0.31	574-358	1	2.91	574-447	1	5.39
574-239	10	1.12	574-311	25	0.33	574-359	1	2.95	574-448	1	5.42
574-240	5	1.24	574-312	25	0.33	574-360	1	3.02	574-449	1	5.49
574-241	5	1.26	574-313	10	0.35	574-361	1	3.06	574-450	1	5.53
574-242	5	1.66	574-314	10	0.35	574-362	1	3.49	574-451	1	5.57
574-243	5	1.44	574-315	10	0.39	574-363	1	3.78	574-452	1	5.60
574-244	5	1.35	574-316	10	0.36	574-364	1	3.83	574-453	1	5.64
574-245	5	1.54	574-317	10	0.38	574-365	1	4.06	574-454	1	5.69
574-246	5	1.67	574-318	10	0.41	574-366	1	4.06	574-455	1	5.76
574-247	5	1.75	574-319	10	0.41	574-367	1	4.06	574-456	1	5.81
574-248	5	1.86	574-320	10	0.43	574-368	1	4.06	574-457	1	5.86
574-249	5	1.89	574-321	10	0.48	574-369	1	4.31	574-458	1	5.99
574-250	5	2.09	574-322	10	0.49	574-370	1	4.31	574-459	1	6.09
574-251	5	2.19	574-323	10	0.51	574-371	1	4.31	574-460	1	6.18
574-252	5	2.36	574-324	10	0.55	574-372	1	4.39	574-461	1	6.21
574-253	5	2.43	574-325	10	0.60	574-373	1	4.39	574-462	1	6.24
574-254	1	2.58	574-326	10	0.64	574-374	1	5.40	574-463	1	6.31
574-255	1	2.60	574-327	10	0.67	574-375	1	5.40	574-464	1	6.50
574-256	1	2.77	574-328	10	0.72	574-377	1	5.61	574-465	1	6.66
574-257	1	2.85	574-329	10	0.81	574-378	1	5.61	574-466	1	6.95
574-258	1	2.95	574-330	10	0.86	574-379	1	5.67	574-467	1	7.37
574-259	1	3.13	574-331	10	0.89	574-380	1	5.67	574-468	1	7.64
574-260	1	3.19	574-332	10	0.91	574-381	1	5.67	574-469	1	8.04
574-261	1	3.39	574-333	10	0.94	574-382	1	5.81	574-470	1	8.56
574-262	1	3.69	574-334	10	0.97	574-383	1	5.81	574-471	1	8.97
574-263	1	3.88	574-335	10	1.06	574-384	1	5.81	574-472	1	9.47
574-264	1	4.45	574-336	10	1.06	574-425	1	2.46	574-473	1	9.94
574-265	1	4.50	574-337	10	1.12	574-426	1	2.51			
574-266	1	4.76	574-338	10	1.12	574-427	1	2.54			
574-267	1	4.97	574-339	10	1.18	574-428	1	2.58			
574-268	1	5.10	574-340	5	1.27	574-429	1	2.62			
574-269	1	5.21	574-341	5	1.27	574-430	1	2.98			
574-270	1	5.47	574-342	5	1.35	574-431	1	3.18			
574-271	1	5.68	574-343	5	1.52	574-432	1	3.24			

STYLE 575 URETHANE BACK-UP RINGS

Molded of 95A Durometer Urethane these back-up rings provide excellent extrusion resistance. Stretched for installation, they return quickly to their original size for easy installation.

NOTE: Sizes (Dash No.) corresponds to standard o-ring numbers.



SEAL INFORMATION

MATERIAL	95A DUROMETER URETHANE
TEMPERATURE RANGE	-65° TO +220° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price
575-004	10	\$ 1.01	575-039	10	\$ 1.07	575-125	10	\$ 0.87	575-160	1	\$ 2.65
575-005	10	1.01	575-040	10	1.13	575-126	10	0.96	575-160	1	2.65
575-006	10	1.01	575-041	10	1.14	575-127	10	0.96	575-161	1	2.70
575-007	10	1.01	575-042	10	1.16	575-128	10	0.96	575-162	1	2.78
575-008	10	1.01	575-043	10	1.17	575-129	10	0.96	575-163	1	3.02
575-009	10	1.01	575-044	10	1.25	575-130	10	0.96	575-164	1	3.21
575-010	10	1.01	575-045	5	1.30	575-131	10	0.96	575-165	1	3.24
575-011	10	0.73	575-046	5	1.36	575-132	10	0.96	575-166	1	3.30
575-012	10	0.73	575-047	5	1.42	575-133	10	0.96	575-167	1	3.33
575-013	10	0.73	575-048	5	1.46	575-134	10	0.96	575-168	1	3.37
575-014	10	0.73	575-049	5	1.51	575-135	10	0.96	575-169	1	3.41
575-015	10	0.73	575-050	5	1.55	575-136	10	0.96	575-170	1	3.44
575-016	10	0.87	575-102	10	0.78	575-137	10	0.96	575-171	1	3.48
575-017	10	0.87	575-103	10	0.78	575-138	10	0.96	575-172	1	3.53
575-018	10	0.87	575-104	10	0.78	575-139	10	0.96	575-173	1	3.55
575-019	10	0.87	575-105	10	0.78	575-140	10	0.98	575-174	1	3.59
575-020	10	0.87	575-106	10	0.78	575-141	10	0.98	575-175	1	3.63
575-021	10	0.87	575-107	10	0.78	575-142	10	0.98	575-205	10	0.73
575-022	10	0.87	575-108	10	0.78	575-143	10	1.01	575-206	10	0.73
575-023	10	0.87	575-109	10	0.78	575-144	10	1.07	575-207	10	0.73
575-024	10	0.87	575-110	10	0.78	575-145	10	1.07	575-208	10	0.73
575-025	10	0.87	575-111	10	0.78	575-146	10	1.07	575-209	10	0.73
575-026	10	0.96	575-112	10	0.78	575-147	10	1.07	575-210	10	0.78
575-027	10	0.96	575-113	10	0.78	575-148	10	1.07	575-211	10	0.78
575-028	10	0.96	575-114	10	0.73	575-149	10	1.07	575-212	10	0.78
575-029	10	0.96	575-115	10	0.73	575-150	10	1.13	575-213	10	0.78
575-030	10	0.96	575-116	10	0.73	575-151	10	1.13	575-214	10	0.78
575-031	10	0.96	575-117	10	0.78	575-152	5	1.50	575-215	10	0.83
575-032	10	0.96	575-118	10	0.78	575-153	5	1.52	575-216	10	0.83
575-033	10	1.01	575-119	10	0.78	575-154	5	2.36	575-217	10	0.83
575-034	10	1.01	575-120	10	0.83	575-155	5	2.38	575-218	10	0.83
575-035	10	1.01	575-121	10	0.83	575-156	5	2.40	575-219	10	0.83
575-036	10	1.01	575-122	10	0.83	575-157	5	2.40	575-220	10	0.87
575-037	10	1.01	575-123	10	0.83	575-158	5	2.54	575-221	10	0.87
575-038	10	1.01	575-124	10	0.87	575-159	1	2.60	575-222	10	0.87

STYLE 575 URETHANE BACK-UP RINGS

BACK-UP RINGS

Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price
575-223	10	\$ 0.90	575-265	1	\$ 5.37	575-337	10	\$ 1.16	575-381	1	\$ 5.69
575-224	10	0.90	575-266	1	6.23	575-338	10	1.16	575-382	1	5.86
575-225	10	0.96	575-267	1	6.33	575-339	10	1.23	575-383	1	5.86
575-226	10	0.96	575-268	1	6.49	575-340	5	1.31	575-421	3	2.49
575-227	10	0.96	575-269	1	6.49	575-341	5	1.31	575-425	3	2.48
575-228	10	0.96	575-270	1	6.67	575-342	5	1.43	575-426	3	2.50
575-229	10	0.96	575-271	1	6.82	575-343	5	1.60	575-427	1	3.20
575-230	10	1.09	575-272	1	6.89	575-344	5	1.80	575-428	1	3.22
575-231	10	1.09	575-273	1	6.96	575-345	5	1.95	575-429	1	3.22
575-232	10	1.09	575-274	1	7.01	575-346	5	2.09	575-430	1	3.25
575-233	10	1.09	575-275	1	7.09	575-347	5	2.19	575-431	1	3.31
575-234	10	1.19	575-276	1	7.15	575-348	5	2.33	575-432	1	3.44
575-235	10	1.19	575-278	1	7.22	575-349	5	2.41	575-433	1	3.59
575-236	10	1.19	575-279	1	7.25	575-350	5	2.48	575-434	1	3.76
575-237	5	1.39	575-309	10	0.73	575-351	1	2.78	575-435	1	3.88
575-238	5	1.39	575-310	10	0.73	575-352	1	2.83	575-436	1	3.90
575-239	5	1.68	575-311	10	0.73	575-353	1	2.86	575-437	1	4.01
575-240	5	1.72	575-312	10	0.78	575-354	1	2.98	575-438	1	4.09
575-241	5	1.72	575-313	10	0.78	575-355	1	3.16	575-439	1	4.20
575-242	5	1.72	575-314	10	0.83	575-356	1	3.26	575-440	1	4.55
575-243	5	1.72	575-315	10	0.83	575-357	1	3.58	575-441	1	4.75
575-244	5	2.11	575-316	10	0.83	575-358	1	3.58	575-442	1	4.97
575-245	5	2.11	575-317	10	0.83	575-359	1	3.78	575-443	1	5.88
575-246	5	2.41	575-318	10	0.83	575-360	1	3.96	575-444	1	7.83
575-247	5	2.41	575-319	10	0.83	575-361	1	4.23	575-445	1	7.57
575-248	1	2.55	575-320	10	0.83	575-362	1	4.06	575-446	1	10.12
575-249	1	2.67	575-321	10	0.83	575-363	1	4.23	575-447	1	10.52
575-250	1	2.78	575-322	10	0.83	575-364	1	4.23	575-448	1	10.67
575-251	1	3.01	575-323	10	0.90	575-365	1	4.23	575-448	1	10.67
575-252	1	3.16	575-324	10	0.90	575-366	1	4.23	575-449	1	10.67
575-253	1	3.34	575-325	10	0.90	575-367	1	4.23	575-450	1	11.57
575-254	1	3.49	575-326	10	0.96	575-368	1	4.23	575-451	1	11.57
575-255	1	3.61	575-327	10	0.96	575-369	1	4.31	575-452	1	11.57
575-256	1	3.78	575-328	10	0.96	575-370	1	4.48	575-453	1	11.57
575-257	1	3.99	575-329	10	0.96	575-371	1	4.31	575-454	1	11.57
575-258	1	4.10	575-330	10	0.96	575-372	1	4.57	575-455	1	11.57
575-259	1	4.10	575-331	10	0.96	575-373	1	4.57	575-456	1	11.57
575-260	1	4.30	575-332	10	0.80	575-374	1	4.75	575-457	1	6.42
575-261	1	4.47	575-333	10	0.98	575-375	1	4.75	575-460	1	7.49
575-262	1	4.56	575-334	10	1.01	575-376	1	4.75			
575-263	1	4.76	575-335	10	1.09	575-377	1	4.75			
575-264	1	5.09	575-336	10	1.09	575-379	1	5.55			

STYLE 575 PTFE BACK-UP RINGS

Letter suffix: T = Solid, ST = Split, TS = Spiral Cut, TW = .085 Wide



SEAL INFORMATION

MATERIAL	PTFE
TEMPERATURE RANGE	-40° TO +500° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) (Config.)

Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price
575-004ST	6	\$ 1.09	575-033ST	2	\$ 4.29	575-123ST	6	\$ 2.28	575-212TW	1	\$ 5.16
575-005ST	6	1.09	575-033T	2	4.29	575-124ST	6	2.28	575-213ST	4	1.79
575-006ST	6	1.09	575-034T	2	4.29	575-125ST	6	2.31	575-214ST	4	1.80
575-007ST	6	1.14	575-036T	2	4.29	575-126ST	3	2.31	575-214T	6	1.05
575-008ST	6	1.14	575-037T	2	4.29	575-127ST	3	2.31	575-215ST	4	1.80
575-009ST	6	1.14	575-038ST	1	2.37	575-128ST	3	2.37	575-216ST	4	1.80
575-010ST	12	0.54	575-038T	2	4.29	575-129ST	3	2.43	575-217ST	4	2.00
575-010T	6	0.60	575-039T	2	4.29	575-130ST	3	2.49	575-218ST	5	2.19
575-011ST	6	1.19	575-041T	2	5.42	575-131ST	3	2.49	575-218T	5	1.44
575-011T	1	1.19	575-044T	2	9.29	575-131T	3	1.21	575-218TS	5	2.19
575-012ST	10	1.19	575-045T	2	7.19	575-132ST	3	2.60	575-219ST	3	2.19
575-013ST	6	1.19	575-110ST	6	1.21	575-133ST	3	2.60	575-219T	1	2.44
575-014ST	6	1.23	575-111ST	5	1.29	575-134ST	3	2.77	575-220ST	3	2.28
575-015ST	6	1.23	575-112ST	5	1.36	575-134TS	1	5.00	575-220T	2	1.35
575-016ST	10	0.67	575-112T	5	1.36	575-135ST	3	2.85	575-220TS	1	3.32
575-017ST	5	1.29	575-112TS	5	2.74	575-136ST	3	3.00	575-221ST	3	2.28
575-018ST	5	1.31	575-113ST	5	1.49	575-137ST	3	3.15	575-221T	3	2.28
575-019ST	5	1.31	575-114ST	4	1.56	575-138ST	2	3.42	575-222ST	3	2.43
575-020ST	5	1.34	575-114T	5	1.56	575-139T	2	3.66	575-222TS	3	3.01
575-020T	5	1.34	575-115ST	4	1.66	575-139TS	1	6.03	575-223T	2	2.65
575-021ST	5	1.34	575-116ST	8	1.66	575-140T	2	3.66	575-223TS	1	3.12
575-022ST	5	1.34	575-116T	4	1.71	575-140TS	1	6.59	575-224ST	3	2.64
575-022T	5	1.34	575-116TS	5	3.06	575-141T	2	3.87	575-224T	3	2.27
575-023ST	5	1.34	575-117ST	4	1.71	575-144ST	2	4.23	575-224TS	1	4.78
575-024ST	5	1.42	575-117T	4	1.71	575-146T	2	4.34	575-225ST	3	2.75
575-025ST	5	1.42	575-118ST	4	1.94	575-148T	2	4.57	575-226ST	5	2.75
575-026ST	4	1.56	575-118T	4	1.94	575-149T	2	4.79	575-226TS	2	3.12
575-026T	4	1.56	575-118TS	4	1.94	575-152T	2	5.16	575-227ST	3	2.92
575-027ST	4	1.80	575-119ST	10	2.07	575-159T	1	15.23	575-228ST	2	3.23
575-028ST	4	1.87	575-119T	3	2.07	575-210ST	4	1.56	575-229ST	2	3.60
575-029ST	3	1.85	575-120ST	3	2.10	575-210T	4	1.56	575-230ST	2	3.70
575-029T	3	5.77	575-120T	3	2.10	575-211ST	6	1.71	575-230T	2	3.79
575-030ST	3	2.36	575-121ST	3	2.10	575-212ST	4	1.79	575-231T	2	3.79
575-031T	2	4.29	575-122ST	3	2.10	575-212T	2	1.71	575-232T	2	3.87
575-032T	2	4.29	575-122T	3	2.14	575-212TS	1	3.71	575-232TS	2	5.32

STYLE 575 PTFE BACK-UP RINGS


BACK-UP RINGS

Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price	Part Number	Min. Pkg. Qty.	List Price
575-232TW	1	\$ 9.46	575-256T	1	\$ 9.00	575-338TS	1	\$ 6.36	575-375T	1	\$ 20.69
575-233T	2	4.01	575-258T	1	9.91	575-338T	1	4.55	575-379T	1	25.61
575-234T	2	4.26	575-260T	1	10.88	575-340ST	1	7.01	575-413ST	1	15.86
575-235ST	2	5.20	575-261T	1	12.91	575-340TS	1	7.01	575-425ST	1	13.57
575-235T	2	4.29	575-262TS	1	12.53	575-341ST	1	7.28	575-426ST	1	10.86
575-236T	2	4.48	575-263ST	1	17.86	575-342ST	1	7.46	575-427ST	1	13.70
575-237T	2	4.74	575-320T	2	4.85	575-344ST	1	8.57	575-430ST	1	16.00
575-238T	2	5.01	575-325ST	2	4.57	575-344TS	1	6.96	575-431T	1	17.02
575-239ST	2	5.37	575-325T	2	4.13	575-345ST	2	4.32	575-433ST	1	19.98
575-239T	2	5.37	575-326ST	2	4.57	575-345TS	1	10.39	575-436ST	1	21.77
575-240T	2	7.93	575-326T	1	4.30	575-346ST	1	9.65	575-437T	1	22.27
575-240TS	2	5.63	575-327ST	2	5.20	575-346TS	1	7.14	575-438T	1	23.13
575-241ST	2	5.37	575-328ST	2	3.40	575-348TS	1	10.61	575-439T	1	23.09
575-242T	2	5.58	575-329ST	1	5.47	575-349T	1	5.94	575-440ST	1	23.77
575-243ST	2	6.17	575-330ST	2	5.51	575-349TS	1	7.71	575-443T	1	25.48
575-244T	1	5.58	575-330T	2	5.51	575-350ST	1	10.84	575-445TS	1	25.84
575-244T	1	5.58	575-332TS	1	4.44	575-354ST	1	11.10	575-446T	1	40.02
575-245T	2	5.58	575-333ST	2	5.99	575-356ST	1	15.95	575-447T	1	35.03
575-247T	2	5.93	575-333T	2	5.99	575-359T	1	11.72	575-448T	1	31.42
575-248T	2	6.15	575-333TS	1	4.56	575-360T	1	11.36	575-450T	1	36.84
575-249ST	1	6.66	575-334ST	2	6.13	575-362ST	1	17.00	575-451T	1	39.98
575-249T	1	6.66	575-334TS	1	6.13	575-363T	1	16.43	575-452T	1	41.85
575-250T	1	7.23	575-335T	1	6.63	575-363TS	1	13.62	575-454T	1	44.25
575-252T	1	7.64	575-336ST	1	6.75	575-364T	1	13.09			
575-253T	1	7.71	575-337TS	1	6.21	575-365T	1	13.49			
575-254T	1	8.11	575-338ST	1	6.89	575-367ST	1	18.05			

STYLE 575 PTFE BACK-UP RINGS - SPECIAL SIZES

Part Number	I.D.	O.D.	HT.	List Price	Part Number	I.D.	O.D.	HT.	List Price
575-1-3/16X1-1/2T	1-3/16	1-1/2	0.062	\$ 5.97	575-7X8T	7	8	1/8	\$ 36.26
575-2.4X2.6X.06ST	2.457	2.687	0.060	6.13	575-7.75X8.75X.125T	7-3/4	8-3/4	1/8	53.70
575-2.7X2.9X.06ST	2.707	2.937	0.060	6.47	575-9X10T	9	10	1/8	56.07
575-5.5X6.12T	5-1/2	6-1/8	0.062	19.68	575-13X14T	13	14	0.140	81.29
575-6.12X7ST	6-1/8	7	1/8	39.55					

STYLE 576 SPLIT NYLON BACK-UP RINGS



SEAL INFORMATION

MATERIAL	NYLON
TEMPERATURE RANGE	-40° TO +250° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)


BACK-UP RINGS

Part Number	ID	OD	HT	List Price
576-314	3/4	1-1/8	.070	\$ 3.81
576-216	1-1/8	1-3/8	.060	7.66
576-320	1-1/8	1-1/2	.070	3.91
576-324	1-3/8	1-3/4	.070	4.03
576-325	1-1/2	1-7/8	.070	4.10
576-326	1-5/8	2	.070	4.23
576-327	1-3/4	2-1/8	.070	4.31
576-328	1-7/8	2-1/4	.070	4.41
576-329	2	2-3/8	.070	4.51
576-330	2-1/8	2-1/2	.070	4.60
576-331	2-1/4	2-5/8	.070	20.51
576-407	2-1/4	2-3/4	.070	3.92
576-2.37X.125	2-3/8	2-5/8	.070	37.40
576-332	2-3/8	2-3/4	.060	13.44
576-408	2-3/8	2-7/8	.070	5.73
576-2.50X.125	2-1/2	2-3/4	.070	5.01
576-333	2-1/2	2-7/8	.070	4.69
576-409	2-1/2	3	.070	4.08
576-334	2-5/8	3	.070	4.82
576-2.62X3.00X.085	2-5/8	3	.085	2.31
576-2.62X3.12X.06	2-5/8	3-1/8	.060	19.31
576-411	2-3/4	3-1/4	.070	4.26

Part Number	ID	OD	HT	List Price
576-412	2-7/8	3-3/8	.070	\$ 4.39
576-413	3	3-1/2	.070	4.71
576-338	3-1/8	3-1/2	.070	4.88
576-3.18X3.75	3-3/16	3-3/4	.070	5.01
576-415	3-1/4	3-3/4	.070	4.86
576-3.4X4.0X1/8	3.405	4	.125	5.64
576-417	3-1/2	4	.070	5.04
576-418-1/2	3-11/16	4-3/16	.070	5.18
576-419	3-3/4	4-1/4	.070	5.31
576-421	4	4-1/2	.070	5.50
576-4X5	4	5	.125	19.89
576-423-1	4-1/4	4-3/4	.070	8.68
576-425	4-1/2	5	.070	5.64
576-4.5X5.2	4-1/2	5-1/4	.130	6.15
576-427	4-3/4	5-1/4	.070	5.73
576-429	5	5-1/2	.075	5.73
576-433	5-1/2	6	.120	5.81
576-5.5X6.25	5-1/2	6-1/4	.187	7.46
576-5.75X.185	5-3/4	6-1/8	.185	31.05
576-6.00X6.75X.125	6	6-3/4	.125	37.02
576-6X7	6	7	.125	10.43

STYLE 590 HIGH PERFORMANCE BACK-UP RINGS

Style 590 Back-up Rings feature exceptional strength and abrasion resistance along with a 53 Shore D hardness rating which makes them suitable for high pressure service where extrusion is a problem. Primarily used as a u-seal back-up, these rings can be used with o-rings. They also retrofit urethane and teflon back-up rings, with greater performance characteristics. "S" suffix designates a split ring.



SEAL INFORMATION

MATERIAL	HIGH PERFORMANCE URETHANE
TEMPERATURE RANGE	-40° TO +275° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRICAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)


BACK-UP RINGS

Part Number	I.D.	O.D.	HT.	List Price
590-15	1/2	3/4	1/16	\$ 1.18
590-17	5/8	7/8	1/16	1.23
590-19S	3/4	1	1/16	1.28
590-32	1	1-5/16	1/16	1.53
590-34S	1-3/16	1-1/2	1/16	1.62
590-36	1-3/8	1-11/16	1/16	1.67
590-45	1-5/8	2	1/16	1.99
590-45S	1-5/8	2	1/16	1.99
590-46	1-3/4	2-1/8	1/16	2.11
590-48	2	2-3/8	1/16	2.25
590-227	2-1/8	2-3/8	1/16	1.23
590-49	2-1/8	2-1/2	1/16	2.31
590-49S	2-1/8	2-1/2	1/16	2.31
590-228	2-1/4	2-1/2	1/16	9.80
590-54	2-1/2	2-15/16	1/16	2.58
590-57	2-13/16	3-1/4	1/16	2.69
590-57S	2-13/16	3-1/4	1/16	2.69
590-58	3	3-7/16	1/16	3.58
590-338	3-1/8	3-1/2	1/16	2.35
590-237	3-3/8	3-5/8	1/16	1.63
590-341	3-1/2	3-7/8	1/16	2.77
590-66	3-1/2	4	1/16	4.30
590-66S	3-1/2	4	1/16	4.30
590-239	3-5/8	3-7/8	1/16	1.65
590-345	4	4-3/8	1/16	3.37
590-68	4	4-1/2	1/16	4.55

Part Number	I.D.	O.D.	HT.	List Price
590-346	4-1/8	4-1/2	1/16	\$ 3.50
590-347	4-1/4	4-5/8	1/16	6.49
590-73S	4-7/16	5	1/16	5.10
590-349	4-1/2	4-7/8	1/16	3.93
590-70	4-1/2	5	1/16	4.74
590-70S	4-1/2	5	1/16	4.74
590-352	4-7/8	5-1/4	1/16	6.67
590-75	5	5-9/16	1/16	5.45
590-354	5-1/8	5-1/2	1/16	4.68
590-79	5-3/8	6	1/16	5.58
590-79S	5-3/8	6	1/16	5.58
590-5.43X6S	5-7/16	6	1/16	6.96
590-5.5X6.12	5-1/2	6-1/8	1/16	8.40
590-358	5-5/8	6	1/16	6.89
590-83	6-3/8	7	1/16	24.56
590-83S	6-3/8	7	1/16	24.56
590-6.43X7S	6-7/16	7	1/16	31.27
590-84	7-3/8	8	1/16	27.06
590-84S	7-3/8	8	1/16	27.06
590-85S	9-5/16	10	1/16	42.67
590-11X12S	11	12	1/16	73.56
590-86S	11-1/4	12	1/16	39.25
590-87S	13	14	1/16	86.57
590-13.18X14S	13-3/16	14	1/16	45.35

STYLE 595 PTFE BACK-UP RINGS FOR U-SEALS

Used primarily as an anti-extrusion device for u-seals, these back-up rings combine high performance with very low friction. "ST" suffix designates a split ring.



SEAL INFORMATION

MATERIAL	PTFE
TEMPERATURE RANGE	-40° TO +500° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) (Config.)

Part Number	ID	OD	HT	List Price
595-15T	1/2	3/4	1/16	\$ 5.61
595-17T	5/8	7/8	1/16	5.61
595-19ST	3/4	1	1/16	8.26
595-32T	1	1-5/16	1/16	4.29
595-34ST	1-3/16	1-1/2	1/16	8.49
595-36T	1-3/8	1-11/16	1/16	8.49
595-45ST	1-5/8	2	1/16	8.59
595-46T	1-3/4	2-1/8	1/16	9.47
595-48T	2	2-3/8	1/16	9.56
595-49ST	2-1/8	2-1/2	1/16	9.79
595-54T	2-1/2	2-15/16	1/16	10.44
595-57ST	2-13/16	3-1/4	1/16	6.85
595-58T	3	3-7/16	1/16	10.88
595-66ST	3-1/2	4	1/16	12.18
595-66T	3-1/2	4	1/16	12.18
595-3.62X4X.09	3-5/8	4	0.090	17.68
595-68T	4	4-1/2	1/16	12.85

Part Number	ID	OD	HT	List Price
595-73ST	4-7/16	5	1/16	\$ 11.03
595-70ST	4-1/2	5	1/16	14.85
595-70T	4-1/2	5	1/16	14.85
595-75T	5	5-9/16	1/16	17.94
595-5.12X6ST	5-1/8	6	1/8	31.21
595-5.2X6T	5-1/4	6	1/8	24.67
595-79ST	5-3/8	6	1/16	20.66
595-5.43X6ST	5-7/16	6	1/16	24.71
595-83ST	6-3/8	7	1/16	21.83
595-6.43X7ST	6-7/16	7	1/16	25.46
595-84ST	7-3/8	8	1/16	24.57
595-85ST	9-5/16	10	1/16	32.55
595-11X12ST	11	12	1/16	33.84
595-86ST	11-1/4	12	1/16	30.52
595-87ST	13	14	1-16	42.46
595-13.18X14ST	13-3/16	14	1/16	45.35

BACK-UP RING ASSORTMENT KITS

574 BACK-UP RING KIT

Part Number: 574 Kit
List Price: \$ 76.37

PART NUMBER	QTY	PART NUMBER	QTY
574-005	10	574-114	10
574-006	10	574-115	10
574-007	10	574-116	10
574-008	10	574-117	5
574-009	10	574-118	5
574-010	10	574-119	5
574-011	10	574-120	5
574-012	10	574-121	5
574-013	10	574-210	7
574-014	10	574-211	7
574-015	10	574-212	7
574-016	10	574-213	7
574-017	10	574-214	5
574-018	10	574-215	5
574-110	10	574-216	5
574-111	10	574-217	5
574-112	10	574-218	5
574-113	10	574-219	5



This 293 piece kit contains 36 of the most popular size "Parback®" Style Dished Cross Section back-up rings. Molded of 90A Durometer Buna-N Rubber, they stretch for installation and return quickly to their original size. SIZES CORRESPOND TO O-RING NUMBERS. Your shop and service truck should not be without this handy kit.

575 BACK-UP RING KIT

Part Number: 575 Kit
List Price: \$ 166.07

PART NUMBER	QTY	PART NUMBER	QTY
575-111	25	575-216	25
575-112	25	575-217	15
575-113	25	575-218	15
575-114	25	575-219	15
575-115	25	575-220	15
575-116	25	575-221	15
575-210	25	575-222	15
575-211	25	575-223	15
575-212	25	575-224	15
575-213	25	575-325	10
575-214	25	575-326	10
575-215	25	575-327	10



This 475 piece kit contains 24 of the most popular size Urethane Back-up Rings. This assortment is essential for parts counters, shop use, and service trucks.

BACK-UP RING ASSORTMENT KITS

PTFE BACK-UP RING KIT

Part Number: 575 PTFE Kit S
List Price: \$ 174.12

PART NUMBER	QTY	PART NUMBER	QTY
575-005ST	15	575-114ST	10
575-006ST	15	575-115ST	10
575-007ST	15	575-116ST	10
575-008ST	15	575-117ST	5
575-009ST	15	575-118ST	5
575-010ST	15	575-119ST	5
575-011ST	15	575-120ST	5
575-012ST	15	575-121ST	5
575-013ST	10	575-210ST	5
575-014ST	10	575-211ST	5
575-015ST	10	575-212ST	5
575-016ST	10	575-213ST	5
575-017ST	10	575-214ST	5
575-018ST	10	575-215ST	5
575-110ST	10	575-216ST	5
575-111ST	10	575-217ST	5
575-112ST	10	575-218ST	5
575-113ST	10	575-219ST	5



This 325 piece kit contains 36 of the most popular size PTFE Back-up Rings. These rings are compatible with all hydraulic fluids, since they are virtually chemically inert, and can be used in applications involving elevated operating temperatures. These rings are scarf cut to facilitate installation.

BACK-UP RING
ASSORTMENT KITS

**Is there an assortment that you
use that we don't offer?**

**Let us know what you need and
we will give you a quote!**