



OIL SEALS



We offers several sizes of standard sized metal clad oil seals. These seals are for rotating shafts and are specifically designed to prevent oil or grease leakage at maximum pressures of 10 PSI and temperature of 240° F. Additional style and sizes are available upon request.



SEAL INFORMATION	
MATERIAL	RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	10 PSI MAXIMUM
PART NUMER	(Prefix) - (Size) - (Style)



Part Number	ID	OD	H
OS-0.31X0.75X0.25VTF	5/16	3/4	1/4
OS-0.37X0.68X0.15VM	3/8	11/16	5/32
OS-0.37X0.75X0.25SB	3/8	3/4	1/4
OS-0.37X1.00X0.25SM	3/8	1	1/4
OS-0.43X0.62X0.12VC	7/16	5/8	1/8
OS-0.43X0.83X0.18VM	7/16	.836	3/16
OS-0.43X0.87X0.25SM	7/16	7/8	1/4
OS-0.43X0.87X0.25TB	7/16	7/8	1/4
OS-0.43X1.00X0.25TC	7/16	1	1/4
OS-0.43X1.00X0.25VM	7/16	1	1/4
OS-0.43X1.00X0.37SB	7/16	1	3/8
OS-0.50X0.68X0.09VC	1/2	11/16	3/32
OS-0.50X0.75X0.12VM	1/2	3/4	1/8
OS-0.50X0.75X0.16TB	1/2	3/4	.167
OS-0.50X0.87X0.12VC	1/2	7/8	1/8
OS-0.50X0.87X0.12VM	1/2	7/8	1/8
OS-0.50X0.87X0.25SC	1/2	7/8	1/4
OS-0.50X0.87X0.25TB	1/2	7/8	1/4
OS-0.50X0.87X0.25TEC	1/2	7/8	1/4
OS-0.50X0.87X0.31TBY	1/2	7/8	5/16
OS-0.50X1.00X0.25TB	1/2	1	1/4

Part Number	ID	OD	H
OS-0.50X1.00X0.25TC	1/2	1	1/4
OS-0.50X1.00X0.25TC	1/2	1	1/4
OS-0.50X1.00X0.25TCN	1/2	1	1/4
OS-0.50X1.12X0.25SB	1/2	1-1/8	1/4
OS-0.50X1.12X0.25SC	1/2	1-1/8	1/4
OS-0.50X1.12X0.25TB	1/2	1-1/8	1/4
OS-0.50X1.25X0.25TC	1/2	1-1/4	1/4
OS-0.56X0.87X0.18TC	9/16	7/8	3/16
OS-0.56X1.00X0.25SB	9/16	1	1/4
OS-0.56X1.00X0.25TC	9/16	1	1/4
OS-0.56X1.12X0.25TB	9/16	1-1/8	1/4
OS-0.56X1.25X0.25TB	9/16	1-1/4	1/4
OS-0.62X0.81X0.09VC	5/8	13/16	3/32
OS-0.62X0.81X0.09VM	5/8	13/16	3/32
OS-0.62X0.87X0.12SM	5/8	7/8	1/8
OS-0.62X1.00X0.12VMY	5/8	1	1/8
OS-0.62X1.00X0.25SM	5/8	1	1/4
OS-0.62X1.00X0.25TB	5/8	1	1/4
OS-0.62X1.00X0.25TC	5/8	1	1/4
OS-0.62X1.00X0.25TC	5/8	1	1/4
OS-0.62X1.12X0.25TB	5/8	1-1/8	1/4





OIL SEALS

OIL SEALS

Part Number	ID	OD	H
OS-0.62X1.12X0.25TC	5/8	1-1/8	1/4
OS-0.62X1.12X0.37TBY	5/8	1-1/8	3/8
OS-0.62X1.12X0.37TC	5/8	1-1/8	3/8
OS-0.62X1.25X0.25TC	5/8	1-1/4	1/4
OS-0.62X1.37X0.25TB	5/8	1-3/8	1/4
OS-0.62X1.37X0.25VTB	5/8	1-3/8	1/4
OS-0.62X1.50X0.25SB-H	5/8	1-1/2	1/4
OS-0.65X1.12X0.25SC	21/32	1-1/8	1/4
OS-0.68X1.00X0.18VM	11/16	1	3/16
OS-0.68X1.06X0.18SM	11/16	1-1/16	3/16
OS-0.68X1.12X0.25SB	11/16	1-1/8	1/4
OS-0.68X1.12X0.25TC	11/16	1-1/8	1/4
OS-0.68X1.18X0.18SB	11/16	1-3/16	3/16
OS-0.68X1.25X0.25TZ	11/16	1-1/4	1/4
OS-0.68X1.37X0.31TC	11/16	1-3/8	5/16
OS-0.75X1.00X0.12VC	3/4	1	1/8
OS-0.75X1.00X0.15TC	3/4	1	5/32
OS-0.75X1.06X0.18TB	3/4	1-1/6	3/16
OS-0.75X1.12X0.15VC	3/4	1-1/8	5/32
OS-0.75X1.12X0.15VM	3/4	1-1/8	5/32
OS-0.75X1.12X0.18SZ	3/4	1-1/8	3/16
OS-0.75X1.12X0.18TB	3/4	1-1/8	3/16
OS-0.75X1.12X0.25TC	3/4	1-1/8	1/4
OS-0.75X1.18X0.25SB	3/4	1-3/16	1/4
OS-0.75X1.25X0.25SB	3/4	1-1/4	1/4
OS-0.75X1.25X0.25SC	3/4	1-1/4	1/4
OS-0.75X1.25X0.25TB	3/4	1-1/4	1/4
OS-0.75X1.25X0.25TC-G	3/4	1-1/4	1/4
OS-0.75X1.25X0.31TC	3/4	1-1/4	5/16
OS-0.75X1.25X0.31TZ	3/4	1-1/4	5/16
OS-0.75X1.25X0.31VTC	3/4	1-1/4	5/16
OS-0.75X1.31X0.25TB	3/4	1-5/16	1/4
OS-0.75X1.37X0.25PTC	3/4	1-3/8	1/4
OS-0.75X1.37X0.25TB	3/4	1-3/8	1/4
OS-0.75X1.50X0.25TB-H	3/4	1-1/2	1/4
OS-0.75X1.75X0.25SB	3/4	1-3/4	1/4
OS-0.75X1.75X0.31TZ	.3/4	1-3/4	5/16
OS-0.78X1.00X0.12VC	.787	1	1/8
OS-0.78X1.12X0.18SB	.787	1-1/8	3/16
OS-0.78X1.37X0.31SB	25/32	1-3/8	5/16
OS-0.78X1.75X0.31TZ	25/32	1-3/4	5/16
OS-0.81X1.06X0.12VC	13/16	1-1/16	1/8

Part Number	ID	OD	H
OS-0.81X1.25X0.18SM	13/16	1-1/4	3/16
OS-0.81X1.37X0.25TB	13/16	1-3/8	1/4
OS-0.87X1.12X0.12VM	7/8	1-1/8	1/8
OS-0.87X1.18X0.16VZ	7/8	1-3/16	.164
OS-0.87X1.25X0.18SB	7/8	1-1/4	3/16
OS-0.87X1.25X0.18TB	7/8	1-1/4	3/16
OS-0.87X1.25X.188SZ	7/8	1-1/4	3/16
OS-0.87X1.25X0.25SC	7/8	1-1/4	1/4
OS-0.87X1.37X0.25SB	7/8	1-3/8	1/4
OS-0.87X1.37X0.25TB	7/8	1-3/8	1/4
OS-0.87X1.37X0.25TBY	7/8	1-3/8	1/4
OS-0.87X1.37X0.25TC	7/8	1-3/8	1/4
OS-0.87X1.37X0.31SB	7/8	1-3/8	5/16
OS-0.87X1.37X0.31TA	7/8	1-3/8	5/16
OS-0.87X1.50X0.25TB-H	7/8	1-1/2	1/4
OS-0.87X1.50X0.25VTB	7/8	1-1/2	1/4
OS-0.87X1.50X0.31SC	7/8	1-1/2	5/16
OS-0.87X1.62X0.25TB	7/8	1-5/8	1/4
OS-0.87X1.82X0.37TB	7/8	1-53/64	3/8
OS-0.93X1.37X0.25TB	15/16	1-3/8	1/4
OS-0.93X1.50X0.25SB-H	15/16	1-1/2	1/4
OS-0.93X1.75X0.31TC	15/16	1-3/4	5/16
OS-0.93X1.50X0.25TB	31/32	1-1/2	1/4
OS-0.96X1.62X0.25SB-H	31/32	1-5/8	1/4
OS-1.00X1.25X0.12VB	1	1-1/4	1/8
OS-1.00X1.25X0.25TC	1	1-1/4	1/4
OS-1.00X1.31X0.12VL	1	1-5/16	1/8
OS-1.00X1.37X0.25PSB	1	1-3/8	1/4
OS-1.00X1.37X0.25TBY	1	1-3/8	1/4
OS-1.00X1.43X0.25SC	1	1-7/16	1/4
OS-1.00X1.50X0.18VB	1	1-1/2	3/16
OS-1.00X1.50X0.25SB-H	1	1-1/2	1/4
OS-1.00X1.50X0.25TB	1	1-1/2	1/4
OS-1.00X1.50X0.25TB-H	1	1-1/2	1/4
OS-1.00X1.50X0.25TBY	1	1-1/2	1/4
OS-1.00X1.50X0.25TC	1	1-1/2	1/4
OS-1.00X1.50X0.31TC	1	1-1/2	5/16
OS-1.00X1.56X0.25VB-H	1	1-9/16	1/4
OS-1.00X1.57X0.25TB	1	1.575	1/4
OS-1.00X1.62X0.25SB	1	1-5/8	1/4
OS-1.00X1.62X0.25TB	1	1-5/8	1/4
OS-1.00X1.62X0.25TC	1	1-5/8	1/4

OIL SEALS



Part Number	ID	OD	H
OS-1.00X1.62X0.25VB	1	1-5/8	1/4
OS-1.00X1.62X0.37SSTZN	1	1-5/8	3/8
OS-1.00X1.75X0.25SB	1	1-3/4	1/4
OS-1.00X1.75X0.25TB	1	1-3/4	.1/4
OS-1.00X1.75X0.25VSB	1	1-3/4	1/4
OS-1.00X1.78X0.46VHY	1	1-25/32	5/16
OS-1.00X1.87X0.25SB	1	1-7/8	1/4
OS-1.00X1.87X0.25TB	1	1-7/8	1/4
OS-1.00X1.98X0.31TB	1	1.982	5/16
OS-1.00X2.06X0.37SC	1	2-1/16	3/8
OS-1.00X2.43X0.37TC	1	2-7/16	3/8
OS-1.06X1.50X0.25SB-H	1-1/16	1-1/2	.1/4
OS-1.06X1.62X0.25SB	1-1/16	1-5/8	1/4
OS-1.06X1.68X0.25SB	1-1/16	1-11/16	1/4
OS-1.06X1.87X0.25SB	1-1/16	1-7/8	1/4
OS-1.12X1.37X0.12VM	1-1/8	1-3/8	1/8
OS-1.12X1.50X0.18VB	1-1/8	1-1/2	3/16
OS-1.12X1.50X0.18VTC	1-1/8	1-1/2	3/16
OS-1.12X1.56X0.25PSL	1-1/8	1-9/16	1/4
OS-1.12X1.56X0.25SB	1-1/8	1-9/16	1/4
OS-1.12X1.62X0.25SB	1-1/8	1-5/8	1/4
OS-1.12X1.62X0.25SC	1-1/8	1-5/8	1/4
OS-1.12X1.62X0.25TB	1-1/8	1-5/8	.1/4
OS-1.12X1.75X0.25SB	1-1/8	1-3/4	1/4
OS-1.12X1.75X0.25TB	1-1/8	1-3/4	1/4
OS-1.12X1.78X0.46TB	1-1/8	1-25/32	.469
OS-1.12X1.82X0.25TB	1-1/8	1-53/64	1/4
OS-1.12X1.82X0.25TC	1-1/8	1-53/64	1/4
OS-1.12X1.87X0.25TB	1-1/8	1-7/8	.1/4
OS-1.12X2.00X0.25SB	1-1/8	2	1/4
OS-1.12X2.00X0.37TB	1-1/8	2	3/8
OS-1.12X2.12X0.31SB	1-1/8	2-1/8	5/16
OS-1.15X1.68X0.31TC	1-5/32	1-11/16	5/16
OS-1.18X1.68X0.25SB	1-3/16	1-11/16	1/4
OS-1.18X1.87X0.25SB	1-3/16	1-7/8	1/4
OS-1.18X2.00X0.25TB	1-3/16	2	1/4
OS-1.25X1.50X0.12VB	1-1/4	1-1/2	1/8
OS-1.25X1.50X0.12VC	1-1/4	1-1/2	1/8
OS-1.25X1.62X0.18SB	1-1/4	1-5/8	3/16
OS-1.25X1.62X0.18SM	1-1/4	1-5/8	3/16
OS-1.25X1.62X0.25TC	1-1/4	1-5/8	.1/4
OS-1.25X1.68X0.18VB	1-1/4	1-11/16	3/16

Part Number	ID	OD	H
OS-1.25X1.68X0.25SB	1-1/4	1-11/16	1/4
OS-1.25X1.68X0.25SC	1-1/4	1-11/16	1/4
OS-1.25X1.68X0.25TC	1-1/4	1-11/16	1/4
OS-1.25X1.68X0.25TF	1-1/4	1-11/16	1/4
OS-1.25X1.68X0.31TB	1-1/4	1-11/16	.313
OS-1.25X1.75X0.25TB	1-1/4	1-3/4	1/4
OS-1.25X1.75X0.25TBY	1-1/4	1-3/4	1/4
OS-1.25X1.87X0.25TB	1-1/4	1-7/8	.1/4
OS-1.25X1.98X0.25TB	1-1/4	1.983	1/4
OS-1.25X1.98X0.25VH	1-1/4	1.983	1/4
OS-1.25X2.00X0.25TB	1-1/4	2	.1/4
OS-1.25X2.00X0.25VTB	1-1/4	2	1/4
OS-1.25X2.00X0.31TC	1-1/4	2	5/16
OS-1.25X2.00X0.43SB	1-1/4	2	7/16
OS-1.25X2.062X0.25TB	1-1/4	2-1/16	1/4
OS-1.25X2.12X0.25SB	1-1/4	2-1/8	1/4
OS-1.25X2.12X0.25TB	1-1/4	2-1/8	1/4
OS-1.25X2.25X0.25VB	1-1/4	2-1/4	1/4
OS-1.25X2.47X0.31SC	1-1/4	2.47	5/16
OS-1.28X2.00X0.37TB	1-9/32	2	3/8
OS-1.31X2.12X0.31TB	1-5/16	2-1/8	5/16
OS-1.37X1.75X0.18SM	1-3/8	1-3/4	3/16
OS-1.37X1.75X0.18VB	1-3/8	1-3/4	3/16
OS-1.37X1.75X0.21TB	1-3/8	1-3/4	.219
OS-1.37X1.82X0.31SB	1-3/8	1-53/64	5/16
OS-1.37X1.87X0.25SB	1-3/8	1-7/8	1/4
OS-1.37X1.93X0.25TB	1-3/8	1-15/16	.1/4
OS-1.37X1.93X0.25VB	1-3/8	1-15/16	1/4
OS-1.37X1.98X0.43TM	1-3/8	1.979	7/16
OS-1.37X2.00X0.31VTB	1-3/8	2	5/16
OS-1.37X2.00X0.37TA	1-3/8	2	3/8
OS-1.37X2.12X0.31TB	1-3/8	2-1/8	5/16
OS-1.37X2.12X0.31TC	1-3/8	2-1/8	5/16
OS-1.37X2.12X0.43SA	1-3/8	2-1/8	7/16
OS-1.37X2.25X0.31TB	1-3/8	2-1/4	5/16
OS-1.37X2.37X0.31TB	1-3/8	2-3/8	5/16
OS-1.37X2.44X0.31TB	1-3/8	2.441	5/16
OS-1.43X2.00X0.31TC	1-7/16	2	5/16
OS-1.43X2.12X0.37SC	1-7/16	2-1/8	3/8
OS-1.43X2.37X0.31TB	1-7/16	2-3/8	5/16
OS-1.50X1.87X0.25SB	1-1/2	1-7/8	.1/4
OS-1.50X1.87X0.25TB	1-1/2	1-7/8	.1/4

OIL SEALS



OIL SEALS

OIL SEALS

Part Number	ID	OD	H
OS-1.50X1.87X0.25VB	1-1/2	1-7/8	1/4
OS-1.50X1.98X0.18VB	1-1/2	1.983	3/16
OS-1.50X1.98X0.25TB	1-1/2	1.983	1/4
OS-1.50X1.99X0.25KB	1-1/2	1.989	1/4
OS-1.50X2.00X0.25VB	1-1/2	2	1/4
OS-1.50X2.00X0.31TB	1-1/2	2	5/16
OS-1.50X2.12X0.31TB	1-1/2	2-1/8	5/16
OS-1.50X2.25X0.25VH	1-1/2	2-1/4	1/4
OS-1.50X2.25X0.31SB	1-1/2	2-1/4	5/16
OS-1.50X2.25X0.31TB	1-1/2	2-1/4	5/16
OS-1.50X2.25X0.31VTB-H	1-1/2	2-1/4	5/16
OS-1.50X2.37X0.25VH	1-1/2	2-3/8	1/4
OS-1.50X2.37X0.31TB	1-1/2	2-3/8	5/16
OS-1.50X2.37X0.31TB-H	1-1/2	2-3/8	5/16
OS-1.50X2.50X0.31SB	1-1/2	2-1/2	5/16
OS-1.50X2.50X0.31TB	1-1/2	2-1/2	5/16
OS-1.50X2.75X0.31SB	1-1/2	2-3/4	5/16
OS-1.56X2.12X0.31SB	1-9/16	2-1/8	5/16
OS-1.56X2.37X0.31TB	1-9/16	2-3/8	5/16
OS-1.625X2.00X0.25SB	1-5/8	2	1/4
OS-1.62X2.12X0.25SB	1-5/8	2-1/8	1/4
OS-1.62X2.37X0.31TB	1-5/8	2-3/8	5/16
OS-1.62X2.37X0.37TC	1-5/8	2-3/8	3/8
OS-1.62X2.43X0.31TB	1-5/8	2-7/16	5/16
OS-1.62X2.50X0.31TB	1-5/8	2-1/2	5/16
OS-1.71X2.56X0.50TB	1-23/32	2-9/16	1/2
OS-1.75X2.12X0.18SB	1-3/4	2-1/8	3/16
OS-1.75X2.25X0.18VB	1-3/4	2-1/4	3/16
OS-1.75X2.25X0.31SB	1-3/4	2-1/4	5/16
OS-1.75X2.37X0.31TB	1-3/4	2-3/8	5/16
OS-1.75X2.43X0.31TB	1-3/4	2-7/16	5/16
OS-1.75X2.43X0.31TC	1-3/4	2-7/16	5/16
OS-1.75X2.50X0.31TB	1-3/4	2-1/2	5/16
OS-1.75X2.50X0.31VTB	1-3/4	2-1/2	5/16
OS-1.75X2.56X0.31TB	1-3/4	2-9/16	5/16
OS-1.75X2.62X0.31TB	1-3/4	2-5/8	5/16
OS-1.75X2.68X0.31SL-H	1-3/4	2.686	5/16
OS-1.75X2.75X0.31TB	1-3/4	2-3/4	5/16
OS-1.75X2.87X0.31SB	1-3/4	2-7/8	5/16
OS-1.75X3.00X0.37TB	1-3/4	3	3/8
OS-1.87X2.50X0.25VHY	1-7/8	2-1/2	1/4
OS-1.87X2.50X0.31SB	1-7/8	2-1/2	5/16

Part Number	ID	OD	H
OS-1.87X2.62X0.31TB	1-7/8	2-5/8	5/16
OS-1.87X2.62X0.31TB-H	1-7/8	2-5/8	5/16
OS-1.93X2.68X0.31TC	1-15/16	2-11/16	5/13
OS-1.93X2.68X0.31TL-H	1-15/16	2-11/16	5/16
OS-2.00X2.50X0.25TC	2	2-1/2	1/4
OS-2.00X2.50X0.25VB	2	2-1/2	1/4
OS-2.00X2.62X0.25VHY	2	2-5/8	1/4
OS-2.00X2.62X0.31TB	2	2-5/8	5/16
OS-2.00X2.68X0.37SB	2	2-11/16	3/8
OS-2.00X2.71X0.37TB	2	2-23/32	3/8
OS-2.00X2.75X0.18VM	2	2-3/4	3/16
OS-2.00X2.75X0.31TB	2	2-3/4	5/16
OS-2.00X2.75X0.31TC	2	2-3/4	5/16
OS-2.00X2.87X0.31TA	2	2-7/8	5/16
OS-2.00X3.00X0.25SB	2	3	1/4
OS-2.00X3.00X0.31TB	2	3	5/16
OS-2.00X3.00X0.37SA	2	3	3/8
OS-2.12X2.75X0.50TB	2-1/8	2-3/4	1/2
OS-2.12X2.87X0.25VB	2-1/8	2-7/8	1/4
OS-2.12X2.87X0.43TB	2-1/8	2-7/8	7/16
OS-2.12X3.06X0.50TA	2-1/8	3-1/16	1/2
OS-2.18X3.00X0.37TB	2-3/16	3	3/8
OS-2.25X2.87X0.25VH	2-1/4	2-7/8	1/4
OS-2.25X3.00X0.25TA	2-1/4	3	1/4
OS-2.25X3.00X0.37SB	2-1/4	3	3/8
OS-2.25X3.00X0.37TB	2-1/4	3	3/8
OS-2.25X3.00X0.37VTB	2-1/4	3	3/8
OS-2.25X3.25X0.25VH	2-1/4	3-1/4	1/4
OS-2.25X3.25X0.37TB	2-1/4	3-1/4	3/8
OS-2.37X3.00X0.25VH	2-3/8	3	1/4
OS-2.37X3.12X0.37SB	2-3/8	3-1/8	3/8
OS-2.37X3.12X0.43TA	2-3/8	3-1/8	7/16
OS-2.37X3.50X0.37SA	2-3/8	3-1/2	3/8
OS-2.50X3.00X0.25VB	2-1/2	3	1/4
OS-2.50X3.00X0.28WS	2-1/2	3	9/32
OS-2.50X3.06X0.25SM	2-1/2	3-1/16	1/4
OS-2.50X3.18X0.37TB	2-1/2	3-3/16	3/8
OS-2.50X3.25X0.37TB	2-1/2	3-1/4	3/8
OS-2.50X3.25X0.43TA	2-1/2	3-1/4	7/16
OS-2.50X3.50X0.25VH	2-1/2	3-1/2	1/4
OS-2.50X3.50X0.37TB	2-1/2	3-1/2	3/8
OS-2.50X3.50X0.43TA	2-1/2	3-1/2	7/16

OIL SEALS



Part Number	ID	OD	H
OS-2.62X3.37X0.37TA	2-5/8	3-3/8	3/8
OS-2.62X3.50X0.37TB	2-5/8	3-1/2	3/8
OS-2.75X3.50X0.37TB	2-3/4	3-1/2	3/8
OS-2.81X3.87X0.43SA	2-13/16	3-7/8	7/16
OS-3.00X3.75X0.37TB	3	3-3/4	3/8
OS-3.00X3.75X0.37SB	3	3-3/4	3/8
OS-3.00X3.75X0.43TA	3	3-3/4	7/16
OS-3.00X4.00X0.37TB	3	4	3/8
OS-3.00X4.00X0.43TA	3	4	7/16
OS-3.25X4.00X0.37PTB	3-1/4	4	3/8
OS-3.25X4.25X0.37TB	3-1/4	4-1/4	3/8
OS-3.25X4.25X0.43TA	3-1/4	4-1/4	7/16
OS-3.25X4.50X0.43TA	3-1/4	4-1/2	7/16
OS-3.37X4.12X0.37TB	3-3/8	4-1/8	3/8

Part Number	ID	OD	H
OS-3.37X4.37X0.43TA	3-3/8	4-3/8	7/16
OS-3.50X4.37X0.37TB	3-1/2	4-3/8	3/8
OS-3.50X4.50X0.43SA	3-1/2	4-1/2	7/16
OS-3.50X4.75X0.25VH	3-1/2	4-3/4	1/4
OS-3.75X4.75X0.43STA	3-3/4	4-3/4	7/16
OS-3.87X5.25X0.43TA	3-7/8	5-1/4	7/16
OS-4.00X5.00X0.43TA	4	5	7/16
OS-4.00X5.37X0.50TA	4	5-3/8	1/2
OS-5.00X6.00X0.50TA	5	6	1/2
OS-5.00X6.25X0.50SA	5	6-1/4	1/2
OS-5.50X6.50X0.50SA	5-1/2	6-1/2	1/2
OS-5.62X6.62X0.50SA-H	5-5/8	6-5/8	1/2
OS-7.92X9.18X0.68Y	7.92	9-3/16	11/16

OIL SEALS