


STYLE 573 HYTREL BACK-UP RINGS

Molded of 55D Durometer Hytrel, these back-up rings provide excellent extrusion resistance and tolerance to fluids such as phosphate esters, hydraulic oil and water. Stretched for installation, they return quickly to their original size for easy installation.

NOTE: Sizes (Dash No.) correspond to standard o-ring numbers.



SEAL INFORMATION

MATERIAL	55D HYTREL
TEMPERATURE RANGE	-65° TO +275° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
1/16" C/S						
573-006	1/8	1/4	.05	.045 ±.005	10	\$1.11
573-009	7/32	11/32	.05	.045 ±.005	10	1.11
573-010	1/4	3/8	.05	.045 ±.005	10	1.11
573-011	5/16	7/16	.05	.045 ±.005	10	0.81
573-012	3/8	1/2	.05	.045 ±.005	10	0.81
573-014	1/2	5/8	.05	.050 ±.005	10	0.78
573-015	9/16	11/16	.05	.050 ±.005	10	0.78
573-016	5/8	3/4	.05	.050 ±.005	10	0.91
573-017	11/16	13/16	.05	.050 ±.005	10	0.91
573-018	3/4	7/8	.05	.050 ±.005	10	0.91
573-019	13/16	15/16	.05	.050 ±.005	10	0.91
573-020	7/8	1	.05	.050 ±.005	10	0.91
573-021	15/16	1-1/16	.05	.050 ±.005	10	0.91
573-022	1	1-1/8	.05	.050 ±.005	10	0.91
573-023	1-1/16	1-3/16	.05	.050 ±.005	10	0.91
573-024	1-1/8	1-1/4	.05	.050 ±.005	10	0.91
573-025	1-3/16	1-5/16	.05	.050 ±.005	10	0.91
573-026	1-1/4	1-3/8	.05	.050 ±.005	10	1.02
573-027	1-5/16	1-7/16	.05	.050 ±.005	10	1.02
573-028	1-3/8	1-1/2	.05	.050 ±.005	10	1.02
573-029	1-1/2	1-5/8	.05	.050 ±.005	10	1.02
573-030	1-5/8	1-3/4	.05	.050 ±.005	10	1.02
573-031	1-3/4	1-7/8	.05	.050 ±.005	10	1.02
573-032	1-7/8	2	.05	.050 ±.005	10	1.02
573-033	2	2-1/8	.05	.050 ±.005	10	1.08
573-034	2-1/8	2-1/4	.05	.050 ±.005	10	1.08
573-035	2-1/4	2-3/8	.05	.050 ±.005	10	1.08
573-036	2-3/8	2-1/2	.05	.050 ±.005	10	1.08
573-037	2-1/2	2-5/8	.05	.050 ±.005	10	1.08
573-038	2-5/8	2-3/4	.05	.050 ±.005	10	1.08
573-039	2-3/4	2-7/8	.05	.050 ±.005	10	1.16
573-040	2-7/8	3	.05	.050 ±.005	10	1.20
573-041	3	3-1/8	.05	.050 ±.005	10	1.41



STYLE 573 HYTREL BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
573-042	3-1/4	3-3/8	.05	.050 ±.005	10	1.86
573-043	3-1/2	3-5/8	.05	.050 ±.005	10	1.24
573-044	3-3/4	3-7/8	.05	.050 ±.005	2	1.73
573-045	4	4-1/8	.05	.050 ±.005	2	4.44
573-047	4-1/2	4-5/8	.05	.050 ±.005	2	5.39
573-048	4-3/4	4-7/8	.05	.050 ±.005	2	5.81
573-049	5	5-1/8	.05	.050 ±.005	2	5.81
573-050	5-1/4	5-3/8	.05	.050 ±.005	2	2.11
3/32" C/S						
573-110	3/8	9/16	.05	.050 ±.005	10	\$1.20
573-111	7/16	5/8	.05	.050 ±.005	9	0.85
573-112	1/2	11/16	.05	.050 ±.005	9	0.85
573-113	9/16	3/4	.05	.050 ±.005	9	0.85
573-114	5/8	13/16	.05	.050 ±.005	9	0.78
573-115	11/16	7/8	.05	.050 ±.005	9	0.78
573-116	3/4	15/16	.05	.050 ±.005	9	0.78
573-117	13/16	1	.05	.050 ±.005	9	0.85
573-118	7/8	1-1/16	.05	.050 ±.005	9	0.85
573-119	15/16	1-1/8	.05	.050 ±.005	9	0.85
573-120	1	1-3/16	.05	.050 ±.005	8	0.89
573-122	1-1/8	1-5/16	.05	.050 ±.005	8	0.89
573-123	1-3/16	1-3/8	.05	.050 ±.005	8	0.89
573-124	1-1/4	1-7/16	.05	.050 ±.005	8	0.91
573-125	1-5/16	1-1/2	.05	.050 ±.005	8	0.91
573-126	1-3/8	1-9/16	.05	.050 ±.005	8	1.02
573-127	1-7/16	1-5/8	.05	.050 ±.005	8	1.02
573-128	1-1/2	1-11/16	.05	.050 ±.005	8	1.02
573-129	1-9/16	1-3/4	.05	.050 ±.005	8	1.02
573-131	1-11/16	1-7/8	.05	.050 ±.005	8	1.02
573-132	1-3/4	1-15/16	.05	.050 ±.005	8	1.02
573-133	1-13/16	2	.05	.050 ±.005	8	1.02
573-134	1-7/8	2-1/16	.05	.050 ±.005	8	1.02
573-135	1-15/16	2-1/8	.05	.050 ±.005	8	1.02
573-136	2	2-3/16	.05	.050 ±.005	8	1.02
573-137	2-1/16	2-1/4	.05	.050 ±.005	8	1.02
573-138	2-1/8	2-5/16	.05	.050 ±.005	8	1.02
573-139	2-3/16	2-3/8	.05	.050 ±.005	8	1.02
573-140	2-1/4	2-7/16	.05	.050 ±.005	7	1.05
573-141	2-5/16	2-1/2	.05	.050 ±.005	7	1.05
573-142	2-3/8	2-9/16	.05	.050 ±.005	7	1.05
573-143	2-7/16	2-5/8	.05	.050 ±.005	7	1.08
573-144	2-1/2	2-11/16	.05	.050 ±.005	6	1.16
573-145	2-9/16	2-3/4	.05	.050 ±.005	6	1.16
573-146	2-5/8	2-13/16	.05	.050 ±.005	6	1.16
573-147	2-11/16	2-7/8	.05	.050 ±.005	6	1.16
573-148	2-3/4	2-15/16	.05	.050 ±.005	6	1.16
573-149	2-13/16	3	.05	.050 ±.005	6	1.16
573-150	2-7/8	3-1/16	.05	.050 ±.005	6	3.13
573-151	3	3-3/16	.05	.050 ±.005	6	1.20
573-152	3-1/4	3-7/16	.05	.050 ±.005	5	2.00

STYLE 573 HYTREL BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
573-153	3-1/2	3-11/16	.05	.050 ±.005	5	1.62
573-154	3-3/4	3-15/16	.05	.050 ±.005	3	2.50
573-155	4	4-3/16	.05	.050 ±.005	3	2.53
573-156	4-1/4	4-7/16	.05	.050 ±.005	5	2.64
573-158	4-3/4	4-15/16	.05	.050 ±.005	3	2.69
573-159	5	5-3/16	.05	.050 ±.005	3	2.75
573-160	5-1/4	5-7/16	.05	.050 ±.005	3	7.09
573-161	5-1/2	5-11/16	.05	.050 ±.005	3	7.09
573-162	5-3/4	5-15/16	.05	.050 ±.005	3	5.14
573-163	6	6-3/16	.05	.050 ±.005	3	3.67
1/8" C/S						
573-205	7/16	11/16	.05	.050 ±.005	10	\$0.78
573-206	1/2	3/4	.05	.050 ±.005	10	0.78
573-207	9/16	13/16	.05	.050 ±.005	10	0.78
573-208	5/8	7/8	.05	.050 ±.005	10	0.78
573-209	11/16	15/16	.05	.050 ±.005	10	0.78
573-210	3/4	1	.05	.050 ±.005	9	0.85
573-211	13/16	1-1/16	.05	.050 ±.005	9	0.85
573-212	7/8	1-1/8	.05	.050 ±.005	9	0.85
573-213	15/16	1-3/16	.05	.050 ±.005	9	0.85
573-214	1	1-1/4	.05	.050 ±.005	9	0.85
573-215	1-1/16	1-5/16	.05	.050 ±.005	9	0.89
573-216	1-1/8	1-3/8	.05	.050 ±.005	9	0.89
573-217	1-3/16	1-7/16	.05	.050 ±.005	9	0.89
573-218	1-1/4	1-1/2	.05	.050 ±.005	9	0.89
573-219	1-5/16	1-9/16	.05	.050 ±.005	9	0.89
573-220	1-3/8	1-5/8	.05	.050 ±.005	10	0.91
573-221	1-7/16	1-11/16	.05	.050 ±.005	10	0.91
573-222	1-1/2	1-3/4	.05	.050 ±.005	10	0.91
573-223	1-5/8	1-7/8	.05	.050 ±.005	8	0.96
573-224	1-3/4	2	.05	.050 ±.005	8	0.96
573-225	1-7/8	2-1/8	.05	.050 ±.005	10	1.02
573-226	2	2-1/4	.05	.050 ±.005	10	1.02
573-227	2-1/8	2-3/8	.05	.050 ±.005	10	1.02
573-228	2-1/4	2-1/2	.05	.050 ±.005	10	1.02
573-229	2-3/8	2-5/8	.05	.050 ±.005	10	1.02
573-230	2-1/2	2-3/4	.05	.050 ±.005	7	1.18
573-231	2-5/8	2-7/8	.05	.050 ±.005	7	1.18
573-232	2-3/4	3	.05	.050 ±.005	7	1.18
573-233	2-7/8	3-1/8	.05	.050 ±.005	7	1.18
573-234	3	3-1/4	.05	.050 ±.005	6	1.26
573-235	3-1/8	3-3/8	.05	.050 ±.005	6	1.26
573-236	3-1/4	3-1/2	.05	.050 ±.005	6	1.26
573-237	3-3/8	3-5/8	.05	.050 ±.005	5	1.46
573-238	3-1/2	3-3/4	.05	.050 ±.005	5	1.46
573-239	3-5/8	3-7/8	.05	.050 ±.005	5	1.80
573-240	3-3/4	4	.05	.050 ±.005	5	1.83
573-241	3-7/8	4-1/8	.05	.050 ±.005	5	1.83
573-242	4	4-1/4	.05	.050 ±.005	5	1.83
573-243	4-1/8	4-3/8	.05	.050 ±.005	5	1.83

STYLE 573 HYTREL BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
573-244	4-1/4	4-1/2	.05	.050 ±.005	4	2.25
573-245	4-3/8	4-5/8	.05	.050 ±.005	4	2.25
573-246	4-1/2	4-3/4	.05	.050 ±.005	3	2.57
573-247	4-5/8	4-7/8	.05	.050 ±.005	3	2.57
573-248	4-3/4	5	.05	.050 ±.005	3	2.96
573-249	4-7/8	5-1/8	.05	.050 ±.005	3	2.86
573-250	5	5-1/4	.05	.050 ±.005	3	2.95
573-251	5-1/8	5-3/8	.05	.050 ±.005	3	3.20
573-252	5-1/4	5-1/2	.05	.050 ±.005	3	3.34
573-253	5-3/8	5-5/8	.05	.050 ±.005	1	3.71
573-254	5-1/2	5-3/4	.05	.050 ±.005	3	3.73
573-255	5-5/8	5-7/8	.05	.050 ±.005	2	3.85
573-256	5-3/4	6	.05	.050 ±.005	2	4.01
573-257	5-7/8	6-1/8	.05	.050 ±.005	2	4.26
573-258	6	6-1/4	.05	.050 ±.005	2	4.36
573-259	6-1/4	6-1/2	.05	.050 ±.005	2	4.36
573-260	6-1/2	6-3/4	.05	.050 ±.005	2	4.55
573-261	6-3/4	7	.05	.050 ±.005	2	4.76
573-262	7	7-1/4	.05	.050 ±.005	2	4.82
573-263	7-1/4	7-1/2	.05	.050 ±.005	2	5.07
573-264	7-1/2	7-3/4	.05	.050 ±.005	2	5.41
573-265	7-3/4	8	.05	.050 ±.005	2	5.69
573-266	8	8-1/4	.05	.050 ±.005	2	6.63
573-267	8-1/4	8-1/2	.05	.050 ±.005	2	6.72
573-268	8-1/2	8-3/4	.05	.050 ±.005	2	6.89
573-269	8-3/4	9	.05	.050 ±.005	2	6.89
573-270	9	9-1/4	.05	.050 ±.005	1	7.08
573-272	9-1/2	9-3/4	.05	.050 ±.005	1	7.34
573-273	9-3/4	10	.05	.050 ±.005	1	7.44
573-275	10-1/2	10-3/4	.05	.050 ±.005	1	7.80
573-276	11	11-1/4	.05	.050 ±.005	1	7.87
573-278	12	12-1/4	.05	.050 ±.005	1	7.94
3/16" C/S						
573-309	7/16	13/16	.07	.070 ±.006	10	\$0.95
573-310	1/2	7/8	.07	.070 ±.006	10	0.78
573-311	9/16	15/16	.07	.070 ±.006	10	0.78
573-312	5/8	1	.07	.070 ±.006	9	0.85
573-314	3/4	1-1/8	.07	.070 ±.006	8	0.89
573-315	13/16	1-3/16	.07	.070 ±.006	8	0.89
573-316	7/8	1-1/4	.07	.070 ±.006	8	0.89
573-317	15/16	1-5/16	.07	.070 ±.006	8	0.89
573-318	1	1-3/8	.07	.070 ±.006	8	0.89
573-319	1-1/16	1-7/16	.07	.070 ±.006	8	1.18
573-320	1-1/8	1-1/2	.07	.070 ±.006	8	0.89
573-322	1-1/4	1-5/8	.07	.070 ±.006	8	0.89
573-323	1-5/16	1-11/16	.07	.070 ±.006	8	1.28
573-324	1-3/8	1-3/4	.07	.070 ±.006	8	0.96
573-325	1-1/2	1-7/8	.07	.070 ±.006	8	0.96
573-326	1-5/8	2	.07	.070 ±.006	8	1.02
573-327	1-3/4	2-1/8	.07	.070 ±.006	8	1.02

STYLE 573 HYTREL BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
573-328	1-7/8	2-1/4	.07	.070 ±.006	8	1.18
573-329	2	2-3/8	.07	.070 ±.006	8	1.02
573-330	2-1/8	2-1/2	.07	.070 ±.006	8	1.02
573-331	2-1/4	2-5/8	.07	.070 ±.006	8	1.02
573-332	2-3/8	2-3/4	.07	.070 ±.006	8	1.05
573-333	2-1/2	2-7/8	.07	.070 ±.006	8	1.05
573-334	2-5/8	3	.07	.070 ±.006	7	1.08
573-335	2-3/4	3-1/8	.07	.070 ±.006	7	1.18
573-336	2-7/8	3-1/4	.07	.070 ±.006	7	1.18
573-337	3	3-3/8	.07	.070 ±.006	7	1.24
573-338	3-1/8	3-1/2	.07	.070 ±.006	7	1.24
573-339	3-1/4	3-5/8	.07	.070 ±.006	6	1.30
573-340	3-3/8	3-3/4	.07	.070 ±.006	6	1.41
573-341	3-1/2	3-7/8	.07	.070 ±.006	6	1.41
573-342	3-5/8	4	.07	.070 ±.006	5	1.49
573-343	3-3/4	4-1/8	.07	.070 ±.006	5	1.69
573-344	3-7/8	4-1/4	.07	.070 ±.006	4	1.89
573-345	4	4-3/8	.07	.070 ±.006	4	2.09
573-346	4-1/8	4-1/2	.07	.070 ±.006	4	2.23
573-347	4-1/4	4-5/8	.07	.070 ±.006	4	2.32
573-348	4-3/8	4-3/4	.07	.070 ±.006	4	2.47
573-350	4-5/8	5	.07	.070 ±.006	3	2.65
573-351	4-3/4	5-1/8	.07	.070 ±.006	3	2.95
573-352	4-7/8	5-1/4	.07	.070 ±.006	3	3.02
573-353	5	5-3/8	.07	.070 ±.006	3	3.04
573-354	5-1/8	5-1/2	.07	.070 ±.006	3	3.16
573-355	5-1/4	5-5/8	.07	.070 ±.006	3	3.34
573-356	5-3/8	5-3/4	.07	.070 ±.006	3	3.50
573-357	5-1/2	5-7/8	.07	.070 ±.006	2	3.81
573-358	5-5/8	6	.07	.070 ±.006	2	3.81
573-359	5-3/4	6-1/8	.07	.070 ±.006	2	4.60
573-360	5-7/8	6-1/4	.07	.070 ±.006	2	4.22
573-361	6	6-3/8	.07	.070 ±.006	2	4.50
573-362	6-1/4	6-5/8	.07	.070 ±.006	1	4.50
573-363	6-1/2	6-7/8	.07	.070 ±.006	2	4.50
573-364	6-3/4	7-1/8	.07	.070 ±.006	2	4.50
573-366	7-1/4	7-5/8	.07	.070 ±.006	2	4.50
573-367	7-1/2	7-7/8	.07	.070 ±.006	2	4.50
573-368	7-3/4	8-1/8	.07	.070 ±.006	2	4.50
573-370	8-1/4	8-5/8	.07	.070 ±.006	2	4.77
573-372	8-3/4	9-1/8	.07	.070 ±.006	1	5.07
573-375	9-1/2	9-7/8	.07	.070 ±.006	2	6.53
1/4" C/S						
573-425	4-1/2	5	.105	.105 ±.006	3	\$2.75
573-426	4-5/8	5-1/8	.105	.105 ±.006	3	3.20
573-427	4-3/4	5-1/4	.105	.105 ±.006	3	3.51
573-428	4-7/8	5-3/8	.105	.105 ±.006	3	3.57
573-429	5	5-1/2	.105	.105 ±.006	3	3.57
573-430	5-1/8	5-5/8	.105	.105 ±.006	3	3.59
573-431	5-1/4	5-3/4	.105	.105 ±.006	3	3.67


STYLE 573 HYTREL BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
573-432	5-3/8	5-7/8	.105	.105 ±.006	2	3.81
573-433	5-1/2	6	.105	.105 ±.006	2	3.98
573-434	5-5/8	6-1/8	.105	.105 ±.006	2	4.17
573-435	5-3/4	6-1/4	.105	.105 ±.006	2	4.30
573-436	5-7/8	6-3/8	.105	.105 ±.006	2	6.20
573-437	6	6-1/2	.105	.105 ±.006	2	4.46
573-438	6-1/4	6-3/4	.105	.105 ±.006	2	4.53
573-439	6-1/2	7	.105	.105 ±.006	2	4.68
573-440	6-3/4	7-1/4	.105	.105 ±.006	2	5.02
573-441	7	7-1/2	.105	.105 ±.006	2	5.26
573-442	7-1/4	7-3/4	.105	.105 ±.006	2	5.51
573-443	7-1/2	8	.105	.105 ±.006	2	6.53
573-444	7-3/4	8-1/4	.105	.105 ±.006	1	8.67
573-445	8	8-1/2	.105	.105 ±.006	1	8.39
573-446	8-1/2	9	.105	.105 ±.006	1	11.21
573-447	9	9-1/2	.105	.105 ±.006	1	11.64
573-448	9-1/2	10	.105	.105 ±.006	1	11.83
573-450	10-1/2	11	.105	.105 ±.006	1	12.82
573-451	11	11-1/2	.105	.105 ±.006	1	12.73
573-452	11-1/2	12	.105	.105 ±.006	1	12.73
573-453	12	12-1/2	.105	.105 ±.006	1	12.73
573-454	12-1/2	13	.105	.105 ±.006	1	12.73
573-455	13	13-1/2	.105	.105 ±.006	1	12.82
573-456	13-1/2	14	.105	.105 ±.006	1	12.73

STYLE 574 BUNA-N BACK-UP RINGS

Molded of 90A Durometer Buna-N Rubber, these "Parback®" Style Dished Cross Section back-up rings provide excellent extrusion resistance. Stretched for installation, they return quickly to their original size for easy installation.

NOTE: Sizes (Dash No.) correspond to standard o-ring numbers.



SEAL INFORMATION

MATERIAL	90A BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
1/16" C/S						
574-004	5/64	13/64	.049	.045 ±.003	25	\$0.39
574-005	3/32	7/32	.049	.045 ±.003	25	0.39
574-006	1/8	1/4	.049	.045 ±.003	25	0.32
574-007	5/32	9/32	.049	.045 ±.003	25	0.30
574-008	3/16	5/16	.049	.045 ±.003	25	0.32
574-009	7/32	11/32	.049	.045 ±.003	25	0.32
574-010	1/4	3/8	.049	.045 ±.003	25	0.32
574-011	5/16	7/16	.049	.045 ±.003	25	0.32
574-012	3/8	1/2	.049	.045 ±.003	25	0.34
574-013	7/16	9/16	.049	.045 ±.003	25	0.35
574-014	1/2	5/8	.049	.045 ±.003	25	0.35
574-015	9/16	11/16	.049	.045 ±.003	25	0.38
574-016	5/8	3/4	.049	.045 ±.003	25	0.38
574-017	11/16	13/16	.049	.045 ±.003	25	0.38
574-018	3/4	7/8	.049	.045 ±.003	25	0.39
574-019	13/16	15/16	.049	.045 ±.003	25	0.39
574-020	7/8	1	.049	.045 ±.003	25	0.41
574-021	15/16	1-1/16	.049	.045 ±.003	25	0.43
574-022	1	1-1/8	.049	.045 ±.003	25	0.43
574-023	1-1/16	1-3/16	.049	.045 ±.003	25	0.47
574-024	1-1/8	1-1/4	.049	.045 ±.003	25	0.48
574-025	1-3/16	1-5/16	.049	.045 ±.003	25	0.48
574-026	1-1/4	1-3/8	.049	.045 ±.003	25	0.51
574-027	1-5/16	1-7/16	.049	.045 ±.003	25	0.54
574-028	1-3/8	1-1/2	.049	.045 ±.003	10	0.54
574-029	1-1/2	1-5/8	.049	.045 ±.003	10	0.58
574-030	1-5/8	1-3/4	.049	.045 ±.003	10	0.62
574-031	1-3/4	1-7/8	.049	.045 ±.003	10	0.64
574-032	1-7/8	2	.049	.045 ±.003	10	0.66
574-033	2	2-1/8	.049	.045 ±.003	10	0.73
574-034	2-1/8	2-1/4	.049	.045 ±.003	10	0.86
574-035	2-1/4	2-3/8	.049	.045 ±.003	10	0.86
574-036	2-3/8	2-1/2	.049	.045 ±.003	10	0.91
574-037	2-1/2	2-5/8	.049	.045 ±.003	10	0.93
574-038	2-5/8	2-3/4	.049	.045 ±.003	10	0.97

STYLE 574 BUNA-N BACK-UP RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-039	2-3/4	2-7/8	.049	.045 ±.003	10	1.05
574-040	2-7/8	3	.049	.045 ±.003	10	1.21
574-041	3	3-1/8	.049	.045 ±.003	10	1.49
574-042	3-1/4	3-3/8	.049	.045 ±.003	10	1.49
574-043	3-1/2	3-5/8	.049	.045 ±.003	10	1.49
574-044	3-3/4	3-7/8	.049	.045 ±.003	5	2.08
574-045	4	4-1/8	.049	.045 ±.003	5	2.08
574-046	4-1/4	4-3/8	.049	.045 ±.003	5	2.23
574-047	4-1/2	4-5/8	.049	.045 ±.003	5	2.23
574-048	4-3/4	4-7/8	.049	.045 ±.003	5	2.54
574-049	5	5-1/8	.049	.045 ±.003	5	2.54
574-050	5-1/4	5-3/8	.049	.045 ±.003	5	2.54
3/32" C/S						
574-102	1/16	1/4	.053	.045 ±.003	25	\$0.32
574-103	3/32	9/32	.053	.045 ±.003	25	0.32
574-104	1/8	5/16	.053	.045 ±.003	25	0.32
574-105	5/32	11/32	.053	.045 ±.003	25	0.32
574-106	3/16	3/8	.053	.045 ±.003	25	0.32
574-107	7/32	13/32	.053	.045 ±.003	25	0.32
574-108	1/4	7/16	.053	.045 ±.003	25	0.32
574-109	5/16	1/2	.053	.045 ±.003	25	0.34
574-110	3/8	9/16	.053	.045 ±.003	25	0.34
574-111	7/16	5/8	.053	.045 ±.003	25	0.34
574-112	1/2	11/16	.053	.045 ±.003	25	0.34
574-113	9/16	3/4	.053	.045 ±.003	25	0.35
574-114	5/8	13/16	.053	.045 ±.003	25	0.35
574-115	11/16	7/8	.053	.045 ±.003	25	0.35
574-116	3/4	15/16	.053	.045 ±.003	25	0.38
574-117	13/16	1	.053	.045 ±.003	25	0.39
574-118	7/8	1-1/16	.053	.045 ±.003	25	0.41
574-119	15/16	1-1/8	.053	.045 ±.003	25	0.41
574-120	1	1-3/16	.053	.045 ±.003	25	0.43
574-121	1-1/16	1-1/4	.053	.045 ±.003	25	0.47
574-122	1-1/8	1-5/16	.053	.045 ±.003	25	0.48
574-123	1-3/16	1-3/8	.053	.045 ±.003	25	0.48
574-124	1-1/4	1-7/16	.053	.045 ±.003	25	0.51
574-125	1-5/16	1-1/2	.053	.045 ±.003	25	0.53
574-126	1-3/8	1-9/16	.053	.045 ±.003	10	0.58
574-127	1-7/16	1-5/8	.053	.045 ±.003	10	0.57
574-128	1-1/2	1-11/16	.053	.045 ±.003	10	0.58
574-129	1-9/16	1-3/4	.053	.045 ±.003	10	0.60
574-130	1-5/8	1-13/16	.053	.045 ±.003	10	0.62
574-131	1-11/16	1-7/8	.053	.045 ±.003	10	0.64
574-132	1-3/4	1-15/16	.053	.045 ±.003	10	0.64
574-133	1-13/16	2	.053	.045 ±.003	10	0.66
574-134	1-7/8	2-1/16	.053	.045 ±.003	10	0.67
574-135	1-15/16	2-1/8	.053	.045 ±.003	10	0.67
574-136	2	2-3/16	.053	.045 ±.003	10	0.73
574-137	2-1/16	2-1/4	.053	.045 ±.003	10	0.73
574-138	2-1/8	2-5/16	.053	.045 ±.003	10	0.83

STYLE 574 BUNA-N BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-139	2-3/16	2-3/8	.053	.045 ±.003	10	0.84
574-140	2-1/4	2-7/16	.053	.045 ±.003	10	0.86
574-141	2-5/16	2-1/2	.053	.045 ±.003	10	0.86
574-142	2-3/8	2-9/16	.053	.045 ±.003	10	0.91
574-143	2-7/16	2-5/8	.053	.045 ±.003	10	0.93
574-144	2-1/2	2-11/16	.053	.045 ±.003	10	0.95
574-145	2-9/16	2-3/4	.053	.045 ±.003	10	0.95
574-146	2-5/8	2-13/16	.053	.045 ±.003	10	0.99
574-147	2-11/16	2-7/8	.053	.045 ±.003	10	1.01
574-148	2-3/4	2-15/16	.053	.045 ±.003	10	1.01
574-149	2-13/16	3	.053	.045 ±.003	10	1.02
574-150	2-7/8	3-1/16	.053	.045 ±.003	10	1.15
574-151	3	3-3/16	.053	.045 ±.003	10	1.25
574-152	3-1/4	3-7/16	.053	.045 ±.003	5	1.69
574-153	3-1/2	3-11/16	.053	.045 ±.003	5	1.93
574-154	3-3/4	3-15/16	.053	.045 ±.003	5	2.34
574-155	4	4-3/16	.053	.045 ±.003	5	2.58
574-156	4-1/4	4-7/16	.053	.045 ±.003	5	3.03
574-157	4-1/2	4-11/16	.053	.045 ±.003	5	3.06
574-158	4-3/4	4-15/16	.053	.045 ±.003	5	3.24
574-159	5	5-3/16	.053	.045 ±.003	1	3.31
574-160	5-1/4	5-7/16	.053	.045 ±.003	1	3.38
574-161	5-1/2	5-11/16	.053	.045 ±.003	1	3.47
574-162	5-3/4	5-15/16	.053	.045 ±.003	1	3.55
574-163	6	6-3/16	.053	.045 ±.003	1	4.42
574-164	6-1/4	6-7/16	.053	.045 ±.003	1	4.42
574-165	6-1/2	6-11/16	.053	.045 ±.003	1	4.42
574-166	6-3/4	6-15/16	.053	.045 ±.003	1	4.42
574-167	7	7-3/16	.053	.045 ±.003	1	4.42
574-168	7-1/4	7-7/16	.053	.045 ±.003	1	4.42
574-169	7-1/2	7-11/16	.053	.045 ±.003	1	5.38
574-170	7-3/4	7-15/16	.053	.045 ±.003	1	5.66
574-171	8	8-3/16	.053	.045 ±.003	1	6.20
574-172	8-1/4	8-7/16	.053	.045 ±.003	1	4.66
574-173	8-1/2	8-11/16	.053	.045 ±.003	1	6.14
574-174	8-3/4	8-15/16	.053	.045 ±.003	1	4.66
574-175	9	9-3/16	.053	.045 ±.003	1	4.85
574-176	9-1/4	9-7/16	.053	.045 ±.003	1	7.31
574-177	9-1/2	9-11/16	.053	.045 ±.003	1	7.56
574-178	9-3/4	9-15/16	.053	.045 ±.003	1	7.78
1/8" C/S						
574-202	1/4	1/2	.05	.040 ±.003	25	\$0.33
574-205	7/16	11/16	.05	.040 ±.003	25	0.35
574-206	1/2	3/4	.05	.040 ±.003	25	0.35
574-207	9/16	13/16	.05	.040 ±.003	25	0.35
574-208	5/8	7/8	.05	.040 ±.003	25	0.38
574-209	11/16	15/16	.05	.040 ±.003	25	0.38
574-210	3/4	1	.05	.040 ±.003	25	0.38
574-211	13/16	1-1/16	.05	.040 ±.003	25	0.39
574-212	7/8	1-1/8	.05	.040 ±.003	25	0.41

STYLE 574 BUNA-N BACK-UP RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-213	15/16	1-3/16	.05	.040 ±.003	25	0.41
574-214	1	1-1/4	.05	.040 ±.003	25	0.43
574-215	1-1/16	1-5/16	.05	.040 ±.003	25	0.43
574-216	1-1/8	1-3/8	.05	.040 ±.003	25	0.47
574-217	1-3/16	1-7/16	.05	.040 ±.003	25	0.48
574-218	1-1/4	1-1/2	.05	.040 ±.003	10	0.48
574-219	1-5/16	1-9/16	.05	.040 ±.003	10	0.53
574-220	1-3/8	1-5/8	.05	.040 ±.003	10	0.57
574-221	1-7/16	1-11/16	.05	.040 ±.003	10	0.55
574-222	1-1/2	1-3/4	.05	.040 ±.003	10	0.58
574-223	1-5/8	1-7/8	.05	.040 ±.003	10	0.62
574-224	1-3/4	2	.05	.040 ±.003	10	0.67
574-225	1-7/8	2-1/8	.05	.040 ±.003	10	0.73
574-226	2	2-1/4	.05	.040 ±.003	10	0.81
574-227	2-1/8	2-3/8	.05	.040 ±.003	10	0.86
574-228	2-1/4	2-1/2	.05	.040 ±.003	10	0.91
574-229	2-3/8	2-5/8	.05	.040 ±.003	10	0.96
574-230	2-1/2	2-3/4	.05	.040 ±.003	10	0.99
574-231	2-5/8	2-7/8	.05	.040 ±.003	10	1.05
574-232	2-3/4	3	.05	.040 ±.003	10	1.19
574-233	2-7/8	3-1/8	.05	.040 ±.003	10	1.20
574-234	3	3-1/4	.05	.040 ±.003	10	1.29
574-235	3-1/8	3-3/8	.05	.040 ±.003	10	1.43
574-236	3-1/4	3-1/2	.05	.040 ±.003	10	1.44
574-237	3-3/8	3-5/8	.05	.040 ±.003	10	1.45
574-238	3-1/2	3-3/4	.05	.040 ±.003	10	1.49
574-239	3-5/8	3-7/8	.05	.040 ±.003	10	1.49
574-240	3-3/4	4	.05	.040 ±.003	5	1.66
574-241	3-7/8	4-1/8	.05	.040 ±.003	5	1.69
574-242	4	4-1/4	.05	.040 ±.003	5	2.21
574-243	4-1/8	4-3/8	.05	.040 ±.003	5	1.93
574-244	4-1/4	4-1/2	.05	.040 ±.003	5	1.80
574-245	4-3/8	4-5/8	.05	.040 ±.003	5	2.06
574-246	4-1/2	4-3/4	.05	.040 ±.003	5	2.23
574-247	4-5/8	4-7/8	.05	.040 ±.003	5	2.34
574-248	4-3/4	5	.05	.040 ±.003	5	2.48
574-249	4-7/8	5-1/8	.05	.040 ±.003	5	2.52
574-250	5	5-1/4	.05	.040 ±.003	5	2.79
574-251	5-1/8	5-3/8	.05	.040 ±.003	5	2.93
574-252	5-1/4	5-1/2	.05	.040 ±.003	5	3.15
574-253	5-3/8	5-5/8	.05	.040 ±.003	5	3.24
574-254	5-1/2	5-3/4	.05	.040 ±.003	1	3.45
574-255	5-5/8	5-7/8	.05	.040 ±.003	1	3.47
574-256	5-3/4	6	.05	.040 ±.003	1	3.71
574-257	5-7/8	6-1/8	.05	.040 ±.003	1	3.81
574-258	6	6-1/4	.05	.040 ±.003	1	3.94
574-259	6-1/4	6-1/2	.05	.040 ±.003	1	4.18
574-260	6-1/2	6-3/4	.05	.040 ±.003	1	4.26
574-261	6-3/4	7	.05	.040 ±.003	1	4.52
574-262	7	7-1/4	.05	.040 ±.003	1	4.93

STYLE 574 BUNA-N BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-263	7-1/4	7-1/2	.05	.040 ±.003	1	5.19
574-264	7-1/2	7-3/4	.05	.040 ±.003	1	5.94
574-265	7-3/4	8	.05	.040 ±.003	1	6.01
574-266	8	8-1/4	.05	.040 ±.003	1	6.35
574-267	8-1/4	8-1/2	.05	.040 ±.003	1	6.63
574-268	8-1/2	8-3/4	.05	.040 ±.003	1	6.82
574-269	8-3/4	9	.05	.040 ±.003	1	6.97
574-270	9	9-1/4	.05	.040 ±.003	1	7.31
574-271	9-1/4	9-1/2	.05	.040 ±.003	1	7.59
574-272	9-1/2	9-3/4	.05	.040 ±.003	1	7.87
574-273	9-3/4	10	.05	.040 ±.003	1	8.17
574-274	10	10-1/4	.05	.040 ±.003	1	8.46
574-275	10-1/2	10-3/4	.05	.040 ±.003	1	8.90
574-276	11	11-1/4	.05	.040 ±.003	1	8.97
574-277	11-1/2	11-3/4	.05	.040 ±.003	1	9.09
574-278	12	12-1/4	.05	.040 ±.003	1	9.16
574-279	13	13-1/4	.05	.040 ±.003	1	9.21
574-280	14	14-1/4	.05	.040 ±.003	1	9.30
574-281	15	15-1/4	.05	.040 ±.003	1	9.44
574-282	16	16-1/4	.05	.040 ±.003	1	9.49
574-283	17	17-1/4	.05	.040 ±.003	1	9.54
574-284	18	18-1/4	.05	.040 ±.003	1	9.68
3/16" C/S						
574-309	7/16	13/16	.076	.060 ±.004	25	\$0.38
574-310	1/2	7/8	.076	.060 ±.004	25	0.41
574-311	9/16	15/16	.076	.060 ±.004	25	0.43
574-312	5/8	1	.076	.060 ±.004	25	0.43
574-313	11/16	1-1/16	.076	.060 ±.004	10	0.47
574-314	3/4	1-1/8	.076	.060 ±.004	10	0.47
574-315	13/16	1-3/16	.076	.060 ±.004	10	0.53
574-316	7/8	1-1/4	.076	.060 ±.004	10	0.48
574-317	15/16	1-5/16	.076	.060 ±.004	10	0.51
574-318	1	1-3/8	.076	.060 ±.004	10	0.55
574-319	1-1/16	1-7/16	.076	.060 ±.004	10	0.55
574-320	1-1/8	1-1/2	.076	.060 ±.004	10	0.58
574-321	1-3/16	1-9/16	.076	.060 ±.004	10	0.64
574-322	1-1/4	1-5/8	.076	.060 ±.004	10	0.66
574-323	1-5/16	1-11/16	.076	.060 ±.004	10	0.68
574-324	1-3/8	1-3/4	.076	.060 ±.004	10	0.73
574-325	1-1/2	1-7/8	.076	.060 ±.004	10	0.81
574-326	1-5/8	2	.076	.060 ±.004	10	0.86
574-327	1-3/4	2-1/8	.076	.060 ±.004	10	0.90
574-328	1-7/8	2-1/4	.076	.060 ±.004	10	0.96
574-329	2	2-3/8	.076	.060 ±.004	10	1.08
574-330	2-1/8	2-1/2	.076	.060 ±.004	10	1.15
574-331	2-1/4	2-5/8	.076	.060 ±.004	10	1.19
574-332	2-3/8	2-3/4	.076	.060 ±.004	10	1.21
574-333	2-1/2	2-7/8	.076	.060 ±.004	10	1.25
574-334	2-5/8	3	.076	.060 ±.004	10	1.29
574-335	2-3/4	3-1/8	.076	.060 ±.004	10	1.41

STYLE 574 BUNA-N BACK-UP RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-336	2-7/8	3-1/4	.076	.060 ±.004	10	1.41
574-337	3	3-3/8	.076	.060 ±.004	10	1.49
574-338	3-1/8	3-1/2	.076	.060 ±.004	10	1.49
574-339	3-1/4	3-5/8	.076	.060 ±.004	10	1.58
574-340	3-3/8	3-3/4	.076	.060 ±.004	5	1.70
574-341	3-1/2	3-7/8	.076	.060 ±.004	5	1.70
574-342	3-5/8	4	.076	.060 ±.004	5	1.80
574-343	3-3/4	4-1/8	.076	.060 ±.004	5	2.03
574-344	3-7/8	4-1/4	.076	.060 ±.004	5	2.23
574-345	4	4-3/8	.076	.060 ±.004	5	2.31
574-346	4-1/8	4-1/2	.076	.060 ±.004	5	2.31
574-347	4-1/4	4-5/8	.076	.060 ±.004	5	2.32
574-348	4-3/8	4-3/4	.076	.060 ±.004	5	2.54
574-349	4-1/2	4-7/8	.076	.060 ±.004	5	2.50
574-350	4-5/8	5	.076	.060 ±.004	5	2.73
574-351	4-3/4	5-1/8	.076	.060 ±.004	5	2.78
574-352	4-7/8	5-1/4	.076	.060 ±.004	5	2.80
574-353	5	5-3/8	.076	.060 ±.004	5	3.00
574-354	5-1/8	5-1/2	.076	.060 ±.004	5	3.23
574-355	5-1/4	5-5/8	.076	.060 ±.004	1	3.46
574-356	5-3/8	5-3/4	.076	.060 ±.004	1	3.54
574-357	5-1/2	5-7/8	.076	.060 ±.004	1	3.82
574-358	5-5/8	6	.076	.060 ±.004	1	3.89
574-359	5-3/4	6-1/8	.076	.060 ±.004	1	3.94
574-360	5-7/8	6-1/4	.076	.060 ±.004	1	4.04
574-361	6	6-3/8	.076	.060 ±.004	1	4.09
574-362	6-1/4	6-5/8	.076	.060 ±.004	1	4.66
574-363	6-1/2	6-7/8	.076	.060 ±.004	1	5.05
574-364	6-3/4	7-1/8	.076	.060 ±.004	1	5.11
574-365	7	7-3/8	.076	.060 ±.004	1	5.42
574-366	7-1/4	7-5/8	.076	.060 ±.004	1	5.42
574-367	7-1/2	7-7/8	.076	.060 ±.004	1	5.42
574-368	7-3/4	8-1/8	.076	.060 ±.004	1	5.42
574-369	8	8-3/8	.076	.060 ±.004	1	5.76
574-370	8-1/4	8-5/8	.076	.060 ±.004	1	5.76
574-371	8-1/2	8-7/8	.076	.060 ±.004	1	5.76
574-372	8-3/4	9-1/8	.076	.060 ±.004	1	5.87
574-373	9	9-3/8	.076	.060 ±.004	1	5.87
574-374	9-1/4	9-5/8	.076	.060 ±.004	1	7.21
574-375	9-1/2	9-7/8	.076	.060 ±.004	1	7.21
574-377	10	10-3/8	.076	.060 ±.004	1	7.49
574-378	10-1/2	10-7/8	.076	.060 ±.004	1	7.49
574-379	11	11-3/8	.076	.060 ±.004	1	7.57
574-380	11-1/2	11-7/8	.076	.060 ±.004	1	7.57
574-381	12	12-3/8	.076	.060 ±.004	1	7.57
574-382	13	13-3/8	.076	.060 ±.004	1	7.75
574-383	14	14-3/8	.076	.060 ±.004	1	7.75
574-384	15	15-3/8	.076	.060 ±.004	1	7.75
1/4" C/S						
574-425	4-1/2	5	.117	.096 ±.005	1	\$3.28


STYLE 574 BUNA-N BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-426	4-5/8	5-1/8	.117	.096 ±.005	1	3.35
574-427	4-3/4	5-1/4	.117	.096 ±.005	1	3.38
574-428	4-7/8	5-3/8	.117	.096 ±.005	1	3.45
574-429	5	5-1/2	.117	.096 ±.005	1	3.50
574-430	5-1/8	5-5/8	.117	.096 ±.005	1	3.98
574-431	5-1/4	5-3/4	.117	.096 ±.005	1	4.24
574-432	5-3/8	5-7/8	.117	.096 ±.005	1	4.33
574-433	5-1/2	6	.117	.096 ±.005	1	4.46
574-434	5-5/8	6-1/8	.117	.096 ±.005	1	4.46
574-435	5-3/4	6-1/4	.117	.096 ±.005	1	4.50
574-436	5-7/8	6-3/8	.117	.096 ±.005	1	4.57
574-437	6	6-1/2	.117	.096 ±.005	1	4.95
574-438	6-1/4	6-3/4	.117	.096 ±.005	1	5.83
574-439	6-1/2	7	.117	.096 ±.005	1	5.92
574-440	6-3/4	7-1/4	.117	.096 ±.005	1	5.97
574-441	7	7-1/2	.117	.096 ±.005	1	6.33
574-442	7-1/4	7-3/4	.117	.096 ±.005	1	6.63
574-443	7-1/2	8	.117	.096 ±.005	1	7.00
574-444	7-3/4	8-1/4	.117	.096 ±.005	1	7.04
574-445	8	8-1/2	.117	.096 ±.005	1	7.09
574-446	8-1/2	9	.117	.096 ±.005	1	7.17
574-447	9	9-1/2	.117	.096 ±.005	1	7.20
574-448	9-1/2	10	.117	.096 ±.005	1	7.23
574-449	10	10-1/2	.117	.096 ±.005	1	7.33
574-450	10-1/2	11	.117	.096 ±.005	1	7.38
574-451	11	11-1/2	.117	.096 ±.005	1	7.44
574-452	11-1/2	12	.117	.096 ±.005	1	7.47
574-453	12	12-1/2	.117	.096 ±.005	1	7.53
574-454	12-1/2	13	.117	.096 ±.005	1	7.60
574-455	13	13-1/2	.117	.096 ±.005	1	7.69
574-456	13-1/2	14	.117	.096 ±.005	1	7.75
574-457	14	14-1/2	.117	.096 ±.005	1	7.82
574-458	14-1/2	15	.117	.096 ±.005	1	8.00
574-459	15	15-1/2	.117	.096 ±.005	1	8.14
574-460	15-1/2	16	.117	.096 ±.005	1	8.25
574-461	16	16-1/2	.117	.096 ±.005	1	8.29
574-462	16-1/2	17	.117	.096 ±.005	1	8.33
574-463	17	17-1/2	.117	.096 ±.005	1	8.42
574-464	17-1/2	18	.117	.096 ±.005	1	8.67
574-465	18	18-1/2	.117	.096 ±.005	1	8.90
574-466	18-1/2	19	.117	.096 ±.005	1	9.28
574-467	19	19-1/2	.117	.096 ±.005	1	9.84
574-468	19-1/2	20	.117	.096 ±.005	1	10.21
574-469	20	20-1/2	.117	.096 ±.005	1	10.73
574-470	21	21-1/2	.117	.096 ±.005	1	11.44
574-471	22	22-1/2	.117	.096 ±.005	1	11.97
574-472	23	23-1/2	.117	.096 ±.005	1	12.65
574-473	24	24-1/2	.117	.096 ±.005	1	13.28

STYLE 575 URETHANE BACK-UP RINGS

Molded of 95A Durometer Urethane these back-up rings provide excellent extrusion resistance. Stretched for installation, they return quickly to their original size for easy installation.

NOTE: Sizes (Dash No.) correspond to standard o-ring numbers.



SEAL INFORMATION

MATERIAL	95A DUROMETER URETHANE
TEMPERATURE RANGE	-65° TO +220° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
1/16" C/S						
575-004	5/64	13/64	.05	.050 ^{+0.002} / _{-.005}	10	\$1.09
575-005	3/32	7/32	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-006	1/8	1/4	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-007	5/32	9/32	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-008	3/16	5/16	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-009	7/32	11/32	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-010	1/4	3/8	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-011	5/16	7/16	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-012	3/8	1/2	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-013	7/16	9/16	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-014	1/2	5/8	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-015	9/16	11/16	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-016	5/8	3/4	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-017	11/16	13/16	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-018	3/4	7/8	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-019	13/16	15/16	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-020	7/8	1	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-021	15/16	1-1/16	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-022	1	1-1/8	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-023	1-1/16	1-3/16	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-024	1-1/8	1-1/4	.05	.050 ^{+0.002} / _{-.005}	10	0.94

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-025	1-3/16	1-5/16	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-026	1-1/4	1-3/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-027	1-5/16	1-7/16	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-028	1-3/8	1-1/2	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-029	1-1/2	1-5/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-030	1-5/8	1-3/4	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-031	1-3/4	1-7/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-032	1-7/8	2	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-033	2	2-1/8	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-034	2-1/8	2-1/4	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-035	2-1/4	2-3/8	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-036	2-3/8	2-1/2	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-037	2-1/2	2-5/8	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-038	2-5/8	2-3/4	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-039	2-3/4	2-7/8	.05	.050 ^{+0.002} / _{-.005}	10	1.16
575-040	2-7/8	3	.05	.050 ^{+0.002} / _{-.005}	10	1.22
575-041	3	3-1/8	.05	.050 ^{+0.002} / _{-.005}	10	1.24
575-042	3-1/4	3-3/8	.05	.050 ^{+0.002} / _{-.005}	10	1.26
575-043	3-1/2	3-5/8	.05	.050 ^{+0.002} / _{-.005}	10	1.27
575-044	3-3/4	3-7/8	.05	.050 ^{+0.002} / _{-.005}	10	1.35
575-045	4	4-1/8	.05	.050 ^{+0.002} / _{-.005}	5	1.41
575-046	4-1/4	4-3/8	.05	.050 ^{+0.002} / _{-.005}	5	1.47
575-047	4-1/2	4-5/8	.05	.050 ^{+0.002} / _{-.005}	5	1.53
575-048	4-3/4	4-7/8	.05	.050 ^{+0.002} / _{-.005}	5	1.58
575-049	5	5-1/8	.05	.050 ^{+0.002} / _{-.005}	5	1.63
575-050	5-1/4	5-3/8	.05	.050 ^{+0.002} / _{-.005}	5	1.67
3/32" C/S						
575-102	1/16	1/4	.05	.050 ^{+0.002} / _{-.005}	10	\$0.85
575-103	3/32	9/32	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-104	1/8	5/16	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-105	5/32	11/32	.05	.050 ^{+0.002} / _{-.005}	10	0.85

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-106	3/16	3/8	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-107	7/32	13/32	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-108	1/4	7/16	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-109	5/16	1/2	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-110	3/8	9/16	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-111	7/16	5/8	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-112	1/2	11/16	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-113	9/16	3/4	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-114	5/8	13/16	.05	.050 ^{+0.002} _{-.005}	10	0.80
575-115	11/16	7/8	.05	.050 ^{+0.002} _{-.005}	10	0.80
575-116	3/4	15/16	.05	.050 ^{+0.002} _{-.005}	10	0.80
575-117	13/16	1	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-118	7/8	1-1/16	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-119	15/16	1-1/8	.05	.050 ^{+0.002} _{-.005}	10	0.85
575-120	1	1-3/16	.05	.050 ^{+0.002} _{-.005}	10	0.90
575-121	1-1/16	1-1/4	.05	.050 ^{+0.002} _{-.005}	10	0.90
575-122	1-1/8	1-5/16	.05	.050 ^{+0.002} _{-.005}	10	0.90
575-123	1-3/16	1-3/8	.05	.050 ^{+0.002} _{-.005}	10	0.90
575-124	1-1/4	1-7/16	.05	.050 ^{+0.002} _{-.005}	10	0.94
575-125	1-5/16	1-1/2	.05	.050 ^{+0.002} _{-.005}	10	0.94
575-126	1-3/8	1-9/16	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-127	1-7/16	1-5/8	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-128	1-1/2	1-11/16	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-129	1-9/16	1-3/4	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-130	1-5/8	1-13/16	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-131	1-11/16	1-7/8	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-132	1-3/4	1-15/16	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-133	1-13/16	2	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-134	1-7/8	2-1/16	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-135	1-15/16	2-1/8	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-136	2	2-3/16	.05	.050 ^{+0.002} _{-.005}	10	1.04

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-137	2-1/16	2-1/4	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-138	2-1/8	2-5/16	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-139	2-3/16	2-3/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-140	2-1/4	2-7/16	.05	.050 ^{+0.002} / _{-.005}	10	1.06
575-141	2-5/16	2-1/2	.05	.050 ^{+0.002} / _{-.005}	10	1.06
575-142	2-3/8	2-9/16	.05	.050 ^{+0.002} / _{-.005}	10	1.06
575-143	2-7/16	2-5/8	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-144	2-1/2	2-11/16	.05	.050 ^{+0.002} / _{-.005}	10	1.16
575-145	2-9/16	2-3/4	.05	.050 ^{+0.002} / _{-.005}	10	1.16
575-146	2-5/8	2-13/16	.05	.050 ^{+0.002} / _{-.005}	10	1.16
575-147	2-11/16	2-7/8	.05	.050 ^{+0.002} / _{-.005}	10	1.16
575-148	2-3/4	2-15/16	.05	.050 ^{+0.002} / _{-.005}	10	1.16
575-149	2-13/16	3	.05	.050 ^{+0.002} / _{-.005}	10	1.16
575-150	2-7/8	3-1/16	.05	.050 ^{+0.002} / _{-.005}	10	1.22
575-151	3	3-3/16	.05	.050 ^{+0.002} / _{-.005}	10	1.22
575-152	3-1/4	3-7/16	.05	.050 ^{+0.002} / _{-.005}	5	1.62
575-153	3-1/2	3-11/16	.05	.050 ^{+0.002} / _{-.005}	5	1.64
575-154	3-3/4	3-15/16	.05	.050 ^{+0.002} / _{-.005}	5	2.55
575-155	4	4-3/16	.05	.050 ^{+0.002} / _{-.005}	5	2.57
575-156	4-1/4	4-7/16	.05	.050 ^{+0.002} / _{-.005}	5	2.59
575-157	4-1/2	4-11/16	.05	.050 ^{+0.002} / _{-.005}	5	2.59
575-158	4-3/4	4-15/16	.05	.050 ^{+0.002} / _{-.005}	5	2.75
575-159	5	5-3/16	.05	.050 ^{+0.002} / _{-.005}	1	2.81
575-160	5-1/4	5-7/16	.05	.050 ^{+0.002} / _{-.005}	1	2.87
575-161	5-1/2	5-11/16	.05	.050 ^{+0.002} / _{-.005}	1	2.92
575-162	5-3/4	5-15/16	.05	.050 ^{+0.002} / _{-.005}	1	3.00
575-163	6	6-3/16	.05	.050 ^{+0.002} / _{-.005}	1	3.27
575-164	6-1/4	6-7/16	.05	.050 ^{+0.002} / _{-.005}	1	3.47
575-165	6-1/2	6-11/16	.05	.050 ^{+0.002} / _{-.005}	1	3.50
575-166	6-3/4	6-15/16	.05	.050 ^{+0.002} / _{-.005}	1	3.57
575-167	7	7-3/16	.05	.050 ^{+0.002} / _{-.005}	1	3.60

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-168	7-1/4	7-7/16	.05	.050 ^{+0.002} / _{-.005}	1	3.64
575-169	7-1/2	7-11/16	.05	.050 ^{+0.002} / _{-.005}	1	3.70
575-170	7-3/4	7-15/16	.05	.050 ^{+0.002} / _{-.005}	1	3.73
575-171	8	8-3/16	.05	.050 ^{+0.002} / _{-.005}	1	3.77
575-172	8-1/4	8-7/16	.05	.050 ^{+0.002} / _{-.005}	1	3.82
575-173	8-1/2	8-11/16	.05	.050 ^{+0.002} / _{-.005}	1	3.84
575-174	8-3/4	8-15/16	.05	.050 ^{+0.002} / _{-.005}	1	3.89
575-175	9	9-3/16	.05	.050 ^{+0.002} / _{-.005}	1	3.93
1/8" C/S						
575-205	7/16	11/16	.05	.050 ^{+0.002} / _{-.005}	10	\$0.80
575-206	1/2	3/4	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-207	9/16	13/16	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-208	5/8	7/8	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-209	11/16	15/16	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-210	3/4	1	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-211	13/16	1-1/16	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-212	7/8	1-1/8	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-213	15/16	1-3/16	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-214	1	1-1/4	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-215	1-1/16	1-5/16	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-216	1-1/8	1-3/8	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-217	1-3/16	1-7/16	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-218	1-1/4	1-1/2	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-219	1-5/16	1-9/16	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-220	1-3/8	1-5/8	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-221	1-7/16	1-11/16	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-222	1-1/2	1-3/4	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-223	1-5/8	1-7/8	.05	.050 ^{+0.002} / _{-.005}	10	0.98
575-224	1-3/4	2	.05	.050 ^{+0.002} / _{-.005}	10	0.98
575-225	1-7/8	2-1/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-226	2	2-1/4	.05	.050 ^{+0.002} / _{-.005}	10	1.04

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-227	2-1/8	2-3/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-228	2-1/4	2-1/2	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-229	2-3/8	2-5/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-230	2-1/2	2-3/4	.05	.050 ^{+0.002} / _{-.005}	10	1.18
575-231	2-5/8	2-7/8	.05	.050 ^{+0.002} / _{-.005}	10	1.18
575-232	2-3/4	3	.05	.050 ^{+0.002} / _{-.005}	10	1.18
575-233	2-7/8	3-1/8	.05	.050 ^{+0.002} / _{-.005}	10	1.18
575-234	3	3-1/4	.05	.050 ^{+0.002} / _{-.005}	10	1.29
575-235	3-1/8	3-3/8	.05	.050 ^{+0.002} / _{-.005}	10	1.29
575-236	3-1/4	3-1/2	.05	.050 ^{+0.002} / _{-.005}	10	1.29
575-237	3-3/8	3-5/8	.05	.050 ^{+0.002} / _{-.005}	5	1.50
575-238	3-1/2	3-3/4	.05	.050 ^{+0.002} / _{-.005}	5	1.50
575-239	3-5/8	3-7/8	.05	.050 ^{+0.002} / _{-.005}	5	1.82
575-240	3-3/4	4	.05	.050 ^{+0.002} / _{-.005}	5	1.86
575-241	3-7/8	4-1/8	.05	.050 ^{+0.002} / _{-.005}	5	1.86
575-242	4	4-1/4	.05	.050 ^{+0.002} / _{-.005}	5	1.86
575-243	4-1/8	4-3/8	.05	.050 ^{+0.002} / _{-.005}	5	1.86
575-244	4-1/4	4-1/2	.05	.050 ^{+0.002} / _{-.005}	5	2.29
575-245	4-3/8	4-5/8	.05	.050 ^{+0.002} / _{-.005}	5	2.29
575-246	4-1/2	4-3/4	.05	.050 ^{+0.002} / _{-.005}	5	2.60
575-247	4-5/8	4-7/8	.05	.050 ^{+0.002} / _{-.005}	5	2.60
575-248	4-3/4	5	.05	.050 ^{+0.002} / _{-.005}	1	2.76
575-249	4-7/8	5-1/8	.05	.050 ^{+0.002} / _{-.005}	1	2.89
575-250	5	5-1/4	.05	.050 ^{+0.002} / _{-.005}	1	3.00
575-251	5-1/8	5-3/8	.05	.050 ^{+0.002} / _{-.005}	1	3.26
575-252	5-1/4	5-1/2	.05	.050 ^{+0.002} / _{-.005}	1	3.41
575-253	5-3/8	5-5/8	.05	.050 ^{+0.002} / _{-.005}	1	3.61
575-254	5-1/2	5-3/4	.05	.050 ^{+0.002} / _{-.005}	1	3.78
575-255	5-5/8	5-7/8	.05	.050 ^{+0.002} / _{-.005}	1	3.91
575-256	5-3/4	6	.05	.050 ^{+0.002} / _{-.005}	1	4.08
575-257	5-7/8	6-1/8	.05	.050 ^{+0.002} / _{-.005}	1	4.32

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-258	6	6-1/4	.05	.050 ^{+0.002} / _{-.005}	1	4.43
575-259	6-1/4	6-1/2	.05	.050 ^{+0.002} / _{-.005}	1	4.43
575-260	6-1/2	6-3/4	.05	.050 ^{+0.002} / _{-.005}	1	4.64
575-261	6-3/4	7	.05	.050 ^{+0.002} / _{-.005}	1	4.83
575-262	7	7-1/4	.05	.050 ^{+0.002} / _{-.005}	1	4.92
575-263	7-1/4	7-1/2	.05	.050 ^{+0.002} / _{-.005}	1	5.15
575-264	7-1/2	7-3/4	.05	.050 ^{+0.002} / _{-.005}	1	5.50
575-265	7-3/4	8	.05	.050 ^{+0.002} / _{-.005}	1	5.81
575-266	8	8-1/4	.05	.050 ^{+0.002} / _{-.005}	1	6.74
575-267	8-1/4	8-1/2	.05	.050 ^{+0.002} / _{-.005}	1	6.85
575-268	8-1/2	8-3/4	.05	.050 ^{+0.002} / _{-.005}	1	7.01
575-269	8-3/4	9	.05	.050 ^{+0.002} / _{-.005}	1	7.01
575-270	9	9-1/4	.05	.050 ^{+0.002} / _{-.005}	1	7.21
575-271	9-1/4	9-1/2	.05	.050 ^{+0.002} / _{-.005}	1	7.37
575-272	9-1/2	9-3/4	.05	.050 ^{+0.002} / _{-.005}	1	7.44
575-273	9-3/4	10	.05	.050 ^{+0.002} / _{-.005}	1	7.52
575-274	10	10-1/4	.05	.050 ^{+0.002} / _{-.005}	1	7.57
575-275	10-1/2	10-3/4	.05	.050 ^{+0.002} / _{-.005}	1	7.67
575-276	11	11-1/4	.05	.050 ^{+0.002} / _{-.005}	1	7.73
575-278	12	12-1/4	.05	.050 ^{+0.002} / _{-.005}	1	7.81
575-279	13	13-1/4	.05	.050 ^{+0.002} / _{-.005}	1	7.84
3/16" C/S						
575-309	7/16	13/16	.07	.070 ±.005	10	\$0.80
575-310	1/2	7/8	.07	.070 ±.005	10	0.80
575-311	9/16	15/16	.07	.070 ±.005	10	0.80
575-312	5/8	1	.07	.070 ±.005	10	0.85
575-313	11/16	1-1/16	.07	.070 ±.005	10	0.85
575-314	3/4	1-1/8	.07	.070 ±.005	10	0.90
575-315	13/16	1-3/16	.07	.070 ±.005	10	0.90
575-316	7/8	1-1/4	.07	.070 ±.005	10	0.90
575-317	15/16	1-5/16	.07	.070 ±.005	10	0.90
575-318	1	1-3/8	.07	.070 ±.005	10	0.90
575-319	1-1/16	1-7/16	.07	.070 ±.005	10	0.90
575-320	1-1/8	1-1/2	.07	.070 ±.005	10	0.90
575-321	1-3/16	1-9/16	.07	.070 ±.005	10	0.90
575-322	1-1/4	1-5/8	.07	.070 ±.005	10	0.90
575-323	1-5/16	1-11/16	.07	.070 ±.005	10	0.98

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-324	1-3/8	1-3/4	.07	.070 ±.005	10	0.98
575-325	1-1/2	1-7/8	.07	.070 ±.005	10	0.98
575-326	1-5/8	2	.07	.070 ±.005	10	1.04
575-327	1-3/4	2-1/8	.07	.070 ±.005	10	1.04
575-328	1-7/8	2-1/4	.07	.070 ±.005	10	1.04
575-329	2	2-3/8	.07	.070 ±.005	10	1.04
575-330	2-1/8	2-1/2	.07	.070 ±.005	10	1.04
575-331	2-1/4	2-5/8	.07	.070 ±.005	10	1.04
575-332	2-3/8	2-3/4	.07	.070 ±.005	10	0.87
575-333	2-1/2	2-7/8	.07	.070 ±.005	10	1.06
575-334	2-5/8	3	.07	.070 ±.005	10	1.09
575-335	2-3/4	3-1/8	.07	.070 ±.005	10	1.18
575-336	2-7/8	3-1/4	.07	.070 ±.005	10	1.18
575-337	3	3-3/8	.07	.070 ±.005	10	1.26
575-338	3-1/8	3-1/2	.07	.070 ±.005	10	1.26
575-339	3-1/4	3-5/8	.07	.070 ±.005	10	1.33
575-340	3-3/8	3-3/4	.07	.070 ±.005	5	1.42
575-341	3-1/2	3-7/8	.07	.070 ±.005	5	1.42
575-342	3-5/8	4	.07	.070 ±.005	5	1.54
575-343	3-3/4	4-1/8	.07	.070 ±.005	5	1.73
575-344	3-7/8	4-1/4	.07	.070 ±.005	5	1.94
575-345	4	4-3/8	.07	.070 ±.005	5	2.10
575-346	4-1/8	4-1/2	.07	.070 ±.005	5	2.27
575-347	4-1/4	4-5/8	.07	.070 ±.005	5	2.37
575-348	4-3/8	4-3/4	.07	.070 ±.005	5	2.52
575-349	4-1/2	4-7/8	.07	.070 ±.005	5	2.60
575-350	4-5/8	5	.07	.070 ±.005	5	2.68
575-351	4-3/4	5-1/8	.07	.070 ±.005	1	3.00
575-352	4-7/8	5-1/4	.07	.070 ±.005	1	3.06
575-353	5	5-3/8	.07	.070 ±.005	1	3.09
575-354	5-1/8	5-1/2	.07	.070 ±.005	1	3.22
575-355	5-1/4	5-5/8	.07	.070 ±.005	1	3.41
575-356	5-3/8	5-3/4	.07	.070 ±.005	1	3.52
575-357	5-1/2	5-7/8	.07	.070 ±.005	1	3.87
575-358	5-5/8	6	.07	.070 ±.005	1	3.87
575-359	5-3/4	6-1/8	.07	.070 ±.005	1	4.08
575-360	5-7/8	6-1/4	.07	.070 ±.005	1	4.28
575-361	6	6-3/8	.07	.070 ±.005	1	4.57
575-362	6-1/4	6-5/8	.07	.070 ±.005	1	4.39
575-363	6-1/2	6-7/8	.07	.070 ±.005	1	4.57
575-364	6-3/4	7-1/8	.07	.070 ±.005	1	4.57
575-365	7	7-3/8	.07	.070 ±.005	1	4.57
575-366	7-1/4	7-5/8	.07	.070 ±.005	1	4.57
575-367	7-1/2	7-7/8	.07	.070 ±.005	1	4.57
575-368	7-3/4	8-1/8	.07	.070 ±.005	1	4.57
575-369	8	8-3/8	.07	.070 ±.005	1	4.65
575-370	8-1/4	8-5/8	.07	.070 ±.005	1	4.84
575-371	8-1/2	8-7/8	.07	.070 ±.005	1	4.65
575-372	8-3/4	9-1/8	.07	.070 ±.005	1	4.95
575-373	9	9-3/8	.07	.070 ±.005	1	4.95


STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-374	9-1/4	9-5/8	.07	.070 ±.005	1	5.13
575-375	9-1/2	9-7/8	.07	.070 ±.005	1	5.13
575-376	9-3/4	10-1/8	.07	.070 ±.005	1	5.13
575-377	10	10-3/8	.07	.070 ±.005	1	5.13
575-379	11	11-3/8	.07	.070 ±.005	1	6.00
575-381	12	12-3/8	.07	.070 ±.005	1	6.15
575-382	13	13-3/8	.07	.070 ±.005	1	6.33
575-383	14	14-3/8	.07	.070 ±.005	1	6.33
1/4" C/S						
575-421	4	4-1/2	.105	.105 ±.005	3	\$2.98
575-425	4-1/2	5	.105	.105 ±.005	3	2.68
575-426	4-5/8	5-1/8	.105	.105 ±.005	3	2.71
575-427	4-3/4	5-1/4	.105	.105 ±.005	1	3.45
575-428	4-7/8	5-3/8	.105	.105 ±.005	1	3.48
575-429	5	5-1/2	.105	.105 ±.005	1	3.48
575-430	5-1/8	5-5/8	.105	.105 ±.005	1	3.51
575-431	5-1/4	5-3/4	.105	.105 ±.005	1	3.58
575-432	5-3/8	5-7/8	.105	.105 ±.005	1	3.73
575-433	5-1/2	6	.105	.105 ±.005	1	3.89
575-434	5-5/8	6-1/8	.105	.105 ±.005	1	4.06
575-435	5-3/4	6-1/4	.105	.105 ±.005	1	4.20
575-436	5-7/8	6-3/8	.105	.105 ±.005	1	4.22
575-437	6	6-1/2	.105	.105 ±.005	1	4.34
575-438	6-1/4	6-3/4	.105	.105 ±.005	1	4.42
575-439	6-1/2	7	.105	.105 ±.005	1	4.54
575-440	6-3/4	7-1/4	.105	.105 ±.005	1	4.91
575-441	7	7-1/2	.105	.105 ±.005	1	5.13
575-442	7-1/4	7-3/4	.105	.105 ±.005	1	5.38
575-443	7-1/2	8	.105	.105 ±.005	1	6.36
575-444	7-3/4	8-1/4	.105	.105 ±.005	1	8.46
575-445	8	8-1/2	.105	.105 ±.005	1	8.19
575-446	8-1/2	9	.105	.105 ±.005	1	10.94
575-447	9	9-1/2	.105	.105 ±.005	1	11.37
575-448	9-1/2	10	.105	.105 ±.005	1	11.53
575-449	10	10-1/2	.105	.105 ±.005	1	11.53
575-450	10-1/2	11	.105	.105 ±.005	1	12.51
575-451	11	11-1/2	.105	.105 ±.005	1	12.51
575-452	11-1/2	12	.105	.105 ±.005	1	12.51
575-453	12	12-1/2	.105	.105 ±.005	1	12.51
575-454	12-1/2	13	.105	.105 ±.005	1	12.51
575-455	13	13-1/2	.105	.105 ±.005	1	12.51
575-456	13-1/2	14	.105	.105 ±.005	1	12.51
575-457	14	14-1/2	.105	.105 ±.005	1	6.94
575-460	15-1/2	16	.105	.105 ±.005	1	8.10

Seal color may vary. Special order sizes are available.

STYLE 575 PTFE BACK-UP RINGS

Letter suffix: T = Solid, ST = Split, TS = Spiral Cut, TW = .085 Wide



SEAL INFORMATION

MATERIAL	PTFE
TEMPERATURE RANGE	-100° TO +500° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) (Config.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
1/16" C/S						
575-004ST	5/64	13/64	.05		6	\$1.85
575-005ST	3/32	7/32	.05		6	1.85
575-006ST	1/8	1/4	.05		6	1.85
575-007ST	5/32	9/32	.05		6	1.94
575-008ST	3/16	5/16	.05		6	1.94
575-009ST	7/32	11/32	.05		6	1.94
575-009T	7/32	11/32	.05	.050 ^{+0.002} -0.005	6	0.32
575-010ST	1/4	3/8	.05		12	0.92
575-010T	1/4	3/8	.05	.050 ^{+0.002} -0.005	6	1.10
575-011ST	5/16	7/16	.05		6	2.03
575-011T	5/16	7/16	.05	.050 ^{+0.002} -0.005	1	2.17
575-012ST	3/8	1/2	.05		10	2.03
575-013ST	7/16	9/16	.05		6	2.03
575-014ST	1/2	5/8	.05		6	2.09
575-015ST	9/16	11/16	.05		6	2.09
575-016ST	5/8	3/4	.05		10	1.14
575-017ST	11/16	13/16	.05		5	2.19
575-018ST	3/4	7/8	.05		5	2.24
575-018T	3/4	7/8	.05	.050 ^{+0.002} -0.005	5	0.53
575-019ST	13/16	15/16	.05		5	2.24
575-020ST	7/8	1	.05		5	2.28
575-020T	7/8	1	.05	.050 ^{+0.002} -0.005	5	2.44
575-021ST	15/16	1-1/16	.05		5	2.28
575-022ST	1	1-1/8	.05		5	2.28
575-022T	1	1-1/8	.05	.050 ^{+0.002} -0.005	5	2.44
575-023ST	1-1/16	1-3/16	.05		5	2.28
575-024ST	1-1/8	1-1/4	.05		5	2.41
575-025ST	1-3/16	1-5/16	.05		5	2.41
575-026ST	1-1/4	1-3/8	.05		4	2.65
575-026T	1-1/4	1-3/8	.05	.050 ^{+0.002} -0.005	4	2.84
575-027ST	1-5/16	1-7/16	.05		4	3.06



STYLE 575 PTFE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-028ST	1-3/8	1-1/2	.05		4	3.19
575-029ST	1-1/2	1-5/8	.05		3	3.16
575-029T	1-1/2	1-5/8	.05	.050 +.002 -.005	3	10.54
575-030ST	1-5/8	1-3/4	.05		3	4.02
575-031T	1-3/4	1-7/8	.05	.050 +.002 -.005	2	7.82
575-032T	1-7/8	2	.05	.050 +.002 -.005	2	7.82
575-033ST	2	2-1/8	.05		2	7.30
575-033T	2	2-1/8	.05	.050 +.002 -.005	2	7.82
575-034T	2-1/8	2-1/4	.05	.050 +.002 -.005	2	7.82
575-036T	2-3/8	2-1/2	.05	.050 +.002 -.005	2	7.82
575-037T	2-1/2	2-5/8	.05	.050 +.002 -.005	2	7.82
575-038ST	2-5/8	2-3/4	.05		1	4.05
575-038T	2-5/8	2-3/4	.05	.050 +.002 -.005	2	7.82
575-039T	2-3/4	2-7/8	.05	.050 +.002 -.005	2	7.82
575-041T	3	3-1/8	.05	.050 +.002 -.005	2	9.88
575-044T	3-3/4	3-7/8	.05	.050 +.002 -.005	2	16.94
575-045T	4	4-1/8	.05	.050 +.002 -.005	2	13.12
3/32" C/S						
575-110ST	3/8	9/16	.05		6	\$2.06
575-111ST	7/16	5/8	.05		5	2.19
575-111T	7/16	5/8	.05	.050 +.002 -.005	1	0.29
575-112ST	1/2	11/16	.05		5	2.31
575-112T	1/2	11/16	.05	.050 +.002 -.005	5	2.47
575-112TS	1/2	11/16	.05		5	5.00
575-113ST	9/16	3/4	.05		5	2.54
575-114ST	5/8	13/16	.05		4	2.65
575-114T	5/8	13/16	.05	.050 +.002 -.005	5	2.84
575-115ST	11/16	7/8	.05	.050 +.002 -.005	4	2.83
575-116ST	3/4	15/16	.05		8	2.83
575-116T	3/4	15/16	.05	.050 +.002 -.005	4	3.13
575-116TS	3/4	15/16	.05		5	5.59
575-117ST	13/16	1	.05		4	2.92
575-117T	13/16	1	.05	.050 +.002 -.005	4	3.13
575-118ST	7/8	1-1/16	.05		4	3.30
575-118T	7/8	1-1/16	.05	.050 +.002 -.005	4	3.54
575-118TS	7/8	1-1/16	.05		4	3.54
575-119ST	15/16	1-1/8	.05		10	3.53
575-119T	15/16	1-1/8	.05	.050 +.002 -.005	3	3.78

STYLE 575 PTFE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-120ST	1	1-3/16	.05		3	3.58
575-120T	1	1-3/16	.05	.050 ^{+0.002} _{-.005}	3	3.84
575-121ST	1-1/16	1-1/4	.05		3	3.58
575-122ST	1-1/8	1-5/16	.05		3	3.58
575-122T	1-1/8	1-5/16	.05	.050 ^{+0.002} _{-.005}	3	3.90
575-123ST	1-3/16	1-3/8	.05		6	3.88
575-124ST	1-1/4	1-7/16	.05		6	3.88
575-125ST	1-5/16	1-1/2	.05		6	3.94
575-126ST	1-3/8	1-9/16	.05		3	3.94
575-127ST	1-7/16	1-5/8	.05		3	3.94
575-128ST	1-1/2	1-11/16	.05		3	4.05
575-129ST	1-9/16	1-3/4	.05		3	4.13
575-130ST	1-5/8	1-13/16	.05		3	4.23
575-131ST	1-11/16	1-7/8	.05		3	4.23
575-131T	1-11/16	1-7/8	.05	.050 ^{+0.002} _{-.005}	3	2.20
575-132ST	1-3/4	1-15/16	.05		3	4.43
575-133ST	1-13/16	2	.05		3	4.43
575-133T	1-13/16	2	.05	.050 ^{+0.002} _{-.005}	1	1.70
575-134ST	1-7/8	2-1/16	.05		3	4.72
575-134TS	1-7/8	2-1/16	.05		1	9.12
575-135ST	1-15/16	2-1/8	.05		3	4.85
575-136ST	2	2-3/16	.05		3	5.11
575-137ST	2-1/16	2-1/4	.05		3	5.36
575-138ST	2-1/8	2-5/16	.05		2	5.82
575-139T	2-3/16	2-3/8	.05	.050 ^{+0.002} _{-.005}	2	6.68
575-139TS	2-3/16	2-3/8	.05		1	10.99
575-140T	2-1/4	2-7/16	.05	.050 ±0.002	2	6.68
575-140TS	2-1/4	2-7/16	.05		1	12.03
575-141T	2-5/16	2-1/2	.05	.050 ±0.002	2	7.06
575-143ST	2-7/16	2-5/8	.05	.0625	2	1.23
575-144ST	2-1/2	2-11/16	.05		2	7.19
575-146T	2-5/8	2-13/16	.05	.050 ±0.002	2	7.92
575-148T	2-3/4	2-15/16	.05	.050 ±0.002	2	8.34
575-149T	2-13/16	3	.05	.050 ±0.002	2	8.75
575-152T	3-1/4	3-7/16	.05	.050 ^{+0.002} _{-.005}	2	9.41
575-159T	5	5-3/16	.05	.050 ^{+0.002} _{-.005}	1	27.78
1/8" C/S						
575-206ST	1/2	3/4	.05	.050 ^{+0.002} _{-.005}	6	\$1.21
575-210ST	3/4	1	.05		4	2.65
575-210T	3/4	1	.05	.050 ^{+0.002} _{-.005}	4	2.84
575-211ST	13/16	1-1/16	.05		6	2.92
575-212ST	7/8	1-1/8	.05		4	3.05
575-212T	7/8	1-1/8	.05	.050 ^{+0.002} _{-.005}	2	3.13
575-212TS	7/8	1-1/8	.05		1	6.78

STYLE 575 PTFE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-212TW	7/8	1-1/8	.085		1	7.03
575-213ST	15/16	1-3/16	.05	.050 ±.002	4	3.05
575-214ST	1	1-1/4	.05		4	3.06
575-214T	1	1-1/4	.05	.050 ^{+.002} _{-.005}	6	1.91
575-215ST	1-1/16	1-5/16	.05		4	3.06
575-216ST	1-1/8	1-3/8	.05		4	3.06
575-217ST	1-3/16	1-7/16	.05		4	3.41
575-218ST	1-1/4	1-1/2	.05		5	3.74
575-218T	1-1/4	1-1/2	.05	.050 ^{+.002} _{-.005}	5	2.63
575-218TS	1-1/4	1-1/2	.05		5	4.13
575-219ST	1-5/16	1-9/16	.05		3	3.74
575-219T	1-5/16	1-9/16	.05	.050 ^{+.002} _{-.005}	1	4.46
575-220ST	1-3/8	1-5/8	.05		3	3.88
575-220T	1-3/8	1-5/8	.05	.050 ^{+.002} _{-.005}	2	2.46
575-220TS	1-3/8	1-5/8	.05		1	6.07
575-221ST	1-7/16	1-11/16	.05		3	3.88
575-221T	1-7/16	1-11/16	.05	.050 ^{+.002} _{-.005}	3	4.16
575-222ST	1-1/2	1-3/4	.05		3	4.13
575-222TS	1-1/2	1-3/4	.05		3	5.49
575-223T	1-5/8	1-7/8	.05	.050 ^{+.002} _{-.005}	2	4.84
575-223TS	1-5/8	1-7/8	.05		1	5.69
575-224ST	1-3/4	2	.05		3	4.50
575-224T	1-3/4	2	.05	.050 ^{+.002} _{-.005}	3	4.14
575-224TS	1-3/4	2	.05		1	8.73
575-225ST	1-7/8	2-1/8	.05		3	4.68
575-226ST	2	2-1/4	.05		5	4.68
575-226TS	2	2-1/4	.05		2	5.69
575-227ST	2-1/8	2-3/8	.05		3	4.98
575-228ST	2-1/4	2-1/2	.05		2	5.50
575-229ST	2-3/8	2-5/8	.05		2	6.13
575-230ST	2-1/2	2-3/4	.05		2	6.31
575-230T	2-1/2	2-3/4	.05	.050 ^{+.002} _{-.005}	2	6.91
575-231T	2-5/8	2-7/8	.05	.050 ±.002	2	6.91
575-232T	2-3/4	3	.05	.050 ±.002	2	7.06
575-232TS	2-3/4	3	.05		2	9.71
575-232TW	2-3/4	3	.085		1	12.89
575-233T	2-7/8	3-1/8	.05	.050 ±.002	2	7.32
575-234T	3	3-1/4	.05	.050 ±.002	2	7.77
575-235ST	3-1/8	3-3/8	.05		2	8.86
575-235T	3-1/8	3-3/8	.05	.050 ±.002	2	7.82
575-236T	3-1/4	3-1/2	.05	.050 ±.002	2	8.17
575-237T	3-3/8	3-5/8	.05	.050 ±.002	2	8.64
575-238T	3-1/2	3-3/4	.05	.050 ±.002	2	9.14
575-239ST	3-5/8	3-7/8	.05		2	9.15
575-239T	3-5/8	3-7/8	.05	.050 ±.002	2	9.80

STYLE 575 PTFE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-240T	3-3/4	4	.05	.050 ±.002	2	14.47
575-240TS	3-3/4	4	.05		2	10.83
575-241ST	3-7/8	4-1/8	.05		2	9.15
575-242T	4	4-1/4	.05	.050 ±.002	2	10.18
575-243ST	4-1/8	4-3/8	.05		2	10.52
575-244T	4-1/4	4-1/2	.05	.050 ±.002	1	10.18
575-245T	4-3/8	4-5/8	.05	.050 ±.002	2	10.18
575-246T	4-1/2	4-3/4	.05	.050 ±.002	1	10.48
575-247T	4-5/8	4-7/8	.05	.050 ±.002	2	10.83
575-248T	4-3/4	5	.05	.050 +.002 -.005	2	11.22
575-249ST	4-7/8	5-1/8	.05		1	11.34
575-249T	4-7/8	5-1/8	.05	.050 +.002 -.005	1	12.15
575-250T	5	5-1/4	.05	.050 +.002 -.005	1	13.19
575-252T	5-1/4	5-1/2	.05	.050 +.002 -.005	1	13.95
575-253T	5-3/8	5-5/8	.05	.050 +.002 -.005	1	14.08
575-254T	5-1/2	5-3/4	.05	.050 +.002 -.005	1	14.80
575-256T	5-3/4	6	.05	.050 +.002 -.005	1	16.43
575-258T	6	6-1/4	.05	.050 +.002 -.005	1	18.09
575-260T	6-1/2	6-3/4	.05	.050 +.002 -.005	1	19.85
575-261T	6-3/4	7	.05	.050 +.002 -.005	1	23.57
575-262TS	7	7-1/4	.05		1	22.86
575-263ST	7-1/4	7-1/2	.05		1	30.42
3/16" C/S						
575-320T	1-1/8	1-1/2	.07	.070 ±.005	2	\$8.85
575-325ST	1-1/2	1-7/8	.07		2	7.79
575-325T	1-1/2	1-7/8	.07	.070 ±.005	2	7.53
575-326ST	1-5/8	2	.07		2	7.79
575-326T	1-5/8	2	.07	.070 ±.005	1	7.83
575-327ST	1-3/4	2-1/8	.07	.070	2	8.86
575-328ST	1-7/8	2-1/4	.07		2	5.79
575-329ST	2	2-3/8	.07		1	9.32
575-330ST	2-1/8	2-1/2	.07		2	9.39
575-330T	2-1/8	2-1/2	.07	.070 ±.005	2	10.06
575-332TS	2-3/8	2-3/4	.07	.036 +.000 -.005	1	8.21
575-333ST	2-1/2	2-7/8	.07		2	10.21
575-333T	2-1/2	2-7/8	.07	.070 ±.005	2	10.93
575-333TS	2-1/2	2-7/8	.07	.036 +.000 -.005	1	9.41
575-334ST	2-5/8	3	.07		2	10.44
575-334TS	2-5/8	3	.07		1	11.19
575-335T	2-3/4	3-1/8	.07	.070 ±.005	1	12.09
575-336ST	2-7/8	3-1/4	.07		1	11.49
575-337TS	3	3-3/8	.07	.036 +.000 -.005	1	11.33

STYLE 575 PTFE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-338ST	3-1/8	3-1/2	.07		1	11.73
575-338T	3-1/8	3-1/2	.07	.070 ±.005	1	8.30
575-338TS	3-1/8	3-1/2	.07	.036 ^{+0.000} / _{-.005}	1	11.60
575-340ST	3-3/8	3-3/4	.07		1	11.93
575-340TS	3-3/8	3-3/4	.07		1	12.79
575-341ST	3-1/2	3-7/8	.07		1	12.40
575-342ST	3-5/8	4	.07		1	12.71
575-344ST	3-7/8	4-1/4	.07		1	14.60
575-344TS	3-7/8	4-1/4	.07	.036 ^{+0.000} / _{-.005}	1	12.69
575-345ST	4	4-3/8	.07		2	7.36
575-345TS	4	4-3/8	.07		1	18.96
575-346ST	4-1/8	4-1/2	.07		1	16.44
575-346TS	4-1/8	4-1/2	.07	.036 ^{+0.000} / _{-.005}	1	13.03
575-348TS	4-3/8	4-3/4	.07	.036 ^{+0.000} / _{-.005}	1	19.35
575-349T	4-1/2	4-7/8	.07	.070 ±.005	1	12.55
575-349TS	4-1/2	4-7/8	.07		1	14.08
575-350ST	4-5/8	5	.07		1	18.46
575-354ST	5-1/8	5-1/2	.07		1	18.90
575-356ST	5-3/8	5-3/4	.07		1	27.16
575-359T	5-3/4	6-1/8	.07	.070 ±.005	1	21.38
575-360T	5-7/8	6-1/4	.07	.070 ±.005	1	20.72
575-361T	6	6-3/8	.07	.070 ±.005	1	26.22
575-362ST	6-1/4	6-5/8	.07		1	28.95
575-363T	6-1/2	6-7/8	.07	.070 ±.005	1	29.97
575-363TS	6-1/2	6-7/8	.07		1	24.85
575-364T	6-3/4	7-1/8	.07	.070 ±.005	1	23.88
575-365T	7	7-3/8	.07	.070 ±.005	1	24.61
575-367ST	7-1/2	7-7/8	.07		1	30.74
575-375T	9-1/2	9-7/8	.07	.070 ±.005	1	37.75
575-379T	11	11-3/8	.07	.070 ±.005	1	46.73
1/4" C/S						
575-413ST	3	3-1/2	.108		1	\$27.01
575-425ST	4-1/2	5	.108		1	23.11
575-426ST	4-5/8	5-1/8	.108		1	18.50
575-427ST	4-3/4	5-1/4	.108		1	23.33
575-430ST	5-1/8	5-5/8	.108	.108 ±.002	1	27.25
575-431T	5-1/4	5-3/4	.108	.105 ±.005	1	31.05
575-433ST	5-1/2	6	.108		1	34.03
575-436ST	5-7/8	6-3/8	.108		1	37.08
575-437T	6	6-1/2	.108	.105 ±.005	1	40.63
575-438T	6-1/4	6-3/4	.108	.108 ±.002	1	42.21
575-439T	6-1/2	7	.108	.108 ±.002	1	42.12
575-440ST	6-3/4	7-1/4	.108		1	40.49
575-443T	7-1/2	8	.108	.108 ±.002	1	46.49
575-445TS	8	8-1/2	.108		1	47.15
575-446T	8-1/2	9	.108	.108 ±.002	1	73.02
575-447T	9	9-1/2	.108	.108 ±.002	1	63.91

STYLE 575 PTFE BACK-UP RINGS


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-448T	9-1/2	10	.108	.108 ±.002	1	57.33
575-450T	10-1/2	11	.108	.108 ±.002	1	67.22
575-451T	11	11-1/2	.108	.108 ±.002	1	72.96
575-452T	11-1/2	12	.108	.108 ±.002	1	76.36
575-454T	12-1/2	13	.108	.108 ±.002	1	80.74

STYLE 575 PTFE BACK-UP RINGS - SPECIAL SIZES

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	Nom. Cross Section	th THICKNESS	Package Quantity	List Price
575-1-3/16X1-1/2T	1-3/16	1-1/2	1/16	5/32	.062	1	\$7.92
575-2.4X2.6X.06ST	2.457	2.687	1/16	.115	.060	1	8.12
575-2.7X2.9X.06ST	2.707	2.937	1/16	.115	.060	1	8.58
575-5.5X6.12T	5-1/2	6-1/8	1/16	5/16	.062	1	26.09
575-6.12X7ST	6-1/8	7	1/8	7/16	.125	1	52.43
575-7X8T	7	8	1/8	1/2	.125	1	48.08
575-7.75X8.75X.125T	7-3/4	8-3/4	1/8	1/2	.125	1	71.21
575-9X10T	9	10	1/8	1/2	.125	1	74.34
575-13X14T	13	14	9/64	1/2	.140	1	107.77

Seal color may vary. Special order sizes are available.

STYLE 576 SPLIT NYLON BACK-UP RINGS



SEAL INFORMATION

MATERIAL	NYLON
TEMPERATURE RANGE	-40° TO +250° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	List Price
1/8" C/S					
576-216	1-1/8	1-3/8	.06		\$10.31
576-2.37X.125	2-3/8	2-5/8	.07		50.34
576-2.50X.125	2-1/2	2-3/4	.07		6.74
3/16" C/S					
576-314	3/4	1-1/8	.07		\$5.13
576-320	1-1/8	1-1/2	.07		5.26
576-324	1-3/8	1-3/4	.07		5.42
576-325	1-1/2	1-7/8	.07		5.52
576-326	1-5/8	2	.07		5.69
576-327	1-3/4	2-1/8	.07		5.81
576-328	1-7/8	2-1/4	.07		5.94
576-329	2	2-3/8	.06		6.08
576-330	2-1/8	2-1/2	.07		6.19
576-331	2-1/4	2-5/8	.07		27.60
576-332	2-3/8	2-3/4	.06		18.09
576-333	2-1/2	2-7/8	.06	.065 ⁺⁰⁰⁰ -004	6.31
576-334	2-5/8	3	.06		6.49
576-2.62X3.00X.085	2-5/8	3	.085		3.11
576-338	3-1/8	3-1/2	.06		6.56
576-5.75X.185	5-3/4	6-1/8	.185		41.79
1/4" C/S					
576-407	2-1/4	2-3/4	.07		\$5.28
576-408	2-3/8	2-7/8	.07		7.71
576-409	2-1/2	3	.07		5.49
576-2.62X3.12X.06	2-5/8	3-1/8	.06		26.00
576-411	2-3/4	3-1/4	.07		5.73
576-412	2-7/8	3-3/8	.07		5.91
576-413	3	3-1/2	.07		6.34
576-415	3-1/4	3-3/4	.07		6.54
576-417	3-1/2	4	.07	.070 ⁺⁰⁰⁵ +000	6.78
576-418-1/2	3-11/16	4-3/16	.07		6.98
576-419	3-3/4	4-1/4	.07		7.15
576-421	4	4-1/2	.07		7.40
576-423-1	4-1/4	4-3/4	.07		11.69
576-425	4-1/2	5	.07		7.59
576-427	4-3/4	5-1/4	.07		7.71




STYLE 576 SPLIT NYLON BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	List Price
576-429	5	5-1/2	.07		7.71
576-433	5-1/2	6	.12		7.81
9/32" C/S					
576-3.18X3.75	3-3/16	3-3/4	.07		\$6.74
.2975" C/S					
576-3.4X4.0X1/8	3.405	4	1/8		\$7.59
3/8" C/S					
576-4.5X5.2	4-1/2	5-1/4	.13		\$8.28
576-5.5X6.25	5-1/2	6-1/4	.187	.187	10.05
576-6.00X6.75X.125	6	6-3/4	1/8		49.84
1/2" C/S					
576-4X5	4	5	1/8	.125	\$26.78
576-6X7	6	7	1/8		14.03

Seal color may vary. Special order sizes are available.

STYLE 590 HIGH PERFORMANCE BACK-UP RINGS

Style 590 Back-up Rings feature exceptional strength and abrasion resistance along with a 53 Shore D hardness rating which makes them suitable for high pressure service where extrusion is a problem. Primarily used as a u-seal back-up, these rings can be used with o-rings. They also retrofit urethane and PTFE back-up rings, with greater performance characteristics. "S" suffix designates a split ring.



SEAL INFORMATION

MATERIAL	HIGH PERFORMANCE URETHANE
TEMPERATURE RANGE	-40° TO +275° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	List Price
1/8" C/S					
590-15	1/2	3/4	1/16	.062 ±.005	\$1.30
590-17	5/8	7/8	1/16	.062 ±.005	1.37
590-19S	3/4	1	1/16	.062 ±.005	1.43
590-214	1	1-1/4	1/16	.063 +.000 -.005	0.70
590-227	2-1/8	2-3/8	1/16		1.37
590-228	2-1/4	2-1/2	1/16		10.90
590-237	3-3/8	3-5/8	1/16	.050	1.81
590-239	3-5/8	3-7/8	1/16		1.83
5/32" C/S					
590-32	1	1-5/16	1/16	.062 ±.005	\$1.70
590-34S	1-3/16	1-1/2	1/16	.062 ±.005	1.80
590-36	1-3/8	1-11/16	1/16	.062 ±.005	1.86
3/16" C/S					
590-324	1-3/8	1-3/4	1/16	.0625 +.000 -.005	\$1.06
590-325	1-1/2	1-7/8	1/16	.0625 +.000 -.005	1.12
590-45	1-5/8	2	1/16	.062 ±.005	2.20
590-45S	1-5/8	2	1/16	.062 ±.005	2.20
590-46	1-3/4	2-1/8	1/16	.062 ±.005	2.34
590-48	2	2-3/8	1/16	.062 ±.005	2.50
590-49	2-1/8	2-1/2	1/16	.062 ±.005	2.57
590-49S	2-1/8	2-1/2	1/16	.062 ±.005	2.57
590-338	3-1/8	3-1/2	1/16		2.61
590-341	3-1/2	3-7/8	1/16		3.08
590-345	4	4-3/8	1/16		3.75
590-346	4-1/8	4-1/2	1/16		3.88
590-347	4-1/4	4-5/8	1/16		7.21
590-349	4-1/2	4-7/8	1/16		4.37
590-352	4-7/8	5-1/4	1/16		7.41
590-354	5-1/8	5-1/2	1/16		5.21
590-358	5-5/8	6	1/16		7.66
7/32" C/S					
590-54	2-1/2	2-15/16	1/16	.062 ±.005	\$2.87
590-57	2-13/16	3-1/4	1/16	.062 ±.005	2.99

STYLE 590 HIGH PERFORMANCE BACK-UP RINGS


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	List Price
590-57S	2-13/16	3-1/4	1/16	.062 ±.005	2.99
590-58	3	3-7/16	1/16	.062 ±.005	3.98
1/4" C/S					
590-66	3-1/2	4	1/16	.062 ±.005	\$4.78
590-66S	3-1/2	4	1/16	.062 ±.005	4.78
590-68	4	4-1/2	1/16	.062 ±.005	5.06
590-70	4-1/2	5	1/16	.062 ±.005	5.27
590-70S	4-1/2	5	1/16	.062 ±.005	5.27
9/32" C/S					
590-73S	4-7/16	5	1/16	.062 ±.005	\$5.67
590-75	5	5-9/16	1/16	.062 ±.005	6.05
590-5.43X6S	5-7/16	6	1/16	.062 ±.005	7.74
590-6.43X7S	6-7/16	7	1/16	.062 ±.005	34.76
5/16" C/S					
590-79	5-3/8	6	1/16	.062 ±.005	\$6.20
590-79S	5-3/8	6	1/16	.062 ±.005	6.20
590-5.5X6.12	5-1/2	6-1/8	1/16	.062 ±.005	9.34
590-83	6-3/8	7	1/16	.062 ±.005	27.29
590-83S	6-3/8	7	1/16	.062 ±.005	27.29
590-84	7-3/8	8	1/16	.062 ±.005	30.07
590-84S	7-3/8	8	1/16	.062 ±.005	30.07
11/32" C/S					
590-85S	9-5/16	10	1/16	.062 ±.005	\$47.42
3/8" C/S					
590-86S	11-1/4	12	1/16	.062 ±.005	\$43.63
13/32" C/S					
590-13.18X14S	13-3/16	14	1/16	.062 ±.005	\$50.39
1/2" C/S					
590-11X12S	11	12	1/16	.062 ±.005	\$81.74
590-87S	13	14	1/16	.062 ±.005	96.20

**Back-up Assortment Kits Also Available -
See the Kits & Tools Section**

Seal color may vary.

STYLE 595 PTFE BACK-UP RINGS FOR U-SEALS

Used primarily as an anti-extrusion device for u-seals, these back-up rings combine high performance with very low friction. "ST" suffix designates a split ring.



SEAL INFORMATION	
MATERIAL	PTFE
TEMPERATURE RANGE	-100° TO +500° F
PRESSURE RANGE	VARIABLES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) (Config.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	List Price
595-15T	1/2	3/4	1/16	.062 ±.005	\$8.61
595-17T	5/8	7/8	1/16	.062 ±.005	8.61
595-19ST	3/4	1	1/16	.062 ±.005	12.69
595-32T	1	1-5/16	1/16	.062 ±.005	6.58
595-34ST	1-3/16	1-1/2	1/16	.062 ±.005	13.03
595-36T	1-3/8	1-11/16	1/16	.062 ±.005	13.03
595-45ST	1-5/8	2	1/16	.062 ±.005	13.20
595-46T	1-3/4	2-1/8	1/16	.062 ±.005	14.54
595-48T	2	2-3/8	1/16	.062 ±.005	14.68
595-49ST	2-1/8	2-1/2	1/16	.062 ±.005	15.03
595-3.62X4X.09	3-5/8	4	3/32	.090 ±.005	27.15
595-54T	2-1/2	2-15/16	1/16	.062 ±.005	16.03
595-57ST	2-13/16	3-1/4	1/16	.062 ±.005	10.53
595-58T	3	3-7/16	1/16	.062 ±.005	16.70
595-66ST	3-1/2	4	1/16	.062 ±.005	18.71
595-66T	3-1/2	4	1/16	.062 ±.005	18.71
595-68T	4	4-1/2	1/16	.062 ±.005	19.74
595-70ST	4-1/2	5	1/16	.062 ±.005	22.81
595-70T	4-1/2	5	1/16	.062 ±.005	22.81
595-73ST	4-7/16	5	1/16	.062 ±.005	16.93
595-75T	5	5-9/16	1/16	.062 ±.005	27.54
595-5.43X6ST	5-7/16	6	1/16	.062 ±.005	37.95
595-6.43X7ST	6-7/16	7	1/16	.062 ±.005	39.10
595-79ST	5-3/8	6	1/16	.062 ±.005	31.72
595-83ST	6-3/8	7	1/16	.062 ±.005	33.52
595-84ST	7-3/8	8	1/16	.062 ±.005	37.74
595-85ST	9-5/16	10	1/16	.062 ±.005	49.99
595-5.2X6T	5-1/4	6	1/8	.125 ±.005	37.88
595-86ST	11-1/4	12	1/16	.062 ±.005	46.88
595-13.18X14ST	13-3/16	14	1/16	.062 ±.005	69.65
595-5.12X6ST	5-1/8	6	1/8	.125 ±.005	47.93
595-11X12ST	11	12	1/16	.062 ±.005	51.98
595-87ST	13	14	1/16	.062 ±.005	65.21

Seal color may vary. Special order sizes are available.