


HYDROLOCK VEE PACKING SETS

These vee sets utilize hytrel & nylon vees to cover pressure from 0 to 6,000 psi and provide excellent extrusion resistance. Male & female bearings are molded from glass filled nylon. **NOTE:** These vee sets do not contain guidelock bearings. They are sold separately as shown on the next page.

FB= FEMALE BEARING

- 1740 = 3 VEES
- 1741 = 4 VEES
- 1742 = 5 VEES

PART NUMBERS



Standard Hydrolock Set w/ 1/4" female bearing



Hydrolock Set w/ 1/2" female bearing



Hydrolock Set w/ 1" female bearing



SEAL INFORMATION

MATERIAL	HYTREL & NYLON
TEMPERATURE RANGE	-40° TO +220° F
PRESSURE RANGE	0 TO 6,000 PSI
PART NUMBER	(Prefix)-(# of vees)-(OD)-(Bearing Height)

VEE PACKING SETS

PRC PART NUMBER	A NOM. I.D.	B NOM. O.D.	C NOM. HT.	D GROOVE WIDTH		H GROOVE DIAMETER		J BORE DIAMETER		K GUIDE LOCK	*	List Price
HDLV-1740-350	3.000	3-1/2	3/4	0.75	±0.005	3.000	+0/-0.005	3.500	+0.01/0	2.750	0.252/0.257	\$ 20.46
HDLV-1740-400	3-1/2	4	3/4	0.750	±0.005	3.500	+0/-0.005	4.000	+0.01/0	3.250	0.377/0.382	32.36
HDLV-1740-500	4-1/2	5	3/4	0.750	±0.005	4.500	+0/-0.005	5.000	+0.01/0	4.125	0.377/0.382	52.45
HDLV-1740-600	5-1/2	6	3/4	0.750	±0.005	5.500	+0/-0.005	6.000	+0.01/0	5.125	0.377/0.382	30.02
HDLV-1740-627	5-3/4	6.265	3/4	0.750	±0.005	5.750	+0/-0.005	6.265	+0.01/0	N/A	N/A	32.47
HDLV-1741-175	1-1/4	1-3/4	0.82	0.820	±0.005	1.250	+0/-0.005	1.750	+0.01/0	N/A	N/A	29.24
HDLV-1741-275-100FB	2-1/4	2-3/4	1-5/8	1.625	±0.005	2.250	+0/-0.005	2.750	+0.01/0	2.000	0.252/0.257	49.71
HDLV-1741-300-050FB	2-1/2	3	1-1/8	1.125	±0.005	2.500	+0/-0.005	3.000	+0.01/0	2.250	0.252/0.257	31.01
HDLV-1741-350-050FB	3	3-1/2	1-1/8	1.125	±0.005	3.000	+0/-0.005	3.500	+0.01/0	2.750	0.252/0.257	55.91
HDLV-1741-400-050FB	3-1/2	4	1-1/8	1.125	±0.005	3.500	+0/-0.005	4.000	+0.01/0	3.250	0.377/0.382	45.97
HDLV-1741-425-100FB	3-3/4	4-1/4	1-5/8	1.625	±0.005	3.750	+0/-0.005	4.250	+0.01/0	3.500	0.377/0.382	57.70
HDLV-1741-450-050FB	4	4-1/2	1-1/8	1.125	±0.005	4.000	+0/-0.005	4.500	+0.01/0	3.750	0.377/0.382	51.46
HDLV-1741-500	4-1/2	5	7/8	0.875	±0.005	4.500	+0/-0.005	5.000	+0.01/0	4.125	0.377/0.382	32.29
HDLV-1741-500-050FB	4-1/2	5	1-1/8	1.125	±0.005	4.500	+0/-0.005	5.000	+0.01/0	4.125	0.377/0.382	48.68
HDLV-1741-500-075FB	4-1/2	5	1-3/8	1.375	±0.005	4.500	+0/-0.005	5.000	+0.01/0	4.125	0.377/0.382	47.21
HDLV-1741-600-050FB	5-1/2	6	1-1/8	1.125	±0.005	5.500	+0/-0.005	6.000	+0.01/0	5.125	0.377/0.382	77.70
HDLV-1741-725	6-3/4	7-1/4	7/8	0.875	±0.005	6.750	+0/-0.005	7.250	+0.01/0	N/A	N/A	84.19
HDLV-1742-200	1-1/2	2	1	1.000	±0.005	1.500	+0/-0.005	2.000	+0.01/0	1.375	0.252/0.257	35.03
HDLV-1742-225	1-3/4	2-1/4	1	1.000	±0.005	1.750	+0/-0.005	2.250	+0.01/0	1.500	0.252/0.257	25.85
HDLV-1742-250	2	2-1/2	1	1.000	±0.005	2.000	+0/-0.005	2.500	+0.01/0	1.750	0.252/0.257	26.90
HDLV-1742-250-100FB	2	2-1/2	1-3/4	1.750	±0.005	2.000	+0/-0.005	2.500	+0.01/0	1.750	0.252/0.257	49.48
HDLV-1742-275	2-1/4	2-3/4	1	1.000	±0.005	2.250	+0/-0.005	2.750	+0.01/0	2.000	0.252/0.257	30.61
HDLV-1742-275-100FB	2-1/4	2-3/4	1-3/4	1.750	±0.005	2.250	+0/-0.005	2.750	+0.01/0	2.000	0.252/0.257	44.71
HDLV-1742-300	2-1/2	3	1	1.000	±0.005	2.500	+0/-0.005	3.000	+0.01/0	2.250	0.252/0.257	26.41
HDLV-1742-300-100FB	2-1/2	3	1-3/4	1.750	±0.005	2.500	+0/-0.005	3.000	+0.01/0	2.250	0.252/0.257	62.38

HYDROLOCK VEE PACKING SETS



VEE PACKING SETS

PRC PART NUMBER	A NOM. I.D.	B NOM. O.D.	C NOM. HT.	D GROOVE WIDTH		H GROOVE DIAMETER		J BORE DIAMETER		K GUIDE LOCK	*	List Price
HDLV-1742-312-100FB	2-1/2	3-1/8	1-11/16	1.687	±0.005	2.500	+0/-0.005	3.125	+0.01/0	N/A	N/A	\$ 82.39
HDLV-1742-325	2-3/4	3-1/4	1	1.000	±0.005	2.750	+0/-0.005	3.250	+0.01/0	2.500	0.252/0.257	31.01
HDLV-1742-325-100FB	2-3/4	3-1/4	1-3/4	1.750	±0.005	2.750	+0/-0.005	3.250	+0.01/0	2.500	0.252/0.257	49.16
HDLV-1742-350	3	3-1/2	1	1.000	±0.005	3.000	+0/-0.005	3.500	+0.01/0	2.750	0.252/0.257	32.58
HDLV-1742-350-100FB	3	3-1/2	1-3/4	1.750	±0.005	3.000	+0/-0.005	3.500	+0.01/0	2.750	0.252/0.257	74.76
HDLV-1742-375	3-1/4	3-3/4	1	1.000	±0.005	3.250	+0/-0.005	3.750	+0.01/0	3.000	0.252/0.257	47.57
HDLV-1742-375-050FB	3-1/4	3-3/4	1-3/4	1.750	±0.005	3.250	+0/-0.005	3.750	+0.01/0	3.000	0.252/0.257	47.33
HDLV-1742-400	3-1/2	4	1	1.000	±0.005	3.500	+0/-0.005	4.000	+0.01/0	3.250	0.377/0.382	37.26
HDLV-1742-400-100FB	3-1/2	4	1-3/4	1.750	±0.005	3.500	+0/-0.005	4.000	+0.01/0	3.250	0.377/0.382	68.51
HDLV-1742-450	4	4-1/2	1	1.000	±0.005	4.000	+0/-0.005	4.500	+0.01/0	3.750	0.377/0.382	41.07
HDLV-1742-450-100FB	4	4-1/2	1-3/4	1.750	±0.005	4.000	+0/-0.005	4.500	+0.01/0	3.750	0.377/0.382	68.51
HDLV-1742-500	4-1/2	5	1	1.000	±0.005	4.500	+0/-0.005	5.000	+0.01/0	4.125	0.377/0.382	65.25
HDLV-1742-500-100FB	4-1/2	5	1-3/4	1.750	±0.005	4.500	+0/-0.005	5.000	+0.01/0	4.125	0.377/0.382	96.51
HDLV-1742-550	5	5-1/2	1	1.000	±0.005	5.000	+0/-0.005	5.500	+0.01/0	4.625	0.377/0.382	71.66
HDLV-1742-550-050FB	5	5-1/2	1-1/4	1.250	±0.005	5.000	+0/-0.005	5.500	+0.01/0	4.625	0.377/0.382	68.82
HDLV-1742-600	5-1/2	6	1	1.000	±0.005	5.500	+0/-0.005	6.000	+0.01/0	5.125	0.377/0.382	77.38
HDLV-1742-600-100FB	5-1/2	6	1-3/4	1.750	±0.005	5.500	+0/-0.005	6.000	+0.01/0	5.125	0.377/0.382	80.50
HDLV-1742-650	6	6-1/2	1	1.000	±0.005	6.000	+0/-0.005	6.500	+0.01/0	5.625	0.377/0.382	86.90
HDLV-1742-650-050FB	6	6-1/2	1-1/4	1.250	±0.005	6.000	+0/-0.005	6.500	+0.01/0	5.625	0.377/0.382	81.83
HDLV-1742-650-100FB	6	6-1/2	1-3/4	1.750	±0.005	6.000	+0/-0.005	6.500	+0.01/0	5.625	0.377/0.382	88.49
HDLV-1742-700	6-1/2	7	1	1.000	±0.005	6.500	+0/-0.005	7.000	+0.01/0	6.125	0.377/0.382	81.51
HDLV-1742-700-100FB	6-1/2	7	1-3/4	1.750	±0.005	6.500	+0/-0.005	7.000	+0.01/0	6.125	0.377/0.382	134.00
HDLV-1742-750	7	7-1/2	1	1.000	±0.005	7.000	+0/-0.005	7.500	+0.01/0	6.625	0.377/0.382	83.08
HDLV-1742-750-100FB	7	7-1/2	1-3/4	1.750	±0.005	7.000	+0/-0.005	7.500	+0.01/0	6.625	0.377/0.382	138.74
HDLV-1742-800	7-1/2	8	1	1.000	±0.005	7.500	+0/-0.005	8.000	+0.01/0	7.125	0.377/0.382	96.58
HDLV-1742-800-100FB	7-1/2	8	1-3/4	1.750	±0.005	7.500	+0/-0.005	8.000	+0.01/0	7.125	0.377/0.382	148.67
HDLV-1742-850-100FB	8	8-1/2	1-3/4	1.750	±0.005	8.000	+0/-0.005	8.500	+0.01/0	7.625	0.377/0.382	150.64
HDLV-1742-900	8-1/2	9	1	1.000	±0.005	8.500	+0/-0.005	9.000	+0.01/0	8.125	0.377/0.382	173.16
HDLV-1742-900-100FB	8-1/2	9	1-3/4	1.750	±0.005	8.500	+0/-0.005	9.000	+0.01/0	8.125	0.377/0.382	185.23
HDLV-275-200-175	2	2-3/4	1-3/4	1.750	±0.005	2.000	+0/-0.005	2.750	+0.01/0	N/A	N/A	49.41
HDLV-300-250-082	2-1/2	3	13/16	0.813	±0.005	2.500	+0/-0.005	3.000	+0.01/0	N/A	N/A	26.97
HDLV-300-250-087	2-1/2	3	7/8	0.875	±0.005	2.500	+0/-0.005	3.000	+0.01/0	N/A	N/A	29.37
HDLV-350-300-082	3	3-1/2	13/16	0.813	±0.005	3.000	+0/-0.005	3.500	+0.01/0	N/A	N/A	27.29
HDLV-375-300-175	3	3-3/4	1-3/4	1.750	±0.005	3.000	+0/-0.005	3.750	+0.01/0	N/A	N/A	56.92
HDLV-425-350-087	3-1/2	4-1/4	7/8	0.875	±0.005	3.500	+0/-0.005	4.250	+0.01/0	N/A	N/A	51.14
HDLV-450-400-082	4	4-1/2	13/16	0.813	±0.005	4.000	+0/-0.005	4.500	+0.01/0	N/A	N/A	29.12
HDLV-503-402-152	4.02	5.03	1.527	1.527	±0.005	4.020	+0/-0.005	5.030	+0.01/0	N/A	N/A	28.86
HDLV-550-500-082	5	5-1/2	13/16	0.813	±0.005	5.000	+0/-0.005	5.500	+0.01/0	N/A	N/A	33.74
HDLV-603-503-150	5.03	6.03	1-1/2	1.500	±0.005	5.030	+0/-0.005	6.030	+0.01/0	N/A	N/A	44.24
HDLV-703-603-150	6.03	7.03	1-1/2	1.500	±0.005	6.030	+0/-0.005	7.030	+0.01/0	N/A	N/A	54.25
HDLV-800-080	7-1/2	8	0.8	0.800	±0.005	7.500	+0/-0.005	8.000	+0.01/0	7.125	0.377/0.382	91.33



GUIDELOCK PISTON BEARINGS

Molded from glass filled nylon, these step-cut bearings also act as retainers for Hydrolock vee sets. The following bore sizes are available.

Part Number	Bore Size	List Price	Part Number	Bore Size	List Price
HDLG-200	2	\$ 16.59	HDLG-600	6	\$ 34.50
HDLG-250	2-1/2	21.34	HDLG-627	6.265	40.67
HDLG-300	3	18.62	HDLG-650	6-1/2	42.98
HDLG-350	3-1/2	20.21	HDLG-700	7	44.40
HDLG-400	4	25.68	HDLG-750	7-1/2	48.38
HDLG-450	4-1/2	27.20	HDLG-800	8	50.98
HDLG-500	5	28.95	HDLG-900	9	73.81
HDLG-550	5-1/2	31.32			

VEE PACKING SETS

Our vee sets are the finest quality available in the industry. While all sets incorporate fabric reinforced rubber pressure rings, one or two urethane rings are included to improve low pressure sealing, when it is feasible. Most sets use nylon adaptors. Properly installed the pressure limits are as follows:



U= SPECIAL URETHANE VEE
H= HYTREL

3,000 PSI = 4 VEEs
5,000 PSI = 5 VEEs
10,000 PSI = 6 VEEs

CONSTRUCTION CODE
Example: 1-0-4-1

1 - 1 TOP ADAPTOR
0 - 0 URETHANE VEE RINGS
4 - 4 FABRIC VEE RINGS
1 - 1 BOTTOM ADAPTOR

SEAL INFORMATION

MATERIAL	FABRIC REINFORCED RUBBER URETHANE RING/NYLON ADAP- TORS
TEMPERATURE RANGE	-35° TO +220° F
PRESSURE RANGE	0 TO 10,000 PSI
PART NUMBER	(Prefix) (ID) (CS) X (Height)

Part Number	Construction T-U-F-B	I.D.	O.D.	H.	List Price	Part Number	Construction T-U-F-B	I.D.	O.D.	H.	List Price
VS03703X075	1-0-4-1	3/8	3/4	3/4	\$ 11.80	VS08704X100	1-0-4-1	7/8	1-3/8	1	\$ 8.65
VS03704X050	1-0-1-1	3/8	7/8	1/2	12.84	VS08705X103	1-0-4-1	7/8	1-1/2	1-1/32	10.29
VS05003X062	1-0-3-1	1/2	7/8	5/8	6.29	VS10003X095	1-2-3-1	1	1-3/8	61/64	8.95
VS05004X075	1-0-3-1	1/2	1	3/4	4.33	VS10003X100	1-0-6-1	1	1-3/8	1	9.89
VS05004X087	1-0-4-1	1/2	1	7/8	7.65	VS10004X075	1-0-3-1	1	1-1/2	3/4	6.23
VS06203X082	1-0-4-1	5/8	1	13/16	8.26	VS10004X100	1-0-5-1	1	1-1/2	1	8.70
VS06204X100	1-0-5-1	5/8	1-1/8	1	8.75	VS10004X112	1-0-6-1	1	1-1/2	1-1/8	9.99
VS06205X125	1-0-5-1	5/8	1-1/4	1-1/4	28.04	VS10005X103	1-0-4-1	1	1-5/8	1-1/32	7.83
VS07503X075	1-0-3-1	3/4	1-1/8	3/4	10.54	VS10006X100	1-0-3-1	1	1-3/4	1	10.22
VS07503X082	1-0-6-1	3/4	1-1/8	13/16	13.81	VS10604X100	1-0-5-1	1-1/16	1-9/16	1	26.32
VS07504X068	1-0-2-1	3/4	1/1/4	11/16	11.19	VS11204X087	1-0-4-1	1-1/8	1-5/8	7/8	7.63
VS07504X100	1-0-5-1	3/4	1-1/4	1	8.75	VS11205X103	1-0-4-1	1-1/8	1-3/4	1-1/32	8.81
VS07505X103	1-0-4-1	3/4	1-3/8	1-1/32	7.83	VS11803X125	1-0-6-1	1-3/16	1-9/16	1-1/4	25.86
VS07506X112	1-0-3-1	3/4	1-1/2	1-1/8	9.89	VS11804X087	1-0-4-1	1-3/16	1-11/16	7/8	8.42
VS08104X087	1-0-4-1	13/16	1-5/16	7/8	7.34	VS12504X075	1-0-3-1	1-1/4	1-3/4	3/4	6.17
VS08703X075	1-0-3-1	7/8	1-1/4	3/4	7.00	VS12504X082	1-2-2-1	1-1/4	1-3/4	.820	7.65
VS08704X075	1-0-3-1	7/8	1-3/8	3/4	4.68	VS12504X100	1-0-5-1	1-1/4	1-3/4	1	8.87

VEE PACKING SETS



VEE PACKING SETS

Part Number	Construction T-U-F-B	I.D.	O.D.	H.	List Price	Part Number	Construction T-U-F-B	I.D.	O.D.	H.	List Price
VS12504X112	1-0-6-1	1-1/4	1-3/4	1-1/8	\$ 10.12	VS20004X112	1-2-4-1	2	2-1/2	1-1/8	\$ 11.30
VS12505X103	1-0-4-1	1-1/4	1-7/8	1-1/32	11.26	VS20005X087	1-0-3-1	2	2-5/8	7/8	10.25
VS12506X100	1-1-2-1	1-1/4	2	1	10.63	VS20005X103	1-0-4-1	2	2-5/8	1-1/32	12.28
VS12508X100	1-0-2-1	1-1/4	2-1/4	1	15.12	VS20006X100	1-1-2-1	2	2-3/4	1	13.21
VS12508X150	1-0-4-1	1-1/4	2-1/4	1-1/2	16.67	VS20006X118	1-2-2-1	2	2-3/4	1-3/16	15.85
VS13703X106	1-0-6-1	1-3/8	1-3/4	1-1/16	10.88	VS20006X137	1-2-3-1	2	2-3/4	1-3/8	18.61
VS13704X075	1-0-3-1	1-3/8	1-7/8	3/4	7.05	VS20008X150	1-0-4-1	2	3	1-1/2	24.16
VS13704X100	1-2-3-1	1-3/8	1-7/8	1	8.75	VS21204X087F	1-0-4-1	2-1/8	2-5/8	7/8	13.43
VS13705X103	1-0-4-1	1-3/8	2	1-1/32	11.49	VS21205X103	1-0-4-1	2-1/8	2-3/4	1-1/32	13.69
VS13706X125	1-0-4-1	1-3/8	2-1/8	1-1/4	24.49	VS21206X118	1-0-4-1	2-1/8	2-7/8	1-3/16	42.81
VS15003X082	1-2-3-1	1-1/2	1-7/8	.820	14.32	VS21206X137	1-0-5-1	2-1/8	2-7/8	1-3/8	75.66
VS15004X082	1-0-4-1	1-1/2	2	.820	6.47	VS21806X156	1-0-6-1	2-3/16	2-15/16	1-9/16	23.72
VS15004X087	1-1-3-1	1-1/2	2	7/8	7.00	VS21806X3V	0-0-3-0	2-3/16	2-15/16	3 Vees	8.54
VS15004X100	1-2-3-1	1-1/2	2	1	8.81	VS22504X082	1-1-3-1	2-1/4	2-3/4	.820	9.11
VS15004X112	1-2-4-1	1-1/2	2	1-1/8	10.12	VS22504X100	1-2-3-1	2-1/4	2-3/4	1	12.21
VS15004X125	1-0-7-1	1-1/2	2	1-1/4	11.41	VS22505X103	1-0-4-1	2-1/4	2-7/8	1-1/32	14.06
VS15005X103	1-2-2-1	1-1/2	2-1/8	1.031	10.30	VS22505X118	1-0-5-1	2-1/4	2-7/8	1-3/16	16.43
VS15005X118	1-0-5-1	1-1/2	2-1/8	1-3/16	12.11	VS22506X100	1-0-3-1	2-1/4	3	1	14.44
VS15006X100	1-0-3-1	1-1/2	2-1/4	1	8.51	VS22506X111H	1-4H-1	2-1/4	3	1.13	32.99
VS15007X175	1-0-5-1	1-1/2	2-3/8	1-3/4	30.31	VS22508X150	1-0-4-1	2-1/4	3-1/4	1-1/2	31.59
VS15008X125	1-1-2-1	1-1/2	2-1/2	1-1/4	16.67	VS23704X100	1-0-5-1	2-3/8	2-7/8	1	13.21
VS15008X150	1-2-2-1	1-1/2	2-1/2	1-1/2	19.70	VS23705X103	1-0-4-1	2-3/8	3	1-1/32	14.55
VS16204X075	1-3-0-1	1-5/8	2-1/8	3/4	7.58	VS23705X118	1-0-5-1	2-3/8	3	1-3/16	17.03
VS16204X100	1-0-5-1	1-5/8	2-1/8	1	11.25	VS23706X125	1-0-4-1	2-3/8	3-1/8	1-1/4	17.34
VS16204X112	1-0-6-1	1-5/8	2-1/8	1-1/8	12.11	VS25004X075	1-1-2-1	2-1/2	3	3/4	9.93
VS16205X087	1-0-3-1	1-5/8	2-1/4	7/8	11.11	VS25004X082	1-0-4-1	2-1/2	3	.820	10.28
VS16205X103	1-0-4-1	1-5/8	2-1/4	1-1/32	11.75	VS25004X087	1-1-3-1	2-1/2	3	7/8	11.95
VS17503X087	1-2-3-1	1-3/4	2-1/8	7/8	23.62	VS25004X100	1-2-3-1	2-1/2	3	1	12.74
VS17504X082	1-1-3-1	1-3/4	2-1/4	.820	7.34	VS25004X112	1-2-4-1	2-1/2	3	1-1/8	14.51
VS17504X087	1-1-3-1	1-3/4	2-1/4	7/8	7.59	VS25005X087	1-0-3-1	2-1/2	3-1/8	7/8	10.32
VS17504X100	1-0-5-1	1-3/4	2-1/4	1	10.75	VS25005X118	1-2-3-1	2-1/2	3-1/8	1-3/16	18.69
VS17504X112	1-2-4-1	1-3/4	2-1/4	1-1/8	11.13	VS25005X118U	1-1-3-1	2-1/2	3-1/8	1-3/16	29.25
VS17505X089	1-1-2-1	1-3/4	2-3/8	0.894	11.49	VS25006X100	1-1-2-1	2-1/2	3-1/4	1	16.35
VS17505X103	1-2-2-1	1-3/4	2-3/8	1-1/32	11.91	VS25006X102	1-1-2-1	2-1/2	3-1/4	1.02	14.90
VS17505X112	1-0-5-1	1-3/4	2-3/8	1-1/8	13.93	VS25006X137	1-2-3-1	2-1/2	3-1/4	1-3/8	21.84
VS17506X100	1-0-3-1	1-3/4	2-1/2	1	13.54	VS25008X125	1-0-3-1	2-1/2	3-1/2	1-1/4	24.21
VS17506X111H	1-4H-1	1-3/4	2-1/2	1.11	29.77	VS26204X087	1-2-2-1	2-5/8	3-1/8	7/8	13.21
VS17506X156	1-0-6-1	1-3/4	2-1/2	1-9/16	15.85	VS26204X137	1-0-7-1	2-5/8	3-1/8	1-3/8	24.67
VS18704X112	1-0-6-1	1-7/8	2-3/8	1-1/8	11.49	VS26205X100	1-0-4-1	2-5/8	3-1/4	1.11	31.46
VS18705X103	1-0-4-1	1-7/8	2-1/2	1-1/32	12.95	VS26206X118	1-0-3-1	2-5/8	3-3/8	1-3/16	30.37
VS18706X112	1-0-4-1	1-7/8	2-5/8	1-1/8	15.46	VS27504X087	1-0-4-1	2-3/4	3-1/4	7/8	11.91
VS20003X075	1-2-2-1	2	2-3/8	3/4	16.15	VS27504X100	1-1-4-1	2-3/4	3-1/4	1	12.38
VS20004X082	1-0-4-1	2	2-1/2	.820	8.00	VS27505X103	1-2-2-1	2-3/4	3-3/8	1-1/32	16.75
VS20004X087	1-2-2-1	2	2-1/2	7/8	9.03	VS27506X100.	1-0-3-1	2-3/4	3-1/2	1	18.30
VS20004X100	1-2-3-1	2	2-1/2	1	10.19	VS27506X111H	1-4H-1	2-3/4	3-1/2	1.15	35.93

VEE PACKING SETS

VEE PACKING SETS

Part Number	Construction T-U-F-B	I.D.	O.D.	H.	List Price
VS27506X118	1-2-2-1	2-3/4	3-1/2	1-3/16	\$ 21.92
VS27506X150	1-3-3-1	2-3/4	3-1/2	1-1/2	34.24
VS27508X200	1-0-6-1	2-3/4	3-3/4	2	47.06
VS27706X100	1-0-3-1	2.775	3.525	1	21.26
VS27706X125	1-1-3-1	2.775	3.525	1-1/4	23.55
VS28704X100	1-0-4-1	2-7/8	3-3/8	1	15.52
VS30004X062	1-0-2-1	3	3-1/2	5/8	8.65
VS30004X087	1-0-4-1	3	3-1/2	7/8	11.05
VS30004X087U	1-1-3-1	3	3-1/2	7/8	22.84
VS30004X100	1-2-3-1	3	3-1/2	1	12.42
VS30004X112	1-2-4-1	3	3-1/2	1-1/8	15.05
VS30005X089	1-1-2-1	3	3-5/8	0.894	16.64
VS30005X103	1-0-4-1	3	3-5/8	1-1/32	17.54
VS30006X100	1-1-2-1	3	3-3/4	1	21.58
VS30006X118	1-2-2-1	3	3-3/4	1-3/16	25.88
VS30006X137	1-2-3-1	3	3-3/4	1-3/8	27.15
VS30006X137U	1-1-3-1	3	3-3/4	1-3/8	97.22
VS30008X150	1-2-2-1	3	4	1-1/2	32.60
VS32504X082	1-0-4-1	3-1/4	3-3/4	.820	12.09
VS32504X100	1-0-5-1	3-1/4	3-3/4	1	14.94
VS32504X125	1-2-3-1	3-1/4	3-3/4	1-1/4	14.94
VS32505X100	1-0-4-1	3-1/4	3-7/8	1	32.88
VS32506X118	1-0-4-1	3-1/4	4	1-3/16	25.75
VS32506X137	1-0-5-1	3-1/4	4	1-3/8	30.05
VS32506X156	1-0-6-1	3-1/4	4	1-9/16	38.56
VS32508X150	1-2-2-1	3-1/4	4-1/4	1-1/2	38.80
VS32706X118	1-0-4-1	3.275	4.025	1.187	29.13
VS33704X100	1-0-5-1	3-3/8	3-7/8	1	16.59
VS33704X112	1-0-6-1	3-3/8	3-7/8	1-1/8	18.04
VS33705X087	1-0-3-1	3-3/8	4	7/8	15.25
VS33705X103	1-0-4-1	3-3/8	4	1-1/32	18.40
VS33706X100	1-0-3-1	3-3/8	4-1/8	1	22.75
VS33706X118	1-0-4-1	3-3/8	4-1/8	1-3/16	29.17
VS35004X075	1-1-2-1	3-1/2	4	3/4	11.41
VS35004X082	1-0-4-1	3-1/2	4	.820	13.84
VS35004X100	1-2-3-1	3-1/2	4	1	15.31
VS35004X150	1-3-6-1	3-1/2	4	1-1/2	23.66
VS35006X100	1-0-3-1	3-1/2	4-1/4	1	20.30
VS35006X118	1-2-2-1	3-1/2	4-1/4	1-3/16	27.17
VS35006X150	1-0-5-1	3-1/2	4-1/4	1-1/2	38.09
VS35008X125	1-0-3-1	3-1/2	4-1/2	1-1/4	30.28
VS35012X225	1-0-4-1	3-1/2	5	2-1/4	76.56
VS37504X082	1-0-4-1	3-3/4	4-1/4	.820	15.21
VS37504X100	1-2-3-1	3-3/4	4-1/4	1	16.65
VS37505X087	1-0-3-1	3-3/4	4-3/8	7/8	20.56

Part Number	Construction T-U-F-B	I.D.	O.D.	H.	List Price
VS37505X106	1-2-2-1	3-3/4	4-3/8	1-1/16	\$ 24.67
VS37506X118	1-2-2-1	3-3/4	4-1/2	1-3/16	29.45
VS37506X137	1-2-3-1	3-3/4	4-1/2	1-3/8	34.09
VS38704X075	0-0-4-1	3-7/8	4-3/8	3/4	14.38
VS40004X100	1-2-3-1	4	4-1/2	1	18.32
VS40004X112	1-2-4-1	4	4-1/2	1-1/8	20.67
VS40006X118	1-2-2-1	4	4-3/4	1-3/16	32.91
VS40007X112	1-0-3-1	4	4-7/8	1-1/8	36.68
VS40007X131	1-0-4-1	4	4-7/8	1-5/16	52.53
VS40007X175	1-0-6-1	4	4-7/8	1-3/4	58.70
VS40008X131	1-1-2-1	4	5	1-5/16	34.07
VS40008X137	0-3-2-0	4	5	1-3/8	37.26
VS40008X156	1-2-2-1	4	5	1-9/16	43.26
VS40606X100	1-0-3-1	4-1/16	4-13/16	1	32.55
VS42504X100	1-0-5-1	4-1/4	4-3/4	1	25.55
VS42504X125	1-3-4-1	4-1/4	4-3/4	1-1/4	25.55
VS42506X100	1-0-3-1	4-1/4	5	1	27.58
VS42506X150	1-0-5-1	4-1/4	5	1-1/2	47.92
VS42506X162	1-0-6-1	4-1/4	5	1-5/8	50.39
VS42507X150	1-0-5-1	4-1/4	5-1/8	1-1/2	49.10
VS42508X162	1-0-4-1	4-1/4	5-1/4	1-5/8	99.09
VS43704X100	1-0-5-1	4-3/8	4-7/8	1	132.23
VS45004X100	1-0-5-1	4-1/2	5	1	19.81
VS45005X137	1-0-6-1	4-1/2	5-1/8	1-3/8	88.95
VS45006X100	1-1-2-1	4-1/2	5-1/4	1	27.75
VS45006X150	1-0-6-1	4-1/2	5-1/4	1-1/2	45.77
VS45007X137	1-0-4-1	4-1/2	5-3/8	1-3/8	139.82
VS45008X125	1-0-3-1	4-1/2	5-1/2	1-1/4	36.95
VS46205X112	1-0-4-1	4-5/8	5-1/4	1	48.58
VS47504X087	1-0-4-1	4-3/4	5-1/4	7/8	17.95
VS47504X100	1-0-5-1	4-3/4	5-1/4	1	20.79
VS47506X118	1-2-2-1	4-3/4	5-1/2	1-3/16	39.87
VS47506X137	1-0-5-1	4-3/4	5-1/2	1-3/8	46.53
VS47506	0-0-7-0	4-3/4	5-1/2	1-3/4	38.58
VS47507X150	1-0-5-1	4-3/4	5-5/8	1-1/2	66.41
VS50004X087	1-2-2-1	5	5-1/2	7/8	20.74
VS50004X100	1-2-3-1	5	5-1/2	1	21.07
VS50004X112	1-2-4-1	5	5-1/2	1-1/8	25.06
VS50005X103	1-0-4-1	5	5-5/8	1-1/32	28.64
VS50006X150	1-0-6-1	5	5-3/4	1-1/2	56.07
VS50007X131	1-0-4-1	5	5-7/8	1-5/16	50.69
VS50008X125	1-1-2-1	5	6	1-1/4	43.97
VS50008X175	1-2-3-1	5	6	1-3/4	70.12
VS51204X100	1-0-5-1	5-1/8	5-5/8	1	24.38
VS51204X112	1-0-6-1	5-1/8	5-5/8	1-1/8	26.41

VEE PACKING SETS




VEE PACKING SETS

Part Number	Construction T-U-F-B	I.D.	O.D.	H.	List Price
VS52504X125	1-2-3-1	5-1/4	5-3/4	1-1/4	\$ 22.44
VS52506X118	1-0-4-1	5-1/4	6	1-3/16	42.18
VS52508X122	1-0-3-1	5-1/4	6-1/4	1.22	43.72
VS53707X150	1-0-5-1	5-3/8	6-1/4	1-1/2	74.27
VS55004X075	1-0-3-1	5-1/2	6	3/4	13.67
VS55004X100	1-0-5-1	5-1/2	6	1	23.60
VS55006X175	1-0-7-1	5-1/2	6-1/4	1-3/4	68.98
VS55008X125	1-0-3-1	5-1/2	6-1/2	1-1/4	57.24
VS55008X175	1-0-5-1	5-1/2	6-1/2	1-3/4	66.66
VS57504X100	1-0-5-1	5-3/4	6-1/4	1	26.01
VS57504X112	1-0-6-1	5-3/4	6-1/4	1-1/8	28.03
VS57506X100	1-0-3-1	5-3/4	6-1/2	1	40.46
VS57506X137	1-0-5-1	5-3/4	6-1/2	1-3/8	55.91
VS57508X175	1-0-5-1	5-3/4	6-3/4	1-3/4	84.05
VS60004X100	1-2-3-1	6	6-1/2	1	25.15
VS60004X112	1-2-4-1	6	6-1/2	1-1/8	29.54
VS60006X100	1-1-2-1	6	6-3/4	1	56.69
VS60008X150	1-0-4-1	6	7	1-1/2	66.78
VS60010X175	1-0-4-1	6	7-1/4	1-3/4	94.99
VS62505X125	1-2-3-1	6-1/4	6-7/8	1-1/4	40.63
VS62506X118	1-0-4-1	6-1/4	7	1-3/16	59.64
VS65004X100	1-1-4-1	6-1/2	7	1	28.71
VS65006X137	1-0-5-1	6-1/2	7-1/4	1-3/8	62.40
VS65008X150	1-0-4-1	6-1/2	7-1/2	1-1/2	77.74
VS67504X100	1-0-5-1	6-3/4	7-1/4	1	91.97
VS67505X125	1-2-3-1	6-3/4	7-3/8	1-1/4	54.07
VS67506X118	1-0-4-1	6-3/4	7-1/2	1-3/16	64.32
VS70004X100	1-2-3-1	7	7-1/2	1	31.26


Part Number	Construction T-U-F-B	I.D.	O.D.	H.	List Price
VS70004X112	1-2-4-1	7	7-1/2	1-1/8	\$ 35.71
VS70008X125	1-0-3-1	7	8	1-1/4	79.74
VS70008X200	1-3-3-1	7	8	2	116.55
VS72504X087	1-0-4-1	7-1/4	7-3/4	7/8	82.22
VS75004X100	1-2-3-1	7-1/2	8	1	41.92
VS75005X125	1-2-3-1	7-1/2	8-1/8	1-1/4	58.95
VS75006X109	0-3-2-1	7-1/2	8-1/4	1-3/32	87.08
VS80004X075	1-1-2-1	8	8-1/2	3/4	42.41
VS80004X100	1-2-3-1	8	8-1/2	1	38.28
VS80006X118	1-0-4-1	8	8-3/4	1-3/16	175.58
VS80008X200	1-0-6-1	8	9	2	142.99
VS81204X112	1-1-5-1	8-1/8	8-5/8	1-1/8	46.52
VS82504X112	1-0-6-1	8-1/4	8-3/4	1-1/8	70.60
VS85004X100	1-2-3-1	8-1/2	9	1	103.57
VS85008X187	1-0-5-1	8-1/2	9-1/2	1-7/8	204.86
VS87505X125	1-0-6-1	8-3/4	9-3/8	1-1/4	122.00
VS90004X125	1-0-7-1	9	9-1/2	1-1/4	126.75
VS90008X187	1-0-5-1	9	10	1-7/8	211.26
VS95004X100	1-0-5-1	9-1/2	10	1	148.38
VS95006X118	1-0-4-1	9-1/2	10-1/4	1-3/16	196.50
VS95008X187	1-0-5-1	9-1/2	10-1/2	1-7/8	480.61
VS100008X187	1-0-5-1	10	11	1-7/8	237.58
VS105004X100	1-0-5-1	10-1/2	11	1	132.64
VS105008X187	1-0-5-1	10-1/2	11-1/2	1-7/8	264.60
VS110008X187	1-0-5-1	11	12	1-7/8	264.60
VS120008X187	1-0-5-1	12	13	1-7/8	335.58
VS140008X187	1-0-5-1	14	15	1-7/8	481.59

FLUOROCARBON VEE PACKING SETS

Not different in application from standard vee sets, these sets are made entirely of cotton duck and fluorocarbon. Excellent heat resistance.



3,000 PSI = 4 VEES
5,000 PSI = 5 VEES



SEAL INFORMATION


MATERIAL	FLUOROCARBON / DUCK
TEMPERATURE RANGE	-20° TO +350° F
PRESSURE RANGE	0 TO 5,000 PSI
PART NUMBER	(Prefix) (ID) (CS) X (Height)

Part Number	I.D.	O.D.	H.	List Price
VS10004X100V	1	1-1/2	1	\$ 85.11
VS15005X100V	1-1/2	2-1/8	1	74.55
VS17505X100V	1-3/4	2-3/8	1	91.99
VS17506X100V	1-3/4	2-1/2	1	113.23
VS18705X100V	1-7/8	2-1/2	1	93.19
VS20004X100V	2	2-1/2	1	102.96
VS20005X100V	2	2-5/8	1	95.08
VS20006X100V	2	2-3/4	1	93.96
VS21206X100V	2-1/8	2-7/8	1	125.66
VS22504X100V	2-1/4	2-3/4	1	105.87
VS22505X100V	2-1/4	2-7/8	1	105.39
VS22506X100V	2-1/4	3	1	130.18
VS25004X100V	2-1/2	3	1	109.25
VS25005X100V	2-1/2	3-1/8	1	112.35
VS25006X100V	2-1/2	3-1/4	1	136.82
VS27506X100V	2-3/4	3-1/2	1	139.97
VS30004X100V	3	3-1/2	1	160.25
VS30005X100V	3	3-5/8	1	133.54
VS30006X100V	3	3-3/4	1	148.72
VS32506X100V	3-1/4	4	1	168.76

Part Number	I.D.	O.D.	H.	List Price
VS35004X100V	3-1/2	4	1	\$ 141.53
VS35006X100V	3-1/2	4-1/4	1	176.79
VS35008X112V	3-1/2	4-1/2	1-1/8	185.57
VS37506X100V	3-3/4	4-1/2	1	187.62
VS40004X100V	4	4-1/2	1	154.41
VS40006X100V	4	4-3/4	1	217.03
VS40008X094V	4	5	0.94	207.98
VS42507X106V	4-1/4	5-1/8	1-1/16	260.30
VS42508X112V	4-1/4	5-1/4	1-1/8	214.72
VS45008X112V	4-1/2	5-1/2	1-1/8	222.75
VS50004X100V	5	5-1/2	1	200.38
VS50006X100V	5	5-3/4	1	236.06
VS50007X109V	5	5-7/8	1.09	287.66
VS55004X100V	5-1/2	6	1	218.71
VS57506X100V	5-3/4	6-1/2	1	278.53
VS60004X100V	6	6-1/2	1	238.99
VS60008X101V	6	7	1-1/64	289.62


SPECIAL VEE PACKING SETS

Most of the following vee sets, by virtue of their size and/or construction, are for single application usage in specially designed cylinders and pumps. **NOTE:** Packing sets with a "W" suffix include a wiper. Please be sure of the vee set material construction before ordering one of these sets. If you have any questions, please ask one of our product specialists for clarification.



CONSTRUCTION CODE
EXAMPLE: 1-2F-1

1 - 1 TOP ADAPTOR
2F - 2 FABRIC VEE RINGS
1 - 1 BOTTOM ADAPTOR



SEAL INFORMATION

MATERIAL	F = FABRIC & RUBBER, U = URETHANE, N = NYLON, T = PTFE, R = RUBBER
TEMPERATURE RANGE	-35° TO +220° F
PRESSURE RANGE	0 TO 10,000 PSI
PART NUMBER	(Prefix) (ID) (CS) X (Height)

Part Number	Const. T-V-B	I.D.	O.D.	H.	List Price
VS07504X068	1-2F-1	3/4	1-1/4	11/16	\$ 11.19
VS08104X071	0-4F-1	13/16	1-5/16	.710	6.07
VS12504X087	1-3R-2T-1	1-1/4	1-3/4	7/8	12.24
VS15005X106	1-3R-2T-1	1-1/2	2-1/8	1-1/16	23.32
VS17503X043	0-4F-0	1-3/4	2-1/8	7-16	9.86
VS17504X068	1-2R-2T-0	1-3/4	2-1/4	11/16	22.11
VS17505X100S	1-3R-2T-0	1-3/4	2-3/8	1	20.21
VS20004X062	1-1U-1F-1	2	2-1/2	5/8	6.78
VS20004X087W	0-2U-2F-0	2	2-1/2	7/8	12.14
VS20008X125	1-3F-1	2	3	1-1/4	25.88
VS22004X100	1-3F-2U-1	2.200	2.700	1	17.42
VS25003X043	0-4F-0	2-1/2	2-7/8	7/16	7.26
VS26205X075	1-2U-2T-0	2-5/8	3-1/4	3/4	19.60
VS27006X106	1-2F-1U-1	2.700	3.450	1-1/16	22.69
VS27504X075	1-2N-1R-1	2-3/4	3-1/4	3/4	10.18
VS27506X112	1-3R-2T-0	2-3/4	3-1/2	1-1/8	77.48
VS29504.4X100W	1-2F-2U-1	2.950	3-1/2	1	19.20
VS29504X100	1-3F-2U-1	2.950	3.450	1	19.86
VS29704.4X112W	0-3F-2U-1	2.970	3.520	1-1/8	18.88
VS30004X087W	0-4F-0	3	3-1/2	7/8	13.30
VS31203X087W	0-2F-2U-0	3-1/8	3-1/2	7/8	22.39
VS31206X100	1-2R-2T-0	3-1/8	3-7/8	1	32.01
VS32503X043	0-4F-0	3-1/4	3-5/8	7/16	8.63
VS32504X125W	1-3F-2U-1	3-1/4	3-3/4	1-1/4	17.08
VS34506.4X150	1-3F-2U-1	3.450	4-1/4	1-1/2	41.02
VS35012X150	1-3F-1	3-1/2	5	1-1/2	53.98
VS35804.2X100W	1-3F-2U-1	3.580	4.110	1	33.79
VS37505X118W	1-2F-2U-1	3-3/4	4-3/8	1-3/16	23.90
VS37506X106	1-2R-2T-0	3-3/4	4-1/2	1-1/16	36.90
VS39504.4X125W	1-2F-2U-1	3.950	4-1/2	1-1/4	23.36

Part Number	Const. T-V-B	I.D.	O.D.	H.	List Price
VS39704.4X100W	0-3F-2U-1	3.970	4.520	1	\$ 23.99
VS40004X087W	0-2R-2U-0	4	4-1/2	7/8	24.34
VS40004X100W	1-3F-2U-1	4	4-1/2	1	19.84
VS42504X125W	1-3F-2U-1	4-1/4	4-3/4	1-1/4	23.49
VS44704.4X093	0-2F-3U-0	4.475	5.025	15/16	27.87
VS45004X087	1-4F-1	4-1/2	5	7/8	20.40
VS45004X087A	1-2F-2U-1	4-1/2	5	7/8	17.54
VS45007X118	1-2R-2T-0	4-1/2	5-3/8	1-3/16	66.81
VS47505X125W	1-2F-2U-1	4-3/4	5-3/8	1-1/4	29.87
VS47506X087	0-2N-1N-1	4-3/4	5-1/2	7/8	18.22
VS49504.4x125W	1-2F-2U-1	4.950	5-1/2	1	29.66
VS49704.4X112W	0-3F-2U-1	4.970	5.520	1-1/8	31.19
VS50004X100W	1-3F-2U-1	5	5-1/2	1	24.20
VS50004X112W	1-3F-2U-1	5	5-1/2	1	21.45
VS52506X087	0-2N-1R-1	5-1/4	6	7/8	18.90
VS54404X112W	1-3F-2U-1	5.445	5.945	1-1/8	40.86
VS54704.4X093	0-2F-3U-0	5.475	6.025	15/16	30.81
VS57006X106	1-2F-1U-1	5.700	6.450	1-1/16	44.77
VS57505X087	1-2R-2T-0	5-3/4	6-3/8	7/8	63.53
VS57505X125W	1-2F-2U-1	5-3/4	6-3/8	1-1/4	38.06
VS58704X100W	1-4F-1	5-7/8	6-3/8	1	27.04
VS59504.4X125W	1-2F-2U-1	5.950	6-1/2	1-1/4	37.49
VS59704.4X112W	0-3F-2U-1	5.970	6.520	1-1/8	38.21
VS60004X087W	0-2F-2U-0	6	6-1/2	7/8	46.73
VS60004X100W	1-3F-2U-1	6	6-1/2	1	27.25
VS60004X112W	1-3F-2U-1	6	6-1/2	1	26.14
VS62505X125W	1-3F-2U-1	6-1/4	6-7/8	1-1/4	43.65
VS64404X112W	1-3F-2U-1	6.445	6.945	1-1/8	54.95
VS64704.4X093	0-2F-3U-0	6.475	7.025	15/16	38.16
VS67505X125W	1-2F-2U-1	6-3/4	7-3/8	1-1/4	55.27


SPECIAL VEE PACKING SETS

Part Number	Const. T-V-B	I.D.	O.D.	H.	List Price
VS69504.4X125W	1-2F-2U-1	6.950	7-1/2	1-1/4	\$ 45.65
VS69704.4X112W	0-3F-2U-1	6.970	7.520	1-1/8	34.67
VS70004X100W	1-3F-2U-1	7	7-1/2	1	31.72
VS70004X112W	1-3F-2U-1	7	7-1/2	1	30.53
VS74404X112W	1-3F-2U-1	7.445	7.945	1-1/8	61.85
VS75005X125W	1-3F-2U-1	7-1/2	8-1/8	1-1/4	63.30
VS79005.1X125W	1-2F-2U-1	7.905	8.543	1-1/4	58.79
VS79504.4X125W	1-2F-2U-1	7.950	8-1/2	1-1/4	54.88
VS79704.4X112W	0-3F-2U-1	7.970	8.520	1-1/8	53.52
VS80004X100W	1-3F-2U	8	8-1/2	1	39.37

Part Number	Const. T-V-B	I.D.	O.D.	H.	List Price
VS80004X112W	1-3F-2U-1	8	8-1/2	1	\$ 34.38
VS82506X118W	1-3F-1U-1	8-1/4	9	1-3/16	78.61
VS87505X125W	1-3F-2U-1	8-3/4	9-3/8	1-1/4	89.12
VS89504.4X125W	1-2F-2U-1	8.950	9-1/2	1-1/4	73.49
VS90006X118W	1-4F-1	9	9-3/4	1-3/16	89.32
VS91204.5X112W	0-2F-2U-1	9-1/8	9-11/16	1-1/8	66.25
VS91205X125W	1-3F-2U-1	9-1/8	9-3/4	1-1/4	113.58
VS93705X121W	1-4F-1	9-3/8	10	1-7/32	121.39
VS97506X100W	0-3F-1U-1	9-3/4	10-1/2	1	169.94
VS112506X125	1-2N-2U-1	11-1/4	12	1-3/4	167.11

CASCADE VEE SETS

Employed mainly in cylinders made by Cascade Corp., these vee sets are often over-sized or are different from standard vee sets. They are often used with Follower bearings



3,000 PSI = 4 VEEES
5,000 PSI = 5 VEEES
10,000 PSI = 6 VEEES



SEAL INFORMATION


MATERIAL	FABRIC REINFORCED RUBBER & URETHANE RINGS/NYLON ADAPTORS
TEMPERATURE RANGE	-35° TO +220° F
PRESSURE RANGE	0 TO 10,000
PART NUMBER	(Prefix) (ID) (CS) X (Height)

Part Number	I.D.	O.D.	H.	List Price
CAS-C7501	.875	1.375	.750	\$ 14.73
CAS-7500	1.000	1.500	.781	14.70
CAS-C1809	1.250	1.750	.671	12.79
CAS-C7502	1.500	2.000	.781	14.22
CAS-C7606	1.750	2.265	.635	11.57
CAS-7505	1.750	2.265	.781	17.15
CAS-C7609	2.000	2.515	.625	13.74
CAS-C1861	2.000	2.760	1.218	27.11
CAS-1468	2.250	3.020	1.030	23.97
CAS-7542A	2.450	3.020	.671	15.31
CAS-7633	2.500	3.000	1.094	23.97
CAS-7547	2.750	3.270	.850	20.66
CAS-C1469	2.750	3.520	1.030	29.46
CAS-C7608	3.000	3.520	.671	15.23

Part Number	I.D.	O.D.	H.	List Price
CAS-7565	3.000	3.520	.890	\$ 21.53
CAS-7514A	3.200	3.770	.781	26.75
CAS-7576	3.200	3.770	.828	23.97
CAS-1470	3.250	4.020	1.000	29.46
CAS-C7538	3.500	4.020	.625	18.06
CAS-C7636	3.500	4.270	1.030	28.46
CAS-C7561	3.500	4.270	1.400	50.18
CAS-1471A	3.750	4.520	1.000	31.90
CAS-C827	3.750	4.520	1.218	36.37
CAS-C7554	4.000	4.770	.813	46.12
CAS-7525	4.250	5.030	1.200	51.77
CAS-7562	4.250	5.030	1.344	54.39
CAS-7651	6.000	6.530	.875	36.79

INDIVIDUAL VEE RINGS & ADAPTORS

The individual vee rings and adaptors listed here are the same high quality product found in our assembled vee packing sets. Stocking individual vee rings allows you to assemble sets to your specific requirements.



RING TYPES

T = TOP ADAPTOR - NYLON
 B = BOTTOM ADAPTOR - NYLON
 F = NEOFAB VEE RING
 U = URETHANE VEE RING
 R = RUBBER VEE RING.
 (FOR MORE RUBBER VEE RINGS
 SEE OUR STYLE 835 RINGS)

SEAL INFORMATION

MATERIAL	NYLON, NEO-FAB, URETHANE
TEMPERATURE RANGE	-35° TO +220° F
PRESSURE RANGE	0 TO 5,000 PSI
PART NUMBER	(Prefix) (ID) (CS) (Type of Ring)

VEE RING STACK HEIGHTS WITH TOP & BOTTOM ADAPTORS

# OF	VEE RING CROSS SECTIONS								
	3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4
1	.410	.500	.562	.625	.645	.750	.812	.875	1.00
2	.520	.625	.719	.812	.863	1.000	1.093	1.187	1.375
3	.630	.750	.875	1.000	1.081	1.250	1.375	1.500	1.750
4	.740	.875	1.031	1.187	1.300	1.500	1.656	1.812	2.125
5	.850	1.000	1.187	1.375	1.517	1.750	1.937	2.125	2.500

Part Number	I.D.	O.D.	List Price
VR05003F	1/2	7/8	\$ 1.33
VR05003T	1/2	7/8	1.33
VR06204B	5/8	1-1/8	1.26
VR06204F	5/8	1-1/8	1.26
VR06204R	5/8	1-1/8	3.67
VR06204T	5/8	1-1/8	1.26
VR07504B	3/4	1-1/4	1.26
VR07504F	3/4	1-1/4	1.26
VR07504T	3/4	1-1/4	1.26
VR07505F	3/4	1-3/8	3.29
VR08703B	7/8	1-1/4	1.39
VR08703F	7/8	1-1/4	1.39
VR08703T	7/8	1-1/4	1.39
VR08704F	7/8	1-3/8	2.11
VR08705F	7/8	1-1/2	2.43
VR10004B	1	1-1/2	1.26
VR10004F	1	1-1/2	1.26
VR10004T	1	1-1/2	1.26
VR10005B	1	1-5/8	3.08
VR10005F	1	1-5/8	3.08
VR10005T	1	1-5/8	5.76
VR10006F	1	1-3/4	5.53

Part Number	I.D.	O.D.	List Price
VR11204B	1-1/8	1-5/8	\$ 1.28
VR11204F	1-1/8	1-5/8	1.28
VR11204T	1-1/8	1-5/8	1.28
VR12504B	1-1/4	1-3/4	1.28
VR12504F	1-1/4	1-3/4	1.28
VR12504T	1-1/4	1-3/4	1.28
VR12504U	1-1/4	1-3/4	1.28
VR12505F	1-1/4	1-7/8	2.02
VR12505T	1-1/4	1-7/8	2.22
VR12506B	1-1/4	2	2.13
VR12506F	1-1/4	2	2.13
VR12506T	1-1/4	2	2.13
VR12506U	1-1/4	2	2.13
VR13704B	1-3/8	1-7/8	1.80
VR13704F	1-3/8	1-7/8	1.80
VR13704R	1-3/8	1-7/8	3.93
VR13704T	1-3/8	1-7/8	1.80
VR13704U	1-3/8	1-7/8	1.80
VR13705B	1-3/8	2	1.93
VR13705F	1-3/8	2	1.93
VR13705T	1-3/8	2	1.93
VR13706B	1-3/8	2-1/8	4.29

INDIVIDUAL VEE RINGS & ADAPTORS

Part Number	I.D.	O.D.	List Price
VR13706F	1-3/8	2-1/8	\$ 4.29
VR13706T	1-3/8	2-1/8	4.16
VR15004B	1-1/2	2	1.36
VR15004F	1-1/2	2	1.36
VR15004R	1-1/2	2	2.67
VR15004T	1-1/2	2	1.36
VR15004U	1-1/2	2	1.36
VR15005B	1-1/2	2-1/8	1.74
VR15005F	1-1/2	2-1/8	1.74
VR15005T	1-1/2	2-1/8	1.74
VR15006B	1-1/2	2-1/4	2.31
VR15006F	1-1/2	2-1/4	2.31
VR15006R	1-1/2	2-1/4	6.37
VR15006T	1-1/2	2-1/4	2.31
VR15008B	1-1/2	2-1/2	3.34
VR15008F	1-1/2	2-1/2	3.34
VR15008T	1-1/2	2-1/2	3.34
VR15008U	1-1/2	2-1/2	3.34
VR16204B	1-5/8	2-1/8	1.52
VR16204F	1-5/8	2-1/8	1.52
VR16204T	1-5/8	2-1/8	1.52
VR16204U	1-5/8	2-1/8	1.52
VR16205B	1-5/8	2-1/4	1.96
VR16205F	1-5/8	2-1/4	1.96
VR16205T	1-5/8	2-1/4	1.96
VR17504B	1-3/4	2-1/4	1.54
VR17504F	1-3/4	2-1/4	1.54
VR17504T	1-3/4	2-1/4	1.54
VR17504U	1-3/4	2-1/4	1.54
VR17505B	1-3/4	2-3/8	1.98
VR17505F	1-3/4	2-3/8	1.98
VR17505T	1-3/4	2-3/8	1.98
VR17505U	1-3/4	2-3/8	1.98
VR17506B	1-3/4	2-1/2	1.98
VR17506F	1-3/4	2-1/2	1.98
VR17506T	1-3/4	2-1/2	1.98
VR17508B	1-3/4	2-3/4	4.46
VR17508F	1-3/4	2-3/4	4.46
VR17508T	1-3/4	2-3/4	4.46
VR18704B	1-7/8	2-3/8	1.53
VR18704F	1-7/8	2-3/8	1.53
VR18704R	1-7/8	2-3/8	6.74
VR18704T	1-7/8	2-3/8	1.53
VR18705B	1-7/8	2-1/2	2.18
VR18705F	1-7/8	2-1/2	2.18

Part Number	I.D.	O.D.	List Price
VR18705T	1-7/8	2-1/2	\$ 2.18
VR20004B	2	2-1/2	1.48
VR20004F	2	2-1/2	1.48
VR20004R	2	2-1/2	3.50
VR20004T	2	2-1/2	1.48
VR20004U	2	2-1/2	1.48
VR20005B	2	2-5/8	2.03
VR20005F	2	2-5/8	2.03
VR20005T	2	2-5/8	2.03
VR20006B	2	2-3/4	2.63
VR20006F	2	2-3/4	2.63
VR20006T	2	2-3/4	2.63
VR20006U	2	2-3/4	2.63
VR22504B	2-1/4	2-3/4	1.75
VR22504F	2-1/4	2-3/4	1.75
VR22504T	2-1/4	2-3/4	1.75
VR22504U	2-1/4	2-3/4	1.75
VR22505B	2-1/4	2-7/8	3.98
VR22506B	2-1/4	3	2.89
VR22506F	2-1/4	3	2.89
VR22506R	2-1/4	3	14.44
VR22506T	2-1/4	3	2.89
VR25003B	2-1/2	2-7/8	4.08
VR25003F	2-1/2	2-7/8	4.08
VR25003T	2-1/2	2-7/8	4.08
VR25004B	2-1/2	3	1.84
VR25004F	2-1/2	3	1.84
VR25004R	2-1/2	3	3.39
VR25004T	2-1/2	3	1.84
VR25004U	2-1/2	3	1.84
VR25005B	2-1/2	3-1/8	2.66
VR25005F	2-1/2	3-1/8	2.66
VR25005T	2-1/2	3-1/8	2.66
VR25005U	2-1/2	3-1/8	2.66
VR25006B	2-1/2	3-1/4	3.29
VR25006F	2-1/2	3-1/4	3.29
VR25006T	2-1/2	3-1/4	3.29
VR25006U	2-1/2	3-1/4	3.29
VR25008B	2-1/2	3-1/2	4.92
VR25008F	2-1/2	3-1/2	4.92
VR25008T	2-1/2	3-1/2	4.92
VR26204F	2-5/8	3-1/8	6.33
VR26204T	2-5/8	3-1/8	4.65
VR26205U	2-5/8	3-1/4	2.52
VR27504B	2-3/4	3-1/4	1.80

INDIVIDUAL VEE RINGS & ADAPTORS

Part Number	I.D.	O.D.	List Price
VR27504F	2-3/4	3-1/4	\$ 1.80
VR27504T	2-3/4	3-1/4	1.80
VR27504U	2-3/4	3-1/4	1.80
VR27505B	2-3/4	3-3/8	2.76
VR27505F	2-3/4	3-3/8	2.76
VR27505T	2-3/4	3-3/8	2.76
VR27506B	2-3/4	3-1/2	3.65
VR27506F	2-3/4	3-1/2	3.65
VR27506T	2-3/4	3-1/2	3.65
VR27506U	2-3/4	3-1/2	3.65
VR27508F	2-3/4	3-3/4	8.02
VR30004B	3	3-1/2	1.88
VR30004F	3	3-1/2	1.88
VR30004R	3	3-1/2	4.32
VR30004T	3	3-1/2	1.88
VR30004U	3	3-1/2	1.88
VR30006B	3	3-3/4	4.31
VR30006F	3	3-3/4	4.31
VR30006T	3	3-3/4	4.31
VR30006U	3	3-3/4	4.31
VR32503B	3-1/4	3-5/8	2.06
VR32503F	3-1/4	3-5/8	2.06
VR32503T	3-1/4	3-5/8	2.06
VR32504B	3-1/4	3-3/4	2.15
VR32504F	3-1/4	3-3/4	2.15
VR32504T	3-1/4	3-3/4	2.15
VR32506B	3-1/4	4	4.29
VR32506F	3-1/4	4	4.29
VR32506T	3-1/4	4	4.29
VR34504F	3.45	4	19.31
VR34504T	3.45	4	20.00
VR35004B	3-1/2	4	2.23
VR35004F	3-1/2	4	2.23
VR35004T	3-1/2	4	2.23
VR35004U	3-1/2	4	2.23
VR35005B	3-1/2	4-1/8	9.61
VR35005F	3-1/2	4-1/8	4.47
VR35005T	3-1/2	4-1/8	12.85
VR35006B	3-1/2	4-1/4	4.07
VR35006F	3-1/2	4-1/4	4.07
VR35006T	3-1/2	4-1/4	4.07
VR35006U	3-1/2	4-1/4	5.30
VR35008B	3-1/2	4-1/2	7.13
VR35008F	3-1/2	4-1/2	6.91
VR35008T	3-1/2	4-1/2	6.91


Part Number	I.D.	O.D.	List Price
VR37504B	3-3/4	4-1/4	\$ 2.44
VR37504F	3-3/4	4-1/4	2.44
VR37504T	3-3/4	4-1/4	2.44
VR37505B	3-3/4	4-3/8	6.13
VR37505F	3-3/4	4-3/8	6.13
VR37505T	3-3/4	4-3/8	6.13
VR37506B	3-3/4	4-1/2	4.91
VR37506F	3-3/4	4-1/2	4.91
VR37506T	3-3/4	4-1/2	4.91
VR37506U	3-3/4	4-1/2	4.91
VR38707T	3-7/8	4-3/4	8.48
VR40004B	4	4-1/2	3.07
VR40004B-25	4	4-1/2	2.54
VR40004F	4	4-1/2	3.07
VR40004R	4	4-1/2	17.53
VR40004T	4	4-1/2	3.07
VR40004U	4	4-1/2	3.07
VR40006B	4	4-3/4	5.47
VR40006F	4	4-3/4	5.47
VR40006T	4	4-3/4	5.47
VR40006U	4	4-3/4	5.47
VR40007F	4	4-7/8	22.21
VR40007T	4	4-7/8	7.68
VR40008B	4	5	7.57
VR40008F	4	5	7.57
VR40008T	4	5	7.57
VR40008U	4	5	7.57
VR42504B	4-1/4	4-3/4	3.63
VR42504F	4-1/4	4-3/4	3.63
VR42506B	4-1/4	5	5.52
VR42506F	4-1/4	5	5.52
VR42506T	4-1/4	5	5.52
VR42506U	4-1/4	5	5.52
VR42508B	4-1/4	5-1/4	36.45
VR42508F	4-1/4	5-1/4	14.43
VR42508T	4-1/4	5-1/4	27.23
VR45004B	4-1/2	5	2.82
VR45004F	4-1/2	5	2.82
VR45004T	4-1/2	5	2.82
VR45006F	4-1/2	5-1/4	7.56
VR47506B	4-3/4	5-1/2	24.60
VR47506F	4-3/4	5-1/2	9.92
VR47506T	4-3/4	5-1/2	24.60
VR50004B	5	5-1/2	2.98
VR50004F	5	5-1/2	2.99

INDIVIDUAL VEE RINGS & ADAPTORS

Part Number	I.D.	O.D.	List Price
VR50004R	5	5-1/2	\$ 6.37
VR50004T	5	5-1/2	2.98
VR50004U	5	5-1/2	2.99
VR50008B	5	6	9.93
VR50008F	5	6	9.75
VR50008T	5	6	9.75
VR52504B	5-1/4	5-3/4	3.22
VR52504F	5-1/4	5-3/4	3.22
VR52504U	5-1/4	5-3/4	3.22
VR52506B	5-1/4	6	7.27
VR52506F	5-1/4	6	7.27
VR52506T	5-1/4	6	7.27
VR52508F	5-1/4	6-1/4	9.93
VR55004B	5-1/2	6	3.37
VR55004F	5-1/2	6	3.37
VR55004T	5-1/2	6	3.37
VR55004U	5-1/2	6	3.51
VR55006F	5-1/2	6-1/4	9.63
VR55008B	5-1/2	6-1/2	12.23
VR55008F	5-1/2	6-1/2	12.23
VR55008R	5-1/2	6-1/2	14.31
VR55008T	5-1/2	6-1/2	12.23
VR57505T	5-3/4	6-3/8	5.98
VR57506F	5-3/4	6-1/2	8.46
VR57508F	5-3/4	6-3/4	17.23
VR60004B	6	6-1/2	3.57
VR60004F	6	6-1/2	3.58
VR60004T	6	6-1/2	3.57

Part Number	I.D.	O.D.	List Price
VR60004U	6	6-1/2	\$ 3.58
VR60008B	6	7	11.25
VR60008F	6	7	11.25
VR60008T	6	7	11.25
VR62506B	6-1/4	7	10.05
VR62506F	6-1/4	7	10.05
VR62506T	6-1/4	7	10.05
VR65008B	6-1/2	7-1/2	12.77
VR65008F	6-1/2	7-1/2	12.77
VR67506F	6-3/4	7-1/2	12.25
VR70004B	7	7-1/2	5.95
VR70004F	7	7-1/2	5.95
VR70004T	7	7-1/2	5.95
VR70004U	7	7-1/2	5.95
VR70008B	7	8	23.25
VR70008F	7	8	23.25
VR70008T	7	8	23.25
VR75006B	7-1/2	8-1/4	15.53
VR75006F	7-1/2	8-1/4	15.53
VR75006T	7-1/2	8-1/4	15.53
VR75006U	7-1/2	8-1/4	15.53
VR75008F	7-1/2	8-1/2	23.66
VR79209.9F	7.925	9.170	34.50
VR79209.9R	7.925	9.170	29.26
VR80004B	8	8-1/2	7.22
VR80004F	8	8-1/2	7.22
VR80004T	8	8-1/2	7.22
VR80008F	8	9	20.05

STYLE 935 PTFE VEE RINGS




SEAL INFORMATION

MATERIAL	PTFE
TEMPERATURE RANGE	-100° TO +400° F
PRESSURE RANGE	0 TO 5,000 PSI
PART NUMBER	(Prefix) - (Size)

Part Number	ID	OD	S.H.	List Price
935-05	3/8	3/4	.083	\$ 5.79
935-16	3/4	1-1/4	.083	5.42
935-20	1	1-1/2	.083	5.55
935-24	1-1/4	1-3/4	.083	5.85
935-26	1-3/8	2	.140	6.14
935-27	1-1/2	2-1/8	.140	6.38
935-29	1-3/4	2-3/8	.140	7.00
935-2X2-3/4	2	2-3/4	.140	8.27
935-31	2	2-5/8	.140	8.09
935-32	2-1/8	2-3/4	.140	8.39
935-33	2-1/4	2-7/8	.140	8.59
935-35	2-1/2	3-1/8	.140	10.17

Part Number	ID	OD	S.H.	List Price
935-38	2-3/4	3-1/2	.156	\$ 11.67
935-41	3-1/8	3-7/8	.156	12.23
935-42	3-1/4	4	.156	12.65
935-44	3-1/2	4-1/4	.156	14.72
935-46	3-3/4	4-1/2	.156	16.56
935-48	3-7/8	4-3/4	5/32	21.10
935-50	4-1/4	5-1/8	.197	26.25
935-51	4-1/2	5-3/8	.197	21.08
935-128	1-3/4	2-1/4	.083	6.83
935-135	2-5/8	3-1/4	.140	10.36
935-156	5-3/4	6-3/8	.140	23.99

STYLE 835 HOMOGENEOUS RUBBER VEE RINGS



SEAL INFORMATION

MATERIAL	70A DURO BUNA-N
TEMPERATURE RANGE	-40° TO +220° F
PRESSURE RANGE	0 TO 1,250 PSI
PART NUMBER	(Prefix) - (Size)


Part Number	ID	OD	S.H.	List Price
835-05	3/8	3/4	.083	\$ 1.85
835-07	1/2	7/8	.083	1.98
835-12	1/2	1	.083	2.43
835-14	5/8	1-1/8	.083	3.67
835-16	3/4	1-1/4	.083	2.48
835-20	1	1-1/2	.083	2.70
835-22	1-1/8	1-5/8	.083	2.78
835-24	1-1/4	1-3/4	.083	2.85
835-25	1-1/4	1-7/8	.140	2.91
835-26	1-3/8	2	.140	2.96
835-27	1-1/2	2-1/8	.140	3.07
835-28	1-5/8	2-1/4	.140	3.25
835-29	1-3/4	2-3/8	.140	3.88
835-2X2-3/4	2	2-3/4	.140	5.85
835-31	2	2-5/8	.140	4.66
835-32	2-1/8	2-3/4	.140	5.85
835-33	2-1/4	2-7/8	.140	5.93

Part Number	ID	OD	S.H.	List Price
835-35	2-1/2	3-1/8	.140	\$ 6.65
835-38	2-3/4	3-1/2	.156	7.41
835-40	3	3-3/4	.156	6.61
835-41	3-1/8	3-7/8	.156	7.59
835-42	3-1/4	4	.156	7.88
835-44	3-1/2	4-1/4	.156	8.75
835-46	3-3/4	4-1/2	.156	9.52
835-48	3-7/8	4-3/4	.156	15.49
835-49	4	4-7/8	.197	30.26
835-50	4-1/4	5-1/8	.197	14.25
835-51	4-1/2	5-3/8	.197	12.17
835-55	5-1/2	6-3/8	.197	16.34
835-57	5-3/4	6-3/4	.197	15.69
835-128	1-3/4	2-1/4	.140	3.59
835-133	2-7/16	3-3/16	.140	18.42
835-156	5-3/4	6-3/8	.140	13.16


WV PACKING

Similar to Vee Packing, WV Packing is stacked in a pedestal fashion. Stacked rings do not require axial force to obtain proper lip interference. Also, stacked WV's have the advantage of redundancy - if one ring fails, the next ring will back it up.


WV Packing is available as a Center Ring, Style 850 (Neo-Fab) and Style 851 (Buna-N); Flat Back, Style 852 (Neo Fab) and Style 853 (Buna-n); and Deep Base, Style 855 (Buna-N). Flat backs and center rings are usually used in sets, whereas deep base rings are used as single elements.



CENTER RING
STYLE 850 & 851



FLAT BACK
STYLE 852 & 853



DEEP BASE
STYLE 855

A: NOMINAL RING STACK HEIGHT
B: GLAND DEPTH ± 0.002 "

SEAL INFORMATION

MATERIAL	FABRIC REINFORCED RUBBER AND BUNA-N
TEMPERATURE RANGE	-40° TO +250° F
PRESSURE RANGE	SEE CHART BELOW
PART NUMBER	(Prefix) - (ID) - (OD)

If your design is of medium to high pressure it is recommended that you utilize fabric reinforced rings. The following is a guide to pressure rating of multiple rings, including flat bottom rings.


PRESSURE RATING OF MULTIPLE RINGS	
PRESSURE P.S.I.	NUMBER OF RINGS
250 - 500	3
500 - 2,000	4
2,000 - 5,000	5
5,000 - 8,000	6

A homogeneous ring may be also used for sealing at low pressure. Do not include the homogeneous ring in calculating pressure rating. Due to the different material, it is difficult to rate this type of ring. If you wish to use all homogeneous rings, tests should be conducted to verify design stability.

A = Stack Height; B = Groove Depth $\pm .002$

Cross Section	2 Rings		3 Rings		4 Rings		5 Rings		6 Rings		7 Rings	
	A	B	A	B	A	B	A	B	A	B	A	B
1/4"	.266	.280	.375	.392	.484	.504	.594	.616	.704	.728	.814	.840
5/16"	.332	.346	.469	.486	.605	.625	.742	.764	.879	.903	1.020	1.042
3/8"	.398	.412	.562	.579	.726	.746	.890	.912	1.054	1.078	1.218	1.244
7/16"	.468	.482	.656	.673	.848	.868	1.039	1.061	1.230	1.254	1.421	1.447
1/2"	.531	.545	.750	.767	.969	.989	1.187	1.209	1.405	1.429	1.623	1.649
5/8"	.667	.695	.943	.978	1.220	1.260	1.496	1.541	1.772	1.821	2.048	2.101
3/4"	.800	.828	1.132	1.167	1.464	1.504	1.795	1.840	2.126	2.175	2.475	2.528

STYLE 850 & 851 WV PACKING



STYLE 850 - NEO FAB

Part Number	I.D.	O.D.	List Price
850-0.62X1.12	5/8	1-1/8	\$ 4.80
850-0.75X1.25	3/4	1-1/4	4.89
850-1.00X1.50	1	1-1/2	6.16
850-1.12X1.75	1-1/8	1-3/4	6.13
850-1.25X1.75	1-1/4	1-3/4	5.93
850-1.25X2.00	1-1/4	2	7.90
850-1.50X2.00	1-1/2	2	5.92
850-1.75X2.25	1-3/4	2-1/4	14.69
850-1.87X2.37	1-7/8	2-3/8	16.73
850-2.00X2.50	2	2-1/2	6.46
850-2.00X3.00	2	3	11.73


Part Number	I.D.	O.D.	List Price
850-2.25X2.75	2-1/4	2-3/4	\$ 7.14
850-2.45X3.002	2.450	3.002	14.11
850-2.50X3.00	2-1/2	3	12.96
850-2.75X3.50	2-3/4	3-1/2	11.73
850-3.43X4.00	3-7/16	4	9.07
850-3.50X4.50	3-1/2	4-1/2	18.82
850-3.68X4.25	3-11/16	4-1/4	16.57
850-3.95X4.50	3.95	4-1/2	18.03
850-4.25X5.00	4-1/4	5	20.21

STYLE 851 - BUNA-N

Part Number	I.D.	O.D.	List Price
851-0.62X1.12	5/8	1-1/8	\$ 4.80
851-0.75X1.25	3/4	1-1/4	4.89
851-0.87X1.37	7/8	1-3/8	6.04
851-1.00X1.50	1	1-1/2	5.20
851-1.05X1.63	1-1/16	1-5/8	23.86
851-1.12X1.75	1-1/8	1-3/4	6.13
851-1.12X1.87	1-1/8	1-7/8	26.46
851-1.25X1.75	1-1/4	1-3/4	5.93
851-1.25X1.87	1-1/4	1-7/8	10.95
851-1.37X1.87	1-3/8	1-7/8	5.41
851-1.37X2.12	1-3/8	2-1/8	8.18
851-1.50X2.00	1-1/2	2	5.92
851-1.50X2.12	1-1/2	2-1/8	6.31
851-1.75X2.25	1-3/4	2-1/4	6.40
851-1.87X2.37	1-7/8	2-3/8	6.65
851-2.00X2.50	2	2-1/2	6.46
851-2.12X2.75	2-1/8	2-3/4	6.57

Part Number	I.D.	O.D.	List Price
851-2.25X2.75	2-1/4	2-3/4	\$ 7.14
851-2.37X3.00	2-3/8	3	13.80
851-2.50X3.00	2-1/2	3	7.42
851-2.75X3.50	2-3/4	3-1/2	11.73
851-2.95X3.45	2.950	3.450	7.42
851-3.00X3.62	3	3-5/8	8.46
851-3.00X4.00	3	4	15.69
851-3.18X3.81	3-3/16	3-13/16	8.56
851-3.43X4.00	3-7/16	4	10.06
851-3.45X4.00	3.450	4	9.07
851-3.68X4.25	3-11/16	4-1/4	20.83
851-3.95X4.50	3.950	4-1/2	17.47
851-4.43X5.00	4-7/16	5	20.34
851-4.50X5.00	4-1/2	5	20.34
851-4.93X5.68	4-15/16	5-11/16	21.40

STYLE 852 & 853 WV PACKING



STYLE 852 - NEO FAB

Part Number	I.D.	O.D.	List Price
852-0.62X1.12	5/8	1-1/8	\$ 13.96
852-0.75X1.25	3/4	1-1/4	9.75
852-1.00X1.50	1	1-1/2	5.01
852-1.12X1.75	1-1/8	1-3/4	5.91
852-1.25X1.75	1-1/4	1-3/4	5.71
852-1.25X2.00	1-1/4	2	7.61
852-1.37X2.12	1-3/8	2-1/8	7.88
852-1.50X2.00	1-1/2	2	16.77
852-1.50X2.12	1-1/2	2-1/8	6.10
852-1.75X2.25	1-3/4	2-1/4	6.17
852-1.87X2.37	1-7/8	2-3/8	6.41
852-2.00X2.50	2	2-1/2	6.22
852-2.45X3.002	2.450	3.002	38.29


Part Number	I.D.	O.D.	List Price
852-2.50X3.00	2-1/2	3	\$ 14.51
852-2.75X3.50	2-3/4	3-1/2	11.30
852-2.95X3.45	2.950	3.450	15.05
852-3.00X4.00	3	4	15.12
852-3.43X4.00	3-7/16	4	8.74
852-3.45X4.00	3.450	4	16.89
852-3.50X4.50	3-1/2	4-1/2	20.31
852-3.68X4.25	3-11/16	4-1/4	15.96
852-3.95X4.50	3.950	4-1/2	16.83
852-4.25X5.00	4-1/4	5	19.47
852-4.43X5.00	4-7/16	5	19.60
852-4.50X5.00	4-1/2	5	19.60

STYLE 853 - BUNA-N

Part Number	I.D.	O.D.	List Price
853-0.62X1.12	5/8	1-1/8	\$ 4.62
853-0.87X1.37	7/8	1-3/8	4.90
853-1.00X1.50	1	1-1/2	5.01
853-1.25X1.87	1-1/4	1-7/8	5.73

Part Number	I.D.	O.D.	List Price
853-1.50X2.12	1-1/2	2-1/8	\$ 13.48
853-2.00X2.50	2	2-1/2	8.51
853-2.12X2.75	2-1/8	2-3/4	6.33
853-3.00X3.62	3	3-5/8	7.59

STYLE 855 WV PACKING



STYLE 855 - BUNA-N

Part Number	I.D.	O.D.	List Price
855-0.75X1.25	3/4	1-1/4	\$ 9.17
855-1.00X1.50	1	1-1/2	5.16
855-1.25X1.87	1-1/4	1-7/8	13.65
855-1.37X2.00	1-3/8	2	6.71
855-1.50X2.12	1-1/2	2-1/8	6.27
855-2.00X3.00	2	3	13.31
855-2.37X3.00	2-3/8	3	8.06

Part Number	I.D.	O.D.	List Price
855-2.37X3.00-C	2-3/8	3	\$ 5.43
855-2.75X3.50	2-3/4	3-1/2	13.31
855-3.25X4.00	3-1/4	4	14.45
855-4.25X5.00	4-1/4	5	20.35

C = Carboxilated Nitrile